

## Miscellaneous National and International Standard Parts Without a CNH Standard

### 1. PURPOSE

This standard documents parts, used by CNH, that conform to National and International standards and other company standards including Fiat.

### 2. SCOPE

This standard includes only those standards that have not been included in CNH standard parts documents.

### 3. DEFINITIONS

DIN German standards organization  
IFI Industrial Fasteners Institute  
ISO International Organization Standardization  
SAE Society of Automotive Engineers

### 4. RELATED DOCUMENTS

Case standard XM-001 and XM-002.

### 5. REFERENCE DOCUMENTS

STPA020—Fastener Finishes and Material Specifications.

### 6. PROCEDURE

6.1 Parts are displayed in alpha-numeric order by standard. Note: a single space is inserted between the standard organization and the number.

Example:

DIN 988  
DIN 7513  
Fiat 91337/45  
ISO 8746  
ISO 8750

6.2 Engineering Standards will provide standards or information on parts included in this document as requested by CNH standard parts users and suppliers.

#### 6.3 TRAPEZOIDAL CROSS-SECTION SEAL (TCS)

All fittings listed in the column "Trapezoidal Seal Fitting Part No." of this standard must be supplied with Trapezoidal Cross-section Seal (TCS) and must meet the requirements listed in CNH STPL020 (87692742), specifically section 7.3.2 ALTERNATE O-RINGS.

In the description of these parts, TCS will be included to differentiate from standard O-Ring fittings.

|                               |                     |                                                       |                                |                |
|-------------------------------|---------------------|-------------------------------------------------------|--------------------------------|----------------|
| ISSUED BY<br>D RAVI 16OCT26   | ECN NO.<br>35534576 | NAME<br><b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> |                                |                |
| APPROVED BY<br>A KHAN 16OCT26 | REV.<br>KM          | PAGE<br>1 OF 201                                      | CNH NUMBERS<br><b>87354249</b> | <b>STPX100</b> |

THE INFORMATION HEREON IS THE CONFIDENTIAL AND PROPRIETARY PROPERTY OF CNH INDUSTRIAL N.V. AND/OR ITS SUBSIDIARIES OR DIVISIONS. ANY USE, EXCEPT THAT FOR WHICH IT MAY BE LOANED, IS PROHIBITED.

## Contents - National and International Standards

| Number               | Standard description                                                   |
|----------------------|------------------------------------------------------------------------|
| ANSI B1.5            | ACME Threaded Nuts                                                     |
| DIN 125              | Plain Washers                                                          |
| DIN 316              | Wing Screws                                                            |
| DIN 557              | Metric Square Nut                                                      |
| DIN 608              | FLAT COUNTERSUNK HEAD SQUARE NECK BOLTS WITH SHORT SQUARE              |
| DIN 609              | Fit Bolts                                                              |
| DIN 705              | Collars                                                                |
| DIN 835              | Double Ended Studs                                                     |
| DIN 908              | Int. hex plugs with DIN 3858 Threads (Whitworth parallel pipe thread). |
| DIN 908              | Int. hex plugs with ISO 228-1 Threads                                  |
| DIN 939              | Metal Stud for screwing into cast iron                                 |
| DIN 988              | Shim and Supporting Rings                                              |
| DIN 2093             | Disc Springs                                                           |
| DIN 3015-3           | WeldPlate / Deckplates / Coverplate / Stacking Bolt                    |
| DIN 3861             | Cutting Rings                                                          |
| DIN 3869             | ED Seal                                                                |
| DIN 3870             | 24 Degree Tube Nuts                                                    |
| DIN 5296             | Rings                                                                  |
| DIN 5419             | Felt Sealing Washers                                                   |
| DIN 6319             | Spherical Washers                                                      |
| DIN 7349             | Plain Washers for Bolts with Heavy Clamping Sleeves                    |
| DIN 11023            | Linch Pins                                                             |
| DIN 71805            | Housings and Circlips for Tie Rod Joints                               |
| DIN 1472             | Grooved Pins – Half Length taper grooved                               |
| Fiat 10112/03        | Hexagon Nuts For Severe Applications                                   |
| Fiat 10118           | Self-Locking Elastic Flange Hexagon Nuts                               |
| Fiat 10129           | Self-Locking Hexagon Nuts for Minor Applications                       |
| Fiat 10133/03        | Prev Torq Hex Nuts with Spring for Severe Applications                 |
| Fiat 10137           | Nut, Hexagon Toothed Flange                                            |
| Fiat 10139           | Hexagon Collar Staking Nuts                                            |
| Fiat 10142           | Wing Nuts                                                              |
| Fiat 10145           | Square Nuts                                                            |
| Fiat 10145/01        | Rectangular Nuts                                                       |
| Fiat 10146           | Prevailing Torque Hex Nuts with Metal Insert – Severe applications     |
| Fiat 10146/01        | Prevailing Torque Hex Thin Nuts with Metal Insert                      |
| Fiat 10148           | Self-Locking Hex Nuts w/Captive Spring Washer                          |
| Fiat 10150           | Prev Torq Hex Two Piece Cap Nuts with Polyamide Inserts                |
| Fiat 10154           | Piloted Square Nuts to be Retained by Cage or Welding                  |
| Fiat 10163           | Prevailing Torque Thin Hex Nuts for Projection Welding                 |
| Fiat 10165           | Projection Weld Threaded Bushings                                      |
| Fiat 10173           | Machined Washers Metric                                                |
| Fiat 10182           | Lock Plates for Threaded Fasteners                                     |
| Fiat 10214           | Medium-Length Tap End Studs                                            |
| Fiat 10219           | Long Tap End Studs                                                     |
| Fiat 10227           | Extra Long Tap End Studs                                               |
| Fiat 10232           | Double End Studs                                                       |
| Fiat 10252           | Helical Screw Thread Inserts – Regular and Screw-Lock                  |
| 1341840Fiat 10312/02 | Hexagon Bolts – Thread Rolled After Hardening and Tempering            |
| Fiat 10312/03        | Hexagon Bolts For Severe Applications                                  |
| Fiat 10312/04        | Hexagon Bolts For Severe Applications                                  |
| Fiat 10379           | Cone Point Wing Screws                                                 |
| Fiat 10412           | Square Head Bolts                                                      |

|                                               |      |          |                           |
|-----------------------------------------------|------|----------|---------------------------|
| NAME                                          | REV. | PAGE     | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 2 OF 201 | <b>87354249   STPX100</b> |

| Number              | Standard description                                         |
|---------------------|--------------------------------------------------------------|
| Fiat 10413          | Screws with Collars                                          |
| Fiat 10452          | Pan Head Square Neck Bolts                                   |
| Fiat 10453          | Spherical Projection Screws for Projection Welding           |
| Fiat 10453/01       | Cone Point Screws for Projection Welding                     |
| Fiat 10453/02       | Elongated Projection Weld Screws                             |
| Fiat 10453/20       | Spherical Projection Pins for Projection Welding             |
| Fiat 10457          | Welding Studs – Special Threads                              |
| Fiat 10514          | Slotted Cheese Head Bolts                                    |
| Fiat 10518          | Slotted Countersunk Head Screws                              |
| Fiat 10631/02       | Pan Head PZ Cross Recess Tapping Screws with Wide Flange     |
| Fiat 10638          | Self-Drilling Tapping Screws W/ PZ C/R Pan Head              |
| Fiat 10653/01 & /02 | Hex Std & Large Washer Head Tapping Screw for Soft Materials |
| Fiat 10654          | Pan Head PZ Cross Recess Tapping Screws for Soft Material    |
| Fiat 10655          | Raised Countersunk head PZ Cross Recess Tapping Screws       |
| Fiat 10656          | Countersunk head PZ Cross Recess Tapping Screws              |
| Fiat 10670          | Hex Head Tapping Screws                                      |
| Fiat 10710          | Nut and Screw Protective Caps                                |
| Fiat 12128          | Thin Narrow Button Head Semitubular Rivets                   |
| Fiat 12135          | Flat Head Threaded Tubular Rivets                            |
| Fiat 12135/01       | Flat Head Closed End Threaded Tubular Hexagon Rivets         |
| Fiat 12136 & 01     | Flat Head Threaded Tubular Hexagon Rivets                    |
| Fiat 12140          | Button Head Tapping Screws                                   |
| Fiat 12252          | Safety Retainers for Shafts                                  |
| Fiat 12506          | Pin, Round End Dowel                                         |
| Fiat 12508          | Pin, Two Diameter Locating                                   |
| Fiat 12520          | Slotted Setscrews                                            |
| Fiat 12706          | PZ Cross-Recessed Raised Thin Cheese Head Bolts              |
| Fiat 12717          | Washers for countersunk Head Screws                          |
| Fiat 12753          | Stud Fasteners                                               |
| Fiat 12753/41       | Blanking Plugs                                               |
| Fiat 12753/43       | Body Shell Hole Blanking Plugs                               |
| Fiat 12787          | Spring Nuts                                                  |
| Fiat 12790          | Spring Nuts                                                  |
| Fiat 12790/01       | Spring Nuts for Metric Thread Screws                         |
| Fiat 12791          | Quick Operating Fasteners _ Grommets and Nuts                |
| Fiat 12794          | Caged Nuts                                                   |
| Fiat 13106/01       | Tie-Rod End Yokes                                            |
| Fiat 13106/02       | Tie-Rod Adjusting Sleeves                                    |
| Fiat 13106/03       | Tie-Rod End Clevis Joint Pins                                |
| Fiat 13130/01       | Tie-Rod Ball and Socket Joint Heads-Light Duty               |
| Fiat 13130/02       | Upsetting Ball Studs for Tie Rod Ball and Socket Joints      |
| Fiat 13130/03       | Spring Lock                                                  |
| Fiat 13140          | Tie-Rod Ball and Socket Joints Heavy Duty                    |
| Fiat 13140/03       | Threaded Ball Studs for Rod Joint Sockets                    |
| Fiat 14140/41       | Hexagonal-head screw hose clamps                             |
| Fiat 14140/42       | Hex Flanged Head Screw Hose Clamps                           |
| Fiat 14146          | Self-Tightening Hose Clamps                                  |
| Fiat 14150          | Snap-on Hose Band Clamps                                     |
| Fiat 14151          | Double Ratchet Lock Elastic Hose Clamps                      |
| Fiat 14221          | Sleeve Tube Fittings Nuts                                    |
| Fiat 14222          | Sleeves – Tube Fittings Sleeves                              |
| Fiat 14256          | One-Way Pipe Banjo Fittings Union Screws                     |
| Fiat 14261          | Banjo Fittings                                               |
| Fiat 14265/02       | Straight End Fittings Parallel Threaded                      |
| Fiat 14267          | Lock Nuts for Fittings                                       |
| Fiat 14268          | Ferrules for Fittings                                        |
| Fiat 14269          | Rectangular Sealing Washers for Pipe Fittings                |
| Fiat 14281          | Formed (dual-cone) tube end nuts                             |


|                                               |      |          |                           |
|-----------------------------------------------|------|----------|---------------------------|
| NAME                                          | REV. | PAGE     | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 3 OF 201 | <b>87354249   STPX100</b> |

| Number               | Standard description                                                |
|----------------------|---------------------------------------------------------------------|
| Fiat 14281/01        | Male unions for pipes with swollen ends                             |
| Fiat 14293           | Formed Tube End Fittings for Air Conditioning Systems – Welded Type |
| Fiat 14294           | Tube Nuts for Air Conditioning Systems                              |
| Fiat 14295           | Tube Nuts for Air Conditioning Systems                              |
| Fiat 14517           | Rivet Plugs                                                         |
| Fiat 14530           | Hex Head Threaded Plugs                                             |
| Fiat 14534           | Round Head Threaded Plugs with Hexagon Socket                       |
| Fiat 14540           | Fiat 14256                                                          |
| Fiat 14545           | Taper Thread Plugs                                                  |
| Fiat 14548           | Slotted Threaded Plugs                                              |
| Fiat 14551           | Steel Plugs                                                         |
| Fiat 14552           | Hexagon Socket Head Taper Thread Plugs                              |
| Fiat 14553           | Hexagon Head Magnetic Threaded Plugs                                |
| Fiat 14561           | Open and Spring Clips                                               |
| Fiat 14562           | Cable and Tubing Spring Clips                                       |
| Fiat 14564           | Cable and Tubing Snap-in clips                                      |
| Fiat 14579           | Cage for Square Nuts                                                |
| Fiat 14607           | Rectangular Section Seals                                           |
| Fiat 14618           | O-Ring                                                              |
| Fiat 14618/02        | Washer, Sealing – Special seal rings type                           |
| Fiat 14649           | Grease Relief Valves                                                |
| Fiat 17309/05        | Flexible Rubber Fuel Pipelines                                      |
| Fiat 19225           | Allen Wrenches                                                      |
| Fiat 91107/13        | Single Conductor Copper Cables W/Class T2 Insulation                |
| Fiat 91220           | Protective Sheaths for Wiring                                       |
| Fiat 91223           | Fixing Clips                                                        |
| Fiat 91229           | Heat Shrink Sleeves                                                 |
| Fiat 91230           | Grommets – See STPS550 (47406479)                                   |
| Fiat 91231           | Insulating Grommets for Conductors See STPS550 (47406479)           |
| Fiat 91310           | Terminal D/4                                                        |
| Fiat 91328           | Cable Ties                                                          |
| Fiat 91332/48        | Water Tight Connectors                                              |
| Fiat 91351           | Wire Terminals and Plug Seals                                       |
| Fiat 91815           | Blade Fuses for Electrical Systems with Insulating Body             |
| Fiat Hitachi 2405/02 | End Fittings with Metric Thread Male Connection 45D Elbow           |
| Fiat Hitachi 2405/02 | End Fittings with Metric Thread Male Connection 90D Elbow           |
| Fiat Hitachi 2405/02 | End Fittings with Metric Thread Male Connection Straight Long       |
| Fiat Hitachi 2405/02 | End Fittings with Metric Thread Male Connection Adjustable Run Tee  |
| ISO 1179             | Connector Male ORFS BSP                                             |
| ISO 8745             | Grooved Pins – Half Length taper grooved                            |
| ISO 12151-2          | Elbow, 90D 24D O-Ring Cone Light Duty                               |
| Iveco 11-0102        | Hexagon Head bolts.                                                 |
| Iveco 11-0118        | Flanged Hexagon Head Bolts (Heavy Series)                           |
| Iveco 11-0119        | High Tensile Flanged Hexagon Head Bolts (Heavy Series)              |
| Iveco 11-0120        | Flanged Hexagon Head Through Bolts (Heavy Series)                   |
| Iveco 11-0152        | Double Ended Studs – Medium Root (Metal Side)                       |
| Iveco 11-0156        | Double Ended Studs – Long Root (Metal Side)                         |
| Iveco 11-0235        | Hexagon Head Self Tapping Screws with Large Flange                  |
| Iveco 11-0255        | Round Head Self-Tapping Screws for Plastic materials                |
| Iveco 11-0410        | Flat Washers                                                        |
| Iveco 11-0766        | Cable Tie                                                           |
| Iveco 11-4311        | Seal Ring - Brass                                                   |
| Iveco 11-4730        | Screw Plugs With External Hexagon Heads                             |
| Iveco 11-4818        | O-Rings                                                             |
| ISO 7380-2           | Hex Socket Flange (collar) Button Head Screws                       |
| Non-Standard         | Pipe Plugs with BSPP/BSPPF Threads                                  |
| Non-Standard         | Screw and Washer assembly                                           |
| Non-Standard         | Banjo Sealing Washers (Dowty)                                       |


|                                               |      |          |                           |
|-----------------------------------------------|------|----------|---------------------------|
| NAME                                          | REV. | PAGE     | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 4 OF 201 | <b>87354249   STPX100</b> |


| Number                | Standard description                                         |
|-----------------------|--------------------------------------------------------------|
| Parker WZ             | Composite Sealing Washers.                                   |
| Non-Standard          | Banjo Bolts                                                  |
| Non-Standard          | Banjo Couplings                                              |
| Non-Standard          | Adapter Bushing NPTF X Straight Thread                       |
| Parker 12S40MXS       | Branch Tee – 37D male BSPP ORB Branch                        |
| Parker 14FSV          | Female 45 Degree Flare Swivel Connector                      |
| Parker 30682-10-10    | Female 37 D Connector Male Barb                              |
| Parker F870MXSS       | Connector- 37D male metric ORB (ISO 6149)                    |
| Parker C870MXS        | Elbow, 90D 37D male metric ORB (ISO 6149)                    |
| Parker KOR            | Tube End Reducer                                             |
| Parker RI-ED          | Thread Reducer/Expander                                      |
| Parker FF33M          | Male Nipple                                                  |
| Parker WSV            | Bulkhead Elbow                                               |
| Parker W              | Union Elbow                                                  |
| Parker EVW            | Standpipe Elbow                                              |
| Parker WE-R (KEG)     | Male Stud Elbow                                              |
| SAE J518              | Hyd Split Flanges (O & K)                                    |
| ORFS/Flange Elbow     | ORFS/Flange Elbow FOR A407716                                |
| SAE 140230            | Parker 2107 Male Pipe Elbow NPTF/NPSM Swivel                 |
| SAE J1508             | Spring Clamps                                                |
| JIS B2401             | O-Rings (Japanese)                                           |
| Non-Standard          | BSPT Lube Fittings                                           |
| FOR Lock Nuts         | Bulk Head Lock Nuts                                          |
| EGEO                  | Male Metric Thread – O-Ring (ISO 6149) / EO 24D DKO Swvl     |
| EGE-M-ED              | Male Metric Thread - ED seal (ISO 9974-2) / EO 24D DKO Swvl  |
| EGE-R-ED              | Male BSPP Thread - ED seal (ISO 1179) / EO 24D DKO Swvl      |
| Union, 60D            | Union – Male BSPP 60D Cone End                               |
| Union, 60D Swivel Nut | Union – Male BSPP – Swivel Nut BSPP 60D Cone End             |
| Pkr HMTX              | Union — 37D                                                  |
| MB 100.011            | Ford Flange Bolts                                            |
| MB 202.01             | Ford Pan Head W/Tooth Lock Washers                           |
| SB 150.01             | Ford Hexagon Screws W/Paint Clearing Feature                 |
| BSPP Plugs            | BSPP int. hex Plugs w/elastomer seal ISO 1179 ports          |
| BSPP Plugs            | BSPP ext. hex Plugs w/O.R. and retaining ring ISO 1179 ports |
| Parker WH10LMKDSOMD   | WH-M-KDS High Pressure Banjo Elbow                           |
| Parker ¼ HPC          | Parker Hex Pipe Caps                                         |
| Iveco 11-0323         | Prevailing Torque Hexagonal Thin Nuts w/Metal Insert         |
| Brass Elbow           | Elbow – Male-Female BSPP-BSPT                                |


|             |                    |         |       |        |          |  |      |        |
|-------------|--------------------|---------|-------|--------|----------|--|------|--------|
| ANSI B1.5   | Acme Threaded Nuts |         |       |        |          |  |      |        |
| Part Number | Description        | Nom Dia | Pitch | Height | Hex Flat |  | Matl | Finish |
| 87548032    | NUT, 1-5 ACME PLN  | 1.0     | 0.200 | .859   | 1.50     |  | STL  | PLN    |


| DIN 125<br>Plain Washers<br><br>Stainless Steel A4-80 per ISO 3506-1 |                           |  |      |       |      |      |       |     |
|----------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------|------|-------|------|------|-------|-----|
| Part Number                                                          | Description               | ID                                                                                 | OD   | THICK | TYPE | HARD | Matl  | Fin |
| 51487124                                                             | Washer, M4 A4-80 PLN      | 4.3                                                                                | 9    | 0.8   | A    | -    | A4-80 | PLN |
| 2975166                                                              | Washer, M5-ST ZND         | 5.3                                                                                | 10   | 1     | B    | 140  | ST    | ZND |
| 51479834                                                             | Washer, M6 A4-80 PLN      | 6.4                                                                                | 12.5 | 1.6   | A    | -    | A4-80 | PLN |
| 2372234                                                              | Washer, M6 ST ZND         | 6.4                                                                                | 12.5 | 1.6   | B    | 140  | ST    | ZND |
| 51479854                                                             | Washer, M8 A4-80 PLN      | 8.4                                                                                | 17   | 1.6   | A    | -    | A4-80 | PLN |
| 2975165                                                              | Washer, M8-ST ZND         | 8.4                                                                                | 16   | 1.6   | B    | 140  | ST    | ZND |
| 51479864                                                             | Washer, M10 A4-80 PLN     | 10.5                                                                               | 21   | 2     | A    | -    | A4-80 | PLN |
| 2115309                                                              | Washer, M10-A-ST Flat ZND | 10.5                                                                               | 21   | 2     | A    | 300  | ST    | ZND |
| 2981701                                                              | Washer, M10-ST ZND        | 10.5                                                                               | 20   | 2     | B    | 140  | ST    | ZND |
| 51479868                                                             | Washer, M12 A4-80 PLN     | 13                                                                                 | 24   | 2.5   | A    | -    | A4-80 | PLN |
| 2975164                                                              | Washer, M12-ST ZND        | 13                                                                                 | 24   | 2.5   | B    | 140  | ST    | ZND |
| 8408960                                                              | Washer, 13-ST Flat ZND    | 13.5                                                                               | 24   | 2.5   | A    | 300  | ST    | ZND |
| 51479877                                                             | Washer, M16 A4-80 PLN     | 17                                                                                 | 30   | 3     | A    | -    | A4-80 | PLN |
| 56992                                                                | Washer, 17-ST Flat ZND    | 17                                                                                 | 30   | 3     | B    | 140  | ST    | ZND |
| 2115512                                                              | Washer, 17-ST Flat ZND    | 17                                                                                 | 30   | 3     | B    | 300  | ST    | ZND |
| 84349418                                                             | Washer, 19-ST FLAT ZND    | 19                                                                                 | 34   | 3     | A/B  | 300  | ST    | ZND |
| 2115513                                                              | Washer, M20-ST ZND        | 21                                                                                 | 37   | 3     | B    | 300  | ST    | ZND |
| 1520648                                                              | Washer, 23-ST FLAT ZND    | 23                                                                                 | 39   | 3     | B    | 140  | ST    | ZND |
| 8408968                                                              | Washer, 25-ST FLAT ZND    | 25                                                                                 | 44   | 4     | A    | 300  | ST    | ZND |
| 1636406                                                              | Washer, 43-ST FLAT ZND    | 43                                                                                 | 78   | 7     | B    | 140  | ST    | ZND |

|                                               |      |          |                           |
|-----------------------------------------------|------|----------|---------------------------|
| NAME                                          | REV. | PAGE     | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 6 OF 201 | <b>87354249   STPX100</b> |


| DIN 316<br>Wing Screws |                      |  |    |       |       |       |      |     |
|------------------------|----------------------|------------------------------------------------------------------------------------|----|-------|-------|-------|------|-----|
| Part Number            | Description          | a                                                                                  | b  | c min | d max | e max | Matl | Fin |
| 87625617               | Screw, wing M5 X 30  | M5                                                                                 | 30 | 8     | 26    | 13    | STL  | ZND |
| 91737717               | Screw, wing M8 X 25  | M8                                                                                 | 25 | 13    | 36    | 20    | STL  | ZND |
| 82039554               | Screw, wing M10 X 20 | M10                                                                                | 20 | 17    | 51    | 25    | STL  | ZND |
| 51408927               | Screw, wing M10 X 30 | M10                                                                                | 30 | 17    | 51    | 25    | STL  | ZND |
| 47505339               | Screw, wing M10 X 50 | M10                                                                                | 50 | 17    | 51    | 25    | STL  | ZND |

| DIN 557<br>Metric Square<br>Nut |     |    |  |          |        |
|---------------------------------|-----|----|--------------------------------------------------------------------------------------|----------|--------|
| Part Number                     | d   | m  | s                                                                                    | Material | Finish |
| 48056266                        | M16 | 13 | 24                                                                                   | 10       | ZND    |

| DIN 608<br>FLAT<br>COUNTERSUNK<br>HEAD SQUARE<br>NECK BOLTS<br>WITH SHORT<br>SQUARE<br>(PLOW BOLT) |  |     |      |    |     |      |       |     |
|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----|------|----|-----|------|-------|-----|
| Part Number                                                                                        | d                                                                                  | L   | c    | D  | x   | v    | Mat'l | Fin |
| 51577252                                                                                           | M10                                                                                | 25  | 8    | 19 | 90° | 10.0 | 10.9  | PLN |
| 47848415                                                                                           | M12                                                                                | 50  | 10.5 | 24 | 90° | 12.0 | 10.9  | PLN |
| 47510146                                                                                           | M12                                                                                | 100 | 10.5 | 24 | 90° | 12.0 | 8.8   | ZND |


| DIN 609<br>Fit Bolts |  |     |      |        |      |       |      |     |
|----------------------|-------------------------------------------------------------------------------------|-----|------|--------|------|-------|------|-----|
| Part Number          | d                                                                                   | L   | b    | lg max | k    | s max | Matl | Fin |
| 51474778             | M16                                                                                 | 48  | 25   | 24     | 10   | 24    | 10.9 | ZND |
| 51474780             | M16                                                                                 | 80  | 27   | 54     | 10   | 24    | 10.9 | ZND |
| 51474781             | M16                                                                                 | 85  | 27   | 59     | 10   | 24    | 10.9 | ZND |
| 936715               | M20                                                                                 | 105 | 30.5 | 75.7   | 12.5 | 30    | 8.8  | PLN |
| 47566055             | M20                                                                                 | 105 | 30.5 | 75.7   | 12.5 | 30    | 8.8  | ZND |
| 52826                | M24                                                                                 | 110 | 36.5 | 74.8   | 15   | 36    | 8.8  | PLN |
| 47554514             | M24                                                                                 | 110 | 36.5 | 74.8   | 15   | 36    | 8.8  | ZND |
|                      |                                                                                     |     |      |        |      |       |      |     |

### DIN 705 Collars



| Part Number | Type | $d_1$ | b  | $d_2$ | $d_3$ | $d_4$ | Finish |
|-------------|------|-------|----|-------|-------|-------|--------|
| 1838279     | A    | 12    | 12 | 22    | M6    |       | ZND    |
| 1838458     | A    | 30    | 16 | 45    | M8    |       | ZND    |
|             |      |       |    |       |       |       |        |

### DIN 835 Metal Studs



| Part Number | Description          | ab  | b  | c  | d  | Mat'l | Fin |
|-------------|----------------------|-----|----|----|----|-------|-----|
| *48119107   | Stud, M12X1.75X24X70 | M12 | 30 | 70 | 24 | 10.9  | ZND |
| *48119111   | Stud, M12X1.75X24X80 | M12 | 30 | 80 | 24 | 10.9  | ZND |

\* Short thread run-out of 2.2mm max on both ends

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


9 OF 201

CNH NUMBERS

**87354249**


**STPX100**

DIN 908 Plugs with  
DIN 3858 Threads  
(Whitworth parallel  
pipe thread).




| Part #   | Threads | c | d <sub>1</sub> | e   | i  | l  | s | t<br>min | w<br>min | Mat'l | Fin |
|----------|---------|---|----------------|-----|----|----|---|----------|----------|-------|-----|
| 47569828 | R 3/8   | 3 | 22             | 9.4 | 12 | 15 | 8 | 7.5      | 3        | STL   | ZND |

DIN 908 Plugs with  
ISO 228-1 Threads



| Part #   | d <sub>1</sub> Threads | c | d <sub>2</sub> | i | t | s | Mat'l | Fin |
|----------|------------------------|---|----------------|---|---|---|-------|-----|
| 48154286 | G 1/8 A                | 3 | 14             | 8 | 5 | 5 | STL   | ZND |

DIN 938  
Metal Studs



| Part Number | Description    | ab  | b  | c  | d  | Mat'l | Fin |
|-------------|----------------|-----|----|----|----|-------|-----|
| 92666243    | Stud, M8 x 40  | M8  | 22 | 40 | 8  | 8.8   | ZND |
| 51517907    | Stud, M8 x 80  | M8  | 22 | 80 | 8  | 8.8   | ZND |
| 90415207    | Stud, M10 x 25 | M10 | 18 | 25 | 10 | 8.8   | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


10 OF 201

CNH NUMBERS

**87354249**

**STPX100**

DIN 939  
Metal Studs



| Part Number   | Description          | ab      | b  | c   | d  | Mat'l | Fin |
|---------------|----------------------|---------|----|-----|----|-------|-----|
| 51649565      | Stud, M8 x 40        | M8      | 22 | 40  | 10 | 8.8   | ZND |
| 91776821      | Stud, M10 x 30       | M10     | 26 | 30  | 12 | 10.9  | ZND |
| 1900038135370 | Stud, M10 x 35       | M10     | 26 | 35  | 12 | 8.8   | ZND |
| 91796077      | Stud, M10 x 35       | M10     | 26 | 35  | 12 | A2-70 | BLO |
| 92649614      | Stud, M10 x 45       | M10     | 26 | 45  | 12 | 10.9  | ZND |
| 47803807      | Stud, M10 x 55       | M10     | 26 | 55  | 12 | 8.8   | ZND |
| 91715557      | Stud, M10 x 60       | M10     | 26 | 60  | 12 | 8.8   | ZND |
| 91715558      | Stud, M10 x 65       | M10     | 26 | 65  | 12 | 8.8   | ZND |
| 47813084      | Stud, M10 x 80       | M10     | 26 | 80  | 12 | 8.8   | ZND |
| 47813086      | Stud, M10 x 85       | M10     | 26 | 85  | 12 | 8.8   | ZND |
| 47754381      | Stud, M10 x 90       | M10     | 26 | 90  | 12 | 8.8   | ZND |
| 87477184      | Stud, M12 x 30       | M12     | 24 | 30  | 15 | 8.8   | ZND |
| 47372451      | Stud, M12 x 40       | M12     | 24 | 40  | 15 | 8.8   | ZND |
| 47659159      | Stud, M12 x 45       | M12     | 30 | 45  | 15 | 10.9  | ZND |
| 47650989      | Stud, M12 x 75       | M12     | 30 | 75  | 15 | 8.8   | ZND |
| 48057140      | Stud, M16 x 50       | M16     | 38 | 50  | 20 | 8.8   | PLN |
| 87534160      | Stud, M16 x 65       | M16     | 38 | 65  | 20 | 8.8   | PLN |
| 92646911      | Stud, M16 x 65       | M16     | 38 | 65  | 20 | 10.9  | DAC |
| 92646909      | Stud, M16 x 70       | M16     | 38 | 70  | 20 | 10.9  | DAC |
| 47362429      | Stud, M16 x 85       | M16     | 38 | 85  | 20 | 10.9  | DAC |
| 84561119      | Stud, M18x1.5 x 60   | M18X1.5 | 42 | 60  | 22 | 10.9  | ZND |
| 84559734      | Stud, M18x1.5 x 70   | M18X1.5 | 42 | 70  | 22 | 10.9  | ZND |
| 47407067      | Stud, M18x 1.5 x 170 | M18X1.5 | 48 | 170 | 22 | 10.9  | ZND |
| 51568368      | Stud, M20 x 40       | M20     | 31 | 40  | 25 | 8.8   | ZND |
| 92039126      | Stud, M20 x 60       | M20     | 46 | 60  | 25 | 10.9  | ZND |
| 84569160      | Stud, M20 x 100      | M20     | 46 | 100 | 25 | 8.8   | ZND |
| 47659165      | Stud, M20 x 100      | M20     | 46 | 100 | 25 | 10.9  | ZND |
| 47722015      | Stud, M20 x 125      | M20     | 46 | 125 | 25 | 10.9  | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE

11 OF 201


CNH NUMBERS

**87354249**

**STPX100**

| DIN 940<br>Metal Studs |                |  |    |    |    |       |     |
|------------------------|----------------|------------------------------------------------------------------------------------|----|----|----|-------|-----|
| Part Number            | Description    | ab                                                                                 | b  | c  | d  | Mat'l | Fin |
| *47690807              | Stud, M16 x 45 | M16                                                                                | 38 | 45 | 40 | 10.9  | ZND |

\* Short thread run-out of 2.5mm max on both ends

| DIN 988<br>Shim and<br>Supporting<br>Rings |  <p>DIN0988</p> |    |      |                 |     |                    |
|--------------------------------------------|---------------------------------------------------------------------------------------------------|----|------|-----------------|-----|--------------------|
| Part Number                                | a                                                                                                 | b  | c    | MAT             | FIN | TYPE               |
| 92838659                                   | 12                                                                                                | 18 | 1.2  | SPRING<br>STEEL | PLN | SUPPORTING<br>RING |
| 92298385                                   | 14                                                                                                | 20 | 1.5  | STL             | ZND | SHIM               |
| 1416080                                    | 18                                                                                                | 25 | 0.2  | STL             | ZND | SHIM               |
| 8404115                                    | 18                                                                                                | 25 | 0.2  | STL             | ZND | SHIM               |
| 87034239                                   | 25                                                                                                | 36 | 2    | SPRING<br>STEEL | PLN | SUPPORTING<br>RING |
| 84218888                                   | 28                                                                                                | 40 | 2    | STL             | PLN | SHIM               |
| 87578961                                   | 32                                                                                                | 45 | 0.1  | STL             | PLN | SHIM               |
| 87578962                                   | 32                                                                                                | 45 | 0.15 | STL             | PLN | SHIM               |
| 397638                                     | 32                                                                                                | 45 | 0.2  | STL             | PLN | SHIM               |
| 87582897                                   | 32                                                                                                | 45 | 0.3  | STL             | PLN | SHIM               |
| 87578963                                   | 32                                                                                                | 45 | 0.5  | STL             | PLN | SHIM               |
| 87039406                                   | 35                                                                                                | 45 | 0.1  | STL             | PLN | SHIM               |
| 87039407                                   | 35                                                                                                | 45 | 0.15 | STL             | PLN | SHIM               |
| 87039408                                   | 35                                                                                                | 45 | 0.3  | STL             | PLN | SHIM               |
| 87039409                                   | 35                                                                                                | 45 | 0.5  | STL             | PLN | SHIM               |
| 87644291                                   | 35                                                                                                | 45 | 2.0  | STL             | PLN | SHIM               |
| 47636381                                   | 36                                                                                                | 45 | 1.0  | STL             | PLN | SHIM               |
| 47987402                                   | 36                                                                                                | 45 | 1.0  | STL             | ZND | SHIM               |
| 84218890                                   | 35                                                                                                | 45 | 2.5  | STL             | PLN | SHIM               |
| 583873                                     | 37                                                                                                | 47 | 0.5  | STL             | PLN | SHIM               |
| 583872                                     | 37                                                                                                | 47 | 1.0  | STL             | PLN | SHIM               |
| 87302190                                   | 42                                                                                                | 52 | 0.1  | STL             | PLN | SHIM               |
| 87302191                                   | 42                                                                                                | 52 | 0.15 | STL             | PLN | SHIM               |
| 87302192                                   | 42                                                                                                | 52 | 0.3  | STL             | PLN | SHIM               |
| 87302193                                   | 42                                                                                                | 52 | 0.5  | STL             | PLN | SHIM               |
| 47987403                                   | 42                                                                                                | 52 | 0.5  | STL             | ZND | SHIM               |
| 87025487                                   | 50                                                                                                | 62 | 0.1  | STL             | PLN | SHIM               |

|                                               |      |           |                           |
|-----------------------------------------------|------|-----------|---------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 13 OF 201 | <b>87354249   STPX100</b> |



# Standard Parts

| DIN 988 – Continued |    |    |      |     |     |      |
|---------------------|----|----|------|-----|-----|------|
| Part Number         | a  | b  | c    | MAT | FIN | TYPE |
| 87033533            | 50 | 62 | 0.15 | STL | PLN | SHIM |
| 87025488            | 50 | 62 | 0.3  | STL | PLN | SHIM |
| 87025489            | 50 | 62 | 0.5  | STL | PLN | SHIM |
| 47669652            | 50 | 62 | 2.0  | STL | PLN | SHIM |
| 87345883            | 55 | 68 | 0.1  | STL | PLN | SHIM |
| 87345884            | 55 | 68 | 0.15 | STL | PLN | SHIM |
| 87345886            | 55 | 68 | 0.2  | STL | PLN | SHIM |
| 87345889            | 55 | 68 | 0.3  | STL | PLN | SHIM |
| 87345890            | 55 | 68 | 0.5  | STL | PLN | SHIM |
| 87345893            | 55 | 68 | 1    | STL | PLN | SHIM |
| 87345894            | 55 | 68 | 3    | STL | PLN | SHIM |
| 47786542            | 60 | 75 | 0.1  | STL | PLN | SHIM |
| 47786545            | 60 | 75 | 0.15 | STL | PLN | SHIM |
| 556885              | 60 | 75 | 0.3  | STL | PLN | SHIM |
| 47786547            | 60 | 75 | 0.5  | STL | PLN | SHIM |
| 87039410            | 62 | 72 | 0.15 | STL | PLN | SHIM |
| 51614168            | 62 | 72 | 0.5  | STL | PLN | SHIM |
| 51460556            | 62 | 72 | 0.8  | STL | PLN | SHIM |
| 51460558            | 62 | 72 | 1.0  | STL | PLN | SHIM |
| 8401853             | 65 | 85 | 0.1  | STL | PLN | SHIM |
| 47550063            | 65 | 85 | 0.15 | STL | PLN | SHIM |
| 8401852             | 65 | 85 | 0.3  | STL | PLN | SHIM |
| 8401877             | 65 | 85 | 0.5  | STL | PLN | SHIM |
| 48192439            | 65 | 85 | 0.6  | STL | PLN | SHIM |
| 48192441            | 65 | 85 | 0.8  | STL | PLN | SHIM |
| 48192442            | 65 | 85 | 1.0  | STL | PLN | SHIM |
| 87039411            | 72 | 80 | 0.15 | STL | PLN | SHIM |
| 51489138            | 80 | 90 | 0.1  | STL | PLN | SHIM |
| 47550175            | 80 | 90 | 0.15 | STL | PLN | SHIM |
| 51489169            | 80 | 90 | 0.3  | STL | PLN | SHIM |
| 51489170            | 80 | 90 | 0.5  | STL | PLN | SHIM |
| 48192443            | 80 | 90 | 0.8  | STL | PLN | SHIM |
| 48192444            | 80 | 90 | 1.0  | STL | PLN | SHIM |


|                                               |      |           |                                  |
|-----------------------------------------------|------|-----------|----------------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS                      |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 14 OF 201 | <b>87354249</b>   <b>STPX100</b> |




# Standard Parts


| DIN 988 – Continued |     |     |      |     |     |      |
|---------------------|-----|-----|------|-----|-----|------|
| Part Number         | a   | b   | c    | MAT | FIN | TYPE |
| 47669663            | 80  | 90  | 2.0  | STL | PLN | SHIM |
| 556888              | 80  | 100 | 0.1  | STL | PLN | SHIM |
| 92136400            | 85  | 105 | 2.0  | STL | PLN | SHIM |
| 87033534            | 90  | 110 | 0.1  | STL | PLN | SHIM |
| 87033535            | 90  | 110 | 0.15 | STL | PLN | SHIM |
| 87033536            | 90  | 110 | 0.3  | STL | PLN | SHIM |
| 87033537            | 90  | 110 | 0.5  | STL | PLN | SHIM |
| 87033538            | 100 | 120 | 0.1  | STL | PLN | SHIM |
| 87033541            | 100 | 120 | 0.15 | STL | PLN | SHIM |
| 87033542            | 100 | 120 | 0.3  | STL | PLN | SHIM |
| 87033543            | 100 | 120 | 0.5  | STL | PLN | SHIM |
| 51460560            | 100 | 120 | 0.8  | STL | PLN | SHIM |
| 51460563            | 100 | 120 | 1.0  | STL | PLN | SHIM |
| 47669643            | 100 | 120 | 2.0  | STL | PLN | SHIM |
| 87033544            | 110 | 140 | 0.1  | STL | PLN | SHIM |
| 87033545            | 110 | 140 | 0.15 | STL | PLN | SHIM |
| 87033546            | 110 | 140 | 0.3  | STL | PLN | SHIM |
| 87033548            | 110 | 140 | 0.5  | STL | PLN | SHIM |
| 87743033            | 125 | 140 | 0.1  | STL | PLN | SHIM |
| 87743034            | 125 | 140 | 0.15 | STL | PLN | SHIM |
| 87743035            | 125 | 140 | 0.3  | STL | PLN | SHIM |
| 87743036            | 125 | 140 | 0.5  | STL | PLN | SHIM |

|                                               |      |           |                                  |
|-----------------------------------------------|------|-----------|----------------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS                      |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 15 OF 201 | <b>87354249</b>   <b>STPX100</b> |

| DIN 2093<br>Disc Springs<br>Material: Steel<br>per DIN 2093 |        |  <p>DIN2093</p> |      |      |      |          |        |
|-------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------|------|------|------|----------|--------|
| Part Number                                                 | Series | a                                                                                                 | b    | c    | d    | Material | Finish |
| 84398982                                                    | A      | 6.2                                                                                               | 12.5 | 0.7  | 1.0  | STL      |        |
| 300368                                                      | A      | 10.2                                                                                              | 20   | 1.1  | 1.55 | STL      |        |
| 84814924                                                    | B      | 16.3                                                                                              | 31.5 | 1.25 | 2.15 | STL      |        |
| 48149297                                                    | C      | 31                                                                                                | 63   | 1.8  | 4.15 | STL      | PHC    |
| 48149296                                                    | B      | 31                                                                                                | 63   | 2.5  | 4.25 | STL      | PHC    |
| 87352792                                                    | A      | 31                                                                                                | 63   | 3.5  | 4.9  | STL      |        |
| 84820006                                                    | C      | 41                                                                                                | 80   | 2.25 | 5.2  | STL      |        |


| DIN 3015-1<br>Spacer - Stacking Bolt |                   |  |  |          |  |  |  |
|--------------------------------------|-------------------|--------------------------------------------------------------------------------------|--|----------|--|--|--|
| Part Number                          | Description       | $l_5$                                                                                |  | Material |  |  |  |
| 90448828                             | DIN3015-L-AS-1-W1 | 20                                                                                   |  | W1       |  |  |  |
| 91772269                             | DIN3015-L-AS-4-W1 | 35                                                                                   |  | W1       |  |  |  |
|                                      |                   |                                                                                      |  |          |  |  |  |

DIN 3015-1  
Locking Plate




| Part Number | Description     | SW | Material |
|-------------|-----------------|----|----------|
| 91775933    | DIN3015-L-VS-W1 | 11 | W1       |
|             |                 |    |          |

DIN 3015-3  
Stacking Bolt



| Part Number | Description       | $l_4$ | $l_5$ | Material |
|-------------|-------------------|-------|-------|----------|
| 90448829    | DIN3015-Z-AS-2-W1 | 20    | 13    | W1       |
| 90448830    | DIN3015-Z-AS-3-W1 | 29    | 15    | W1       |
| 90448831    | DIN3015-Z-AS-4-W1 | 34    | 15    | W1       |
| 90448832    | DIN3015-Z-AS-5-W1 | 46    | 15    | W1       |
|             |                   |       |       |          |


### DIN 3015-3 Weld Plate



| Part Number | Description            | $l_2$ | $d_6$ | $T_2$ | $s_2$ | $d_5$ | Material | Finish |
|-------------|------------------------|-------|-------|-------|-------|-------|----------|--------|
| 936260      | DIN 3015-Z-AP-5-W1     | 110   | M8    | 6     | 5     | 14    | W1       | -      |
| 51617284    | DIN 3015-Z-AP-4-W1     | 85    | M8    | 6     | 5     | 14    | W1       | -      |
| 92828621    | DIN 3015-Z-AP-3-W1     | 70    | M8    | 6     | 5     | 14    | W1       | -      |
| 92798119    | DIN 3015-Z-AP-3-W1-ZND | 70    | M8    | 6     | 5     | 14    | W1       | ZND    |
| 92087492    | DIN 3015-Z-AP-2-W1     | 55    | M8    | 6     | 5     | 14    | W1       | -      |

### DIN 3015-3 Cover Plate

Option: Parts can be galvanized in accordance with DIN 3015-3 requirements



| Part Number | Description            | $l_3$ | $d_7$ | Material | Finish |
|-------------|------------------------|-------|-------|----------|--------|
| 2930305     | DIN 3015-Z-DP-1-W1-ZND | 34    | 7     | W1       | ZND    |
| 72180326    | DIN 3015-Z-DP-2-W1-ZND | 52    | 9     | W1       | ZND    |
| 87000230    | DIN 3015-Z-DP-3-W1-ZND | 65    | 9     | W1       | ZND    |
| 1186005     | DIN 3015-Z-DP-4-W1-ZND | 79    | 9     | W1       | ZND    |
| 87000231    | DIN 3015-Z-DP-5-W1-ZND | 102   | 9     | W1       | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM

PAGE  
18 OF 201

CNH NUMBERS


**87354249 | STPX100**

DIN 3015-3  
Locking Plate



| Part Number | Description       | S <sub>4</sub> | Material |
|-------------|-------------------|----------------|----------|
| 92866216    | DIN3015-Z VS-1-W1 | 11.1           | W1       |
| 90449460    | DIN3015-Z VS-3-W1 | 12.1           | W1       |
|             |                   |                |          |
|             |                   |                |          |
|             |                   |                |          |

DIN 3861  
24 Degree (ISO 8434-1)  
Cutting Rings



DIN3861

| Part Number | Description             | Type | Pipe | ID | OD | Mat. | Fin. |
|-------------|-------------------------|------|------|----|----|------|------|
| 47967735    | Ferrule, Cone Type, L6  | L    | 6    | 6  | 9  | STL  | PLN  |
| 10589       | Ferrule, Cone Type, L10 | L    | 10   | 10 | 13 | STL  | PLN  |
| 84209925    | Ferrule, Cone Type, L12 | L    | 12   | 12 | 15 | STL  | PLN  |
| 84390799    | Ferrule, Cone Type, L22 | L    | 22   | 22 | 25 | STL  | PLN  |
| 47499878    | Ferrule, Cone Type, S6  | S    | 6    | 6  | 12 | STL  | PLN  |
| 10663       | Ferrule, Cone Type, S16 | S    | 16   | 16 | 22 | STL  | PLN  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM

PAGE  
19 OF 201

CNH NUMBERS

**87354249 | STPX100**


DIN 3870  
24 Degree (ISO 8434-1)  
Coupling Nuts



| Part Number | Description       | Type/Duty | Tube Size | Thread DiaXPitch | Hex | Mat. | Fin. |
|-------------|-------------------|-----------|-----------|------------------|-----|------|------|
| 87774044    | Nut, L6 Coupling  | L         | 6         | M12X1.5          | 14  | STL  | ZND  |
| 84209926    | Nut, L12 Coupling | L         | 12        | M18X1.5          | 22  | STL  | ZND  |
| 47698734    | Nut, Tube L15     | L         | 15        | M22X1.5          | 27  | STL  | ZND  |
| 47698739    | Nut, Tube L18     | L         | 18        | M26X1.5          | 32  | STL  | ZND  |
| 84390800    | Nut, L22 Coupling | L         | 22        | M30X2            | 36  | STL  | ZND  |
| 47499830    | Nut, S6 Coupling  | S         | 6         | M14X1.5          | 17  | STL  | ZND  |
| 10628       | Nut, Tube S12     | S         | 12        | M20X1.5          | 24  | STL  | ZND  |
| 10667       | Nut, Tube S16     | S         | 16        | M24X1.5          | 30  | STL  | ZND  |

DIN 5296 Rings

A: Welded  
B: Not Welded



| Part Number | Style         | d <sub>1</sub> | d <sub>2</sub> | Mat. | Fin. |
|-------------|---------------|----------------|----------------|------|------|
| 972467      | B: Not Welded | 30             | 4.0            | STL  | ZNM  |
|             |               |                |                |      |      |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


20 OF 201

CNH NUMBERS

**87354249**


**STPX100**

DIN 5419  
Felt Sealing  
Washers




| Part Number | Description                       | D1 | D2  | B   | Material |
|-------------|-----------------------------------|----|-----|-----|----------|
| 220008      | Washer, Sealing 25 X 37 X 5 MM    | 25 | 37  | 5   | Felt     |
| 220009      | Washer, Sealing 30 X 42 X 5 MM    | 30 | 42  | 5   | Felt     |
| 220010      | Washer, Sealing 35 X 47 X 5 MM    | 35 | 47  | 5   | Felt     |
| 220011      | Washer, Sealing 40 X 52 X 5 MM    | 40 | 52  | 5   | Felt     |
| 220012      | Washer, Sealing 45 X 57 X 5 MM    | 45 | 57  | 5   | Felt     |
| 300891      | Washer, Sealing 50 X 66 X 6.5 MM  | 50 | 66  | 6.5 | Felt     |
| 309088      | Washer, Sealing 65 X 81 X 6.5 MM  | 65 | 81  | 6.5 | Felt     |
| 220014      | Washer, Sealing 80 X 98 X 7.5 MM  | 80 | 98  | 7.5 | Felt     |
| 220015      | Washer, Sealing 85 X 103 X 7.5 MM | 85 | 103 | 7.5 | Felt     |

DIN 6319  
Spherical  
Washers



Form C



Form D  
Form G

| Part Number | Description             | Type / Form | b    | c  | d    |  | Mat. | Fin. |
|-------------|-------------------------|-------------|------|----|------|--|------|------|
| 84226029    | Washer, Spherical D12   | D           | 12   | 21 | 4.2  |  | STL  | PLN  |
| 48001144    | Washer, Spherical D12   | D           | 12   | 21 | 4.2  |  | STL  | ZND  |
| 219115      | Washer, Spherical C17   | C           | 17   | 30 | 5.3  |  | STL  | PLN  |
| 583243      | Washer, Spherical D19   | D           | 19   | 30 | 6.2  |  | STL  | PLN  |
| 90488406    | Washer, Spherical C21   | C           | 21   | 36 | 6.3  |  | STL  | DAC  |
| 90488407    | Washer, Spherical D23.2 | D           | 23.2 | 36 | 7.5  |  | STL  | DAC  |
| 306471      | Washer, Spherical C25   | C           | 25   | 44 | 8.2  |  | STL  | PLN  |
| 47767053    | Washer, Spherical C25   | C           | 25   | 44 | 8.2  |  | STL  | DAC  |
| 47767054    | Washer, Spherical D28   | D           | 28   | 44 | 9.5  |  | STL  | DAC  |
| 3405020     | Washer, Spherical G28   | G           | 28   | 44 | 10   |  | STL  | PLN  |
| 216163      | Washer, Spherical C31   | C           | 31   | 56 | 11.2 |  | STL  | PLN  |
| 47800906    | Washer, Spherical C31   | C           | 31   | 56 | 11.2 |  | STL  | DAC  |
| 830644      | Washer, Spherical D35   | D           | 35   | 56 | 12   |  | STL  | PLN  |
| 47800905    | Washer, Spherical D35   | D           | 35   | 56 | 12   |  | STL  | DAC  |
| 1054600     | Washer, Spherical C37   | C           | 37   | 68 | 14   |  | STL  | PLN  |
| 1054599     | Washer, Spherical D42   | D           | 42   | 68 | 15   |  | STL  | PLN  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


22 OF 201

CNH NUMBERS

**87354249**


**STPX100**

DIN 7349  
Plain Washers  
for Bolts with  
Heavy Sleeves



| Part Number | Description               | a    | b  | c | Matl | Fin |
|-------------|---------------------------|------|----|---|------|-----|
| 63678       | Washer, 6.4 Flat STL ZND  | 6.4  | 17 | 3 | STL  | ZN  |
| 57111       | Washer, 8.4 Flat STL ZND  | 8.4  | 21 | 4 | STL  | ZN  |
| 933615A1    | Washer, 8.4 Flat STL PLN  | 8.4  | 21 | 4 | STL  | PLN |
| 388702A1    | Washer, 8.4 Flat STL ZND  | 8.4  | 21 | 4 | STL  | ZND |
| 934759R1    | Washer, 10.5 Flat STL PLN | 10.5 | 25 | 4 | STL  | PLN |
| 2975160     | Washer, 10.5 Flat STL ZND | 10.5 | 25 | 4 | STL  | ZN  |
| 906059R1    | Washer, 13 Flat HTS ZND   | 13   | 30 | 6 | HTS  | ZND |
| 933829R1    | Washer, 13 Flat STL PLN   | 13   | 30 | 6 | STL  | PLN |
| 2975473     | Washer, 13 Flat STL ZND   | 13   | 30 | 6 | STL  | ZN  |
| 2974088     | Washer, 17 Flat STL ZND   | 17   | 40 | 6 | STL  | ZN  |

DIN 11023  
Linch Pins



| Part Number | Description  | Hole<br>a | Len<br>b | Dia S<br>c | LOC<br>d |  | Matl | Fin |
|-------------|--------------|-----------|----------|------------|----------|--|------|-----|
| 87036460    | Pin, 5 x 32  | 5         | 32       | 25         | 8        |  |      |     |
| 47406566    | Pin, 10 x 45 | 10        | 45       | 32         | 14       |  |      |     |
| 51615425    | Pin, 12 x 45 | 12        | 45       | 32         | 18       |  |      |     |
| 84470494    | Pin, 12 x 55 | 12        | 55       | 45         | 18       |  |      |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

23 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Housings and  
Circlips for Tie  
Rod Joints  
per DIN 71805


Legacy parts  
listed in Case  
Standard  
XM-002 under  
DIN 71805



| Part Number | Description              | Type | Ball |  |  |  |
|-------------|--------------------------|------|------|--|--|--|
| 87594251    | Socket A 10 LH           | A    | 10   |  |  |  |
| 87632795    | Clip, Spring S10         | S    | 10   |  |  |  |
| 86999310    | CLIP, S13-A2J SPRING     | S    | 13   |  |  |  |
| 10976       | Socket, B16-A3B ISO 4042 | B    | 16   |  |  |  |
| 2700099     | Socket B13-A2B ISO 4042  | B    | 13   |  |  |  |
| 43806       | Clip, Spring S13-A3B     | S    | 13   |  |  |  |
| 43807       | Clip, Spring S16-A3B     | S    | 16   |  |  |  |
| 87521455    | Clip, Spring S16-BZN     | S    | 16   |  |  |  |
| 47547085    | Socket, A 13             | A    | 13   |  |  |  |

Fiat 10112/03  
Hexagon  
Nuts For  
Severe  
Applications

Material Fiat 52605/03  
Non-Preferred



| Part Number | Description                    | Nom Dia | Pitch | Height | Hex Flat |  | Matl | Finish |
|-------------|--------------------------------|---------|-------|--------|----------|--|------|--------|
| 15501321    | NUT, SEVERE M14X1.5X22 R10 ZND | 14      | 1.5   | 11     | 22       |  | 10   | ZND    |
| 15502611    | NUT, SEVERE M16X1.5            | 16      | 1.5   | 13     | 24       |  | 8    | ZND    |
| 15501421    | NUT, SEVERE M16X1.5X13 R10 ZND | 16      | 1.5   | 13     | 24       |  | 10   | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

24 OF 201


CNH NUMBERS


**87354249**


**STPX100**

| Fiat 10118<br>Self-Locking<br>Elastic<br>Flange Hex<br>Nuts | Material Fiat 52605/01<br>Non-Preferred |    |   |      |    |          |         |
|-------------------------------------------------------------|-----------------------------------------|----|---|------|----|----------|---------|
| Part Number                                                 | Description                             | S  | m | D1   | dc | Material | Finish  |
| 13046011                                                    | Nut, Flg Lock M5                        | 8  | 5 | 5.75 | 13 | R50      | ZND     |
| 13046111                                                    | Nut, Flg Lock M6                        | 10 | 6 | 6.75 | 16 | R50      | ZND     |
| 92130070                                                    | Nut, Flg Lock M6                        | 10 | 6 | 6.75 | 16 | R50      | BGM     |
| 92251024                                                    | Nut, Flg Lock M6                        | 10 | 6 | 6.75 | 16 | R50      | ZN-NI-4 |
| 92092907                                                    | Nut, Flg Lock M8                        | 13 | 8 | 8.75 | 19 | R50      | BGM     |
| 90391791                                                    | Nut, Flg Lock M8                        | 13 | 8 | 8.75 | 19 | R50      | DAC     |
| 13046211                                                    | Nut, Flg Lock M8                        | 13 | 8 | 8.75 | 19 | R50      | ZND     |


| Fiat 10129<br>Self-Locking<br>Hex Nuts for<br>Minor Appl | Material Fiat 52605/01<br>Non-Preferred |         |       |        |          |       |      |        |
|----------------------------------------------------------|-----------------------------------------|---------|-------|--------|----------|-------|------|--------|
| Part Number                                              | Description                             | Nom Dia | Pitch | Height | Hex Flat | Style | Matl | Finish |
| 14084011                                                 | Nut, P/T M4 R40 ZND "A"                 | 4       | 0.7   | 3.60   | 7        | A     | R40  | ZND    |
| 14084111                                                 | Nut, P/T M5 R40 ZND "A"                 | 5       | 0.8   | 4.35   | 8        | A     | R40  | ZND    |
| 14084114                                                 | Nut, P/T M5 R40 DAC "A"                 | 5       | 0.8   | 4.35   | 8        | A     | R40  | DAC    |
| 14084211                                                 | Nut, P/T M6 R40 ZND "A"                 | 6       | 1     | 5.15   | 10       | A     | R40  | ZND    |
| 14084215                                                 | Nut, P/T M6 R40 ZND "A"                 | 6       | 1     | 5.15   | 10       | A     | R40  | ZND    |
| 14084411                                                 | Nut, P/T M8 R40 ZND "A"                 | 8       | 1.25  | 6.90   | 13       | A     | R40  | ZND    |
| 14084611                                                 | Nut, P/T M5 R40 ZND "B"                 | 5       | 0.8   | 4.35   | 8        | B     | R40  | ZND    |
| 14084811                                                 | Nut, P/T M8 R40 ZND "B"                 | 8       | 1.25  | 6.90   | 13       | B     | R40  | ZND    |
| 14084814                                                 | Nut, P/T M8 R40 DAC "B"                 | 8       | 1.25  | 6.90   | 13       | B     | R40  | DAC    |

| Fiat 10133/03<br>Prev Torq<br>Hex Nuts with<br>Spring for<br>Severe<br>Applications |     | Material: A2-70 Stainless<br>Steel Per Fiat 52605/07 |        |        |  |        |      |        |
|-------------------------------------------------------------------------------------|-----|------------------------------------------------------|--------|--------|------------------------------------------------------------------------------------|--------|------|--------|
| Part Number                                                                         | dia | Pitch                                                | s nom. | e min. | h max                                                                              | m min. | Matl | Finish |
| 47558017                                                                            | 8   | 1.25                                                 | 13     | 14.38  | 10.6                                                                               | 6.3    | SST  | PLN    |

| Fiat 10137<br>Hexagon<br>Nuts<br>Toothed<br>Flanged |                                 | Material Fiat 52605/03 Non-Preferred |       |        |  |            |      |        |
|-----------------------------------------------------|---------------------------------|--------------------------------------|-------|--------|------------------------------------------------------------------------------------|------------|------|--------|
| Part Number                                         | Description                     | Nom Dia                              | Pitch | Height | Hex Flat                                                                           | Flange Dia | Matl | Finish |
| 13831801                                            | NUT, FLANGE, TOOTHED M5 R40 ZND | 5                                    | 0.8   | 4.3    | 8                                                                                  | 11.2       | R40  | ZND    |
| 13832101                                            | NUT, FLANGE, TOOTHED M6 R40 ZND | 6                                    | 1.0   | 6.2    | 10                                                                                 | 16.7       | R40  | ZND    |

| Fiat 10139<br>Hexagon<br>Collar<br>Staking<br>Nuts |         | Material Fiat 52605/01<br>8 (C40 NORM HB 164 –<br>215) |    |    |  |   |      |      |        |
|----------------------------------------------------|---------|--------------------------------------------------------|----|----|--------------------------------------------------------------------------------------|---|------|------|--------|
| Part Number                                        | Nom Dia | Pitch                                                  | s  | h  | m                                                                                    | c | d    | B    | Finish |
| 14044271                                           | M20     | 1.5                                                    | 30 | 17 | 11                                                                                   | 4 | 22.6 | 16.5 | ZND    |
| 14044274                                           | M20     | 1.5                                                    | 30 | 17 | 11                                                                                   | 4 | 22.6 | 16.5 | DAC    |


Fiat 10142 Material Fiat R40  
Wing nuts



| Part Number | Description          | Nom Dia | Pitch | Height | Wing Spread | Matl | Finish |
|-------------|----------------------|---------|-------|--------|-------------|------|--------|
| 10102001    | Nut, Wing M8 STL ZND | 8       | 1.25  | 14.8   | 30.3        | STL  | ZND    |


Fiat 10145  
Square Nuts

Material Fiat 52605/01 Non-Preferred



| Part Number | Description                      | D   | e  | s  | m | Mat | Fin |
|-------------|----------------------------------|-----|----|----|---|-----|-----|
| 14089311    | NUT, SQUARE M6 R50 ZNT           | M6  | 13 | 10 |   | R50 | ZNT |
| 14088511    | NUT, SQUARE M10X1.25 R50 ZNT DIN | M10 | 22 | 17 |   | R50 | ZNT |
| 14088711    | NUT, SQUARE M12X1.25 R50 ZNT DIN | M12 | 25 | 19 |   | R50 | ZNT |

Fiat 10145/01  
Rectangular  
Nuts  
Steel – Per  
Fiat 52605/01



| Part Number | D  | a  | b  | m | Mat | Fin |
|-------------|----|----|----|---|-----|-----|
| 12306511    | M6 | 12 | 18 | 5 | R50 | ZND |
| 12306611    | M8 | 16 | 24 | 6 | R50 | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


27 OF 201


CNH NUMBERS


**87354249**


**STPX100**

| Fiat 10146<br>Nuts with<br>Metal Inserts<br>for severe<br>Application | Material Fiat 52605/01 & 52605/07 |  |    |       |      |     |       |         |
|-----------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------------------------------|----|-------|------|-----|-------|---------|
| Part Number                                                           | Description                       | D                                                                                  | s  | e     | h    | m   | Mat   | Fin     |
| 47665566                                                              | Nut, P/T Metal Insert M6 x 1      | M6 x 1                                                                             | 10 | 11.05 | 6.2  | 3.7 | 8     | ZND     |
| 47558836                                                              | Nut, P/T Metal Insert M8 x 1.25   | M8 x 1.25                                                                          | 13 | 14.38 | 8.2  | 5.7 | A2-70 | PLN     |
| 47912527                                                              | Nut, P/T Metal Insert M10 x 1.25  | M10 x 1.25                                                                         | 17 | 18.90 | 10.2 | 6.7 | 8     | ZND     |
| 48168759                                                              | Nut, P/T Metal Insert M10 x 1.5   | M10 x 1.5                                                                          | 17 | 18.90 | 10.2 | 6.7 | A2-70 | PLN     |
| 14076429                                                              | Nut, P/T Metal Insert M20 x 1.5   | M20 x 1.5                                                                          | 30 | 32.95 | 20.2 | 13  | 10    | Cop Plt |

| Fiat 10146/01<br>P/T W/Metal<br>Insert Thin<br>Nuts<br>Material<br>Fiat<br>52605/01 &<br>52605/07 |  |        |        |        |        |         |         |     |     |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|--------|--------|--------|---------|---------|-----|-----|
| Part Number                                                                                       | D                                                                                   | s max. | e min. | h max. | m min. | m1 min. | dw min. | Mat | Fin |
| 47619181                                                                                          | M6                                                                                  | 10     | 11.05  | 4.4    | 2.6    | 2.32    | 8.9     | 04  | ZND |
| 47744609                                                                                          | M8                                                                                  | 13     | 14.38  | 5.2    | 3.3    | 2.96    | 11.6    | 05  | ZND |
| 14137921                                                                                          | M10x1.25                                                                            | 16     | 17.77  | 6.6    | 4.3    | 3.76    | 14.6    | 05  | ZND |
| 14138011                                                                                          | M12x1.25                                                                            | 18     | 20.03  | 7.4    | 5.2    | 4.40    | 16.6    | 04  | ZND |
| 14138021                                                                                          | M12x1.25                                                                            | 18     | 20.03  | 7.4    | 5.2    | 4.40    | 16.6    | 05  | ZND |
| 47891151                                                                                          | M14x1.5                                                                             | 21     | 23.35  | 8.5    | 5.8    | 4.70    | 19.6    | 05  | ZND |

| Fiat 10148<br>Self locking<br>Hex Nuts w/<br>captive<br>spring<br>washer | Material Fiat 52605/01 & 9.10187 |  |    |    |       |   |   |     |     |
|--------------------------------------------------------------------------|----------------------------------|------------------------------------------------------------------------------------|----|----|-------|---|---|-----|-----|
| Part Number                                                              | Description                      | D                                                                                  | d1 | S  | e     | h | m | Mat | Fin |
| 14040611                                                                 | Nut w/captive spng wshr M6       | M6                                                                                 | 14 | 10 | 11.05 | 7 | 5 | STL | ZND |

|                                                                                  |                                                                                     |          |          |          |          |           |          |           |           |           |       |        |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|----------|----------|----------|-----------|----------|-----------|-----------|-----------|-------|--------|
| Fiat 10150<br>Prev Torq Hex<br>Two-Piece<br>Cap Nuts with<br>Polyamide<br>Insert |  |          |          |          |          |           |          |           |           |           |       |        |
| Part #                                                                           | d (6H)                                                                              | s<br>min | s<br>max | e<br>min | h<br>max | h1<br>max | m<br>min | m1<br>min | V*<br>min | W*<br>max | Mat'l | Finish |
| 47443402                                                                         | M5                                                                                  | 7.85     | 8        | 8.87     | 10.5     | 6.5       | 4        | 3.2       | 7.3       | 7.9       | SST   | BLO    |
| 14042277                                                                         | M6                                                                                  | 9.78     | 10       | 11.05    | 12       | 8         | 5        | 4         | 8.5       | 9.7       | SST   | BLO    |
| 14042411                                                                         | M10X1.25                                                                            | 15.73    | 16       | 17.77    | 18.1     | 11.5      | 7.8      | 6.5       | 13.2      | 14.5      | 8     | ZND    |

| Fiat 10154<br>Piloted Square<br>Nuts to be<br>retained by<br>cage or<br>welding | Material Fiat 52605/02 Non-Preferred |  |      |    |     |     |     |    |
|---------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------|------|----|-----|-----|-----|----|
| Part Number                                                                     | Description                          | D                                                                                  | e    | s  | a   | h   | m   | d  |
| 14097100                                                                        | Nut, Piloted Sq M4 R40 SD            | M4                                                                                 | 13.2 | 10 | 0.8 | 5.3 | 4.5 | 8  |
| 14073700                                                                        | Nut, Piloted Sq M6 R40 SD            | M6                                                                                 | 13.2 | 10 | 0.8 | 5.8 | 5   | 8  |
| 14094800                                                                        | Nut, Piloted Sq M6 R40 SD            | M6                                                                                 | 18.4 | 14 | 0.8 | 6.3 | 5.5 | 9  |
| 14094810                                                                        | Nut, Piloted Sq M6 R50 SD            | M6                                                                                 | 18.4 | 14 | 0.8 | 6.3 | 5.5 | 9  |
| 14094900                                                                        | Nut, Piloted Sq M8 R40 SD            | M8                                                                                 | 18.4 | 14 | 1.5 | 7.5 | 6   | 11 |
| 14094910                                                                        | Nut, Piloted Sq M8 R50 SD            | M8                                                                                 | 18.4 | 14 | 1.5 | 7.5 | 6   | 11 |
| 14096100                                                                        | Nut, Piloted Sq M8 R40 SD            | M8                                                                                 | 22.3 | 17 | 1.5 | 8.5 | 7   | 13 |
| 14097900                                                                        | Nut, Piloted Sq M10X1.25 R40 SD      | M10x1.25                                                                           | 22.3 | 17 | 1.5 | 8.5 | 7   | 13 |
| 14073310                                                                        | Nut, Piloted Sq M10X1.25 R50 SD      | M10x1.25                                                                           | 22.3 | 17 | 1.5 | 11  | 9.5 | 13 |
| @91743678                                                                       | Nut, Piloted Sq M10X1.25 R50 SD      | M10x1.25                                                                           | 22.3 | 17 | 1.5 | 11  | 9.5 | 13 |
| 14095000                                                                        | Nut, Piloted Sq M10 R40 SD           | M10                                                                                | 22.3 | 17 | 1.5 | 8.5 | 7   | 13 |
| 14095010                                                                        | Nut, Piloted Sq M10 R50 SD           | M10                                                                                | 22.3 | 17 | 1.5 | 8.5 | 7   | 13 |
| 14096300                                                                        | Nut, Piloted Sq M12X1.25 R40 SD      | M12x1.25                                                                           | 25   | 19 | 2   | 10  | 8   | 15 |
| 14096310                                                                        | Nut, Piloted Sq M12X1.25 R50 SD      | M12x1.25                                                                           | 25   | 19 | 2   | 10  | 8   | 15 |
| 14073200                                                                        | Nut, Piloted Sq M12X1.5 R40 SD       | M12x1.5                                                                            | 25   | 19 | 2   | 10  | 8   | 15 |
| 14073910                                                                        | Nut, Piloted Sq M12 R50 SD           | M12                                                                                | 25   | 19 | 2   | 10  | 8   | 15 |
| 14075010                                                                        | Nut, Piloted Sq M14 R50 SD           | M14                                                                                | 25   | 19 | 2   | 10  | 8   | 17 |
| 14073400                                                                        | Nut, Piloted Sq M14X1.5 R40 SD       | M14X1.5                                                                            | 25   | 19 | 2   | 10  | 8   | 17 |
| 14073410                                                                        | Nut, Piloted Sq M14X1.5 R50 SD       | M14X1.5                                                                            | 25   | 19 | 2   | 10  | 8   | 17 |
| 14074910                                                                        | Nut, Piloted Sq M16 R50 SD           | M16                                                                                | 31.5 | 24 | 2   | 16  | 14  | 20 |
| 14073510                                                                        | Nut, Piloted Sq M16x1.5 R50 SD       | M16x1.5                                                                            | 31.5 | 24 | 2   | 16  | 14  | 20 |

@Zn-Ni – Zinc Nickel coating per Iveco 18-1103

|                                                                                        |                                      |                                                                                                                              |    |    |      |    |     |   |       |    |        |     |
|----------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------|----|----|------|----|-----|---|-------|----|--------|-----|
| Fiat<br>10163<br>Prevailing<br>Torque<br>Thin Hex<br>Nuts for<br>Projection<br>Welding | Material Fiat 52605/02 Non-Preferred | <p>Dimensions in mm</p> <p><b>STYLE B</b><br/>(For sheet metal thickness of 1.2 to 3)</p> <p>Staking after nut threading</p> |    |    |      |    |     |   |       |    |        |     |
| Part<br>Number                                                                         | Description                          | D                                                                                                                            | d  | D2 | D1   | m  | n   | h | e     | s  | Mat    | Fin |
| 14091300                                                                               | NUT, P/T WELD M6 R40 SD PLN          | M6                                                                                                                           | 8  | 8  | 8.5  | 10 | 2.2 | 6 | 14.38 | 13 | R40 SD | PLN |
| 14091410                                                                               | NUT, P/T WELD M8 8 SD PLN            | M8                                                                                                                           | 11 | 11 | 11.5 | 14 | 3   | 7 | 18.90 | 17 | 8 SD   | PLN |
| 47912537                                                                               | NUT, P/T WELD M10X1.25 8 SD PFL      | M10X1.25                                                                                                                     | 13 | 13 | 13.5 | 16 | 3   | 8 | 21.10 | 19 | 8 SD   | PFL |

|                                                             |                                                 |                                                                                                                                                                                                                                                       |    |    |    |      |     |    |     |     |     |     |
|-------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|----|----|------|-----|----|-----|-----|-----|-----|
| Fiat<br>10165<br>Projection<br>Weld<br>Threaded<br>Bushings | Material Fiat 52605/02 Non-Preferred<br>Style A | <p>Sez. A-A E</p> <p>Sez. A-A Solo per Nr.36957</p> <p>Dettaglio C</p> <p>Dettaglio E</p> <p>Dettaglio B</p> <p>Dettaglio C Solo per Nr.36958</p> <p>Non sono ammessi spigoli vivi o lature</p> <p>N°3 tacche di riconoscimento solo per Nr.36956</p> |    |    |    |      |     |    |     |     |     |     |
| Part<br>Number                                              | Description                                     | D                                                                                                                                                                                                                                                     | d1 | f  | D2 | G    | a   | h  | b   | c   | Mat | Fin |
| 13695510                                                    | Bushing, proj weld                              | M8                                                                                                                                                                                                                                                    | 22 | 9  | 14 | 20.5 | 1.4 | 10 | 5   | 0.5 | STL | PLN |
| 13696010                                                    | Bushing, proj weld                              | M10X1.25                                                                                                                                                                                                                                              | 24 | 11 | 16 | 22   | 1.0 | 12 | 5.5 | 1.0 | STL | PLN |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

31 OF 201

CNH NUMBERS

**87354249**
**STPX100**

| Fiat<br>10165<br>Projection<br>Weld<br>Threaded<br>Bushings | Material Fiat 52605/02<br>Non-Preferred<br>Style C | <p>Dimensions in mm.</p> <p><b>STYLE C</b></p> <p>Alternative 1 (No. 36962 – 36967)</p> <p>Alternative 2 (No. 36961<br/>36963 – 36964 – 36965)</p> <p>For part 36965 only</p> |    |     |      |      |     |   |   |   |     |     |
|-------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|------|------|-----|---|---|---|-----|-----|
| Part<br>Number                                              | Description                                        | D                                                                                                                                                                             | d1 | f   | D1   | G    | a   | h | b | c | Mat | Fin |
| 13696710                                                    | Bushing, pooj weld<br>thrdd                        | M6                                                                                                                                                                            | 16 | 4.5 | 10.5 | 14.8 | 0.6 | 6 | 1 | 1 | STL | PLN |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.


KM



PAGE


32 OF 201


CNH NUMBERS

**87354249**
**STPX100**

| Fiat 10173  | Machined washers     | <p>Dimensions in mm</p>  |    |           |        |      |
|-------------|----------------------|------------------------------------------------------------------------------------------------------------|----|-----------|--------|------|
| Part Number | Description          | ID                                                                                                         | OD | Thickness | Finish | Mat. |
| 10730821    | Washer, M14 x 26 x 3 | 14.4                                                                                                       | 26 | 3         | ZND    | R80  |
| 10732914    | Washer, M20 x 38 x 4 | 20.75                                                                                                      | 38 | 4         | DAC    | R50  |
| 10730301    | Washer, M8 x 17 x 2  | 8.15                                                                                                       | 17 | 2         | ZND    | R40  |
| 10730321    | Washer, M8 x 17 x 2  | 8.15                                                                                                       | 17 | 2         | ZND    | R80  |
| 10730324    | Washer, M8 x 17 x 2  | 8.15                                                                                                       | 17 | 2         | DAC    | R80  |
| 10731214    | Washer, M22 x 38 x 4 | 22.4                                                                                                       | 38 | 4         | DAC    | R50  |

|                                                        |                        |                                                                                                                                                                                                                                                                                               |             |     |    |    |    |     |     |      |     |     |
|--------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|----|----|----|-----|-----|------|-----|-----|
| Fiat 10182<br>Lock Plates for<br>Threaded<br>Fasteners | Material Fiat<br>52652 | <div><div><p><u>For D ≤ 8</u></p></div><div><p><u>Single hole lock plate</u></p><p><u>For D &gt; 8</u></p></div></div> |             |     |    |    |    |     |     |      |     |     |
|                                                        |                        | Part Number                                                                                                                                                                                                                                                                                   | Description | D   | b  | s  | l  | a   | L   | c    | sm  | mat |
| 14199000                                               | Plate, M14             | 14.6                                                                                                                                                                                                                                                                                          | 25          | 1.0 | 25 | 18 | 43 | 3.5 |     | 40PG | PLN |     |
| 14198700                                               | Plate, M8              | 8.3                                                                                                                                                                                                                                                                                           | 15          | 0.8 | 20 | 12 | 32 |     | 2.5 | 40PG | PLN |     |
| 14199100                                               | Plate, M16             | 16.6                                                                                                                                                                                                                                                                                          | 25          | 1.0 | 30 | 20 | 50 | 3.5 |     | 40PG | PLN |     |
| 14198901                                               | Plate, M12             | 12.4                                                                                                                                                                                                                                                                                          | 20          | 0.8 | 22 | 15 | 37 | 3.0 |     | 40PG | ZND |     |
| 14198910                                               | Plate, M12             | 12.4                                                                                                                                                                                                                                                                                          | 20          | 0.8 | 22 | 15 | 37 | 3.0 |     | 60PG | PLN |     |
| 14198810                                               | Plate, M10             | 10.4                                                                                                                                                                                                                                                                                          | 20          | 0.8 | 20 | 13 | 33 | 3.0 |     | 60PG | PLN |     |
| 14199110                                               | Plate, M16             | 16.6                                                                                                                                                                                                                                                                                          | 25          | 1.0 | 30 | 20 | 50 | 3.5 |     | 60PG | PLN |     |
|                                                        |                        | Fiat 10182 continues below                                                                                                                                                                                                                                                                    |             |     |    |    |    |     |     |      |     |     |

| Fiat 10182<br>Tab Washers | Material Fiat<br>52652 | <p><u>Example of application</u></p>  |    |     |    |    |    |  |  |      |     |
|---------------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------|----|-----|----|----|----|--|--|------|-----|
| Part Number               | Description            | D                                                                                                                       | d  | s   | l  | b  | R  |  |  | mat  | fin |
| 10053710                  | Washer, Tab<br>M12     | 12                                                                                                                      | 28 | 0.8 | 22 | 10 | 10 |  |  | 60PG | PLN |
| 10053921                  | Washer, Tab<br>M16     | 17                                                                                                                      | 38 | 1   | 30 | 15 | 10 |  |  |      | ZND |

|                                                                                                                                      |                     |                                                                                    |       |           |           |                     |       |        |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------------------------------------------------------|-------|-----------|-----------|---------------------|-------|--------|
| Fiat 10214<br>Medium-<br>Length Tap<br>End Studs<br>Fiat 10219<br>Long Tap<br>End Studs<br>Fiat 10227<br>Extra long tap<br>End Studs | Material: ISO 898/1 | Dimensions in mm                                                                   |       |           |           |                     |       |        |
|                                                                                                                                      |                     |  |       |           |           |                     |       |        |
| Part Number                                                                                                                          | Description         | Dia Nom<br>d, d2                                                                   | Pitch | Length. l | Length. e | Thread<br>Length. b | Matl  | Finish |
| 11001221                                                                                                                             | STUD, M5X18X7       | 5                                                                                  | 0.8   | 18        | 7         | 15                  | 8.8   | ZND    |
| 11500024                                                                                                                             | STUD, M6X12X9       | 6                                                                                  | 1     | 12        | 9         | 9                   | 8.8   | DAC    |
| 11500124                                                                                                                             | STUD, M6X14X9       | 6                                                                                  | 1     | 14        | 9         | 11                  | 8.8   | DAC    |
| 11500321                                                                                                                             | STUD, M6X18X9       | 6                                                                                  | 1     | 18        | 9         | 15                  | 8.8   | ZND    |
| 11500421                                                                                                                             | STUD, M6X20X9       | 6                                                                                  | 1     | 20        | 9         | 17                  | 8.8   | ZND    |
| 11500520                                                                                                                             | STUD, M6X22X9       | 6                                                                                  | 1     | 22        | 9         | 18                  | 8.8   | PLN    |
| 11500624                                                                                                                             | STUD, M6X25X9       | 6                                                                                  | 1     | 25        | 9         | 18                  | 8.8   | DAC    |
| 11500821                                                                                                                             | STUD, M6X30X9       | 6                                                                                  | 1     | 30        | 9         | 18                  | 8.8   | ZND    |
| 87393403                                                                                                                             | STUD, M6X35X9       | 6                                                                                  | 1     | 35        | 9         | 18                  | 8.8   | ZND    |
| 11501224                                                                                                                             | STUD, M6X40X9       | 6                                                                                  | 1     | 40        | 9         | 18                  | 8.8   | DAC    |
| 92779523                                                                                                                             | STUD, M6X45X9       | 6                                                                                  | 1     | 45        | 9         | 18                  | 8.8   | ZND    |
| 13540921                                                                                                                             | STUD, M6X16X12      | 6                                                                                  | 1     | 16        | 12        | 14                  | 8.8   | ZND    |
| 92779525                                                                                                                             | STUD, M6X45X12      | 6                                                                                  | 1     | 45        | 12        | 18                  | 8.8   | ZND    |
| 47942676                                                                                                                             | STUD, M6X50X12      | 6                                                                                  | 1     | 50        | 12        | 18                  | 8.8   | ZND    |
| 91776689                                                                                                                             | STUD, M6X70X12      | 6                                                                                  | 1     | 70        | 12        | 18                  | 8.8   | ZND    |
| 13516620                                                                                                                             | STUD, M8 X 12 X 16  | 8                                                                                  | 1.25  | 16        | 12        | 13                  | 8.8   | PLN    |
| 13516621                                                                                                                             | STUD, M8 X 12 X 16  | 8                                                                                  | 1.25  | 16        | 12        | 13                  | 8.8   | ZND    |
| 13516624                                                                                                                             | STUD, M8 X 12 X 16  | 8                                                                                  | 1.25  | 16        | 12        | 13                  | 8.8   | DAC    |
| 12429424                                                                                                                             | STUD, M8 X 20 X 20  | 8                                                                                  | 1.25  | 20        | 20        | 17                  | 8.8   | DAC    |
| 13516821                                                                                                                             | STUD, M8 X 12 X 20  | 8                                                                                  | 1.25  | 20        | 12        | 17                  | 8.8   | ZND    |
| 13516921                                                                                                                             | STUD, M8 X 12 X 22  | 8                                                                                  | 1.25  | 22        | 12        | 19                  | 8.8   | ZND    |
| 13516924                                                                                                                             | STUD, M8 X 12 X 22  | 8                                                                                  | 1.25  | 22        | 12        | 19                  | 8.8   | DAC    |
| 13516930                                                                                                                             | STUD, M8 X 12 X 22  | 8                                                                                  | 1.25  | 22        | 12        | 19                  | 10.9  | PLN    |
| 47485494                                                                                                                             | STUD, M8 X 12 X 22  | 8                                                                                  | 1.25  | 22        | 12        | 19                  | 10.9  | DAC    |
| 13517010                                                                                                                             | STUD, M8 X 12 X 25  | 8                                                                                  | 1.25  | 25        | 12        | 22                  | 5.8   | PLN    |
| 13517020                                                                                                                             | STUD, M8 X 12 X 25  | 8                                                                                  | 1.25  | 25        | 12        | 22                  | 8.8   | PLN    |
| 13517021                                                                                                                             | STUD, M8 X 12 X 25  | 8                                                                                  | 1.25  | 25        | 12        | 22                  | 8.8   | ZND    |
| 13517030                                                                                                                             | STUD, M8 X 12 X 25  | 8                                                                                  | 1.25  | 25        | 12        | 22                  | 10.9  | PLN    |
| 90399801                                                                                                                             | STUD, M8 X 12 X 25  | 8                                                                                  | 1.25  | 25        | 12        | 22                  | A2-70 | PLN    |
| 13517110                                                                                                                             | STUD, M8 X 12 X 28  | 8                                                                                  | 1.25  | 28        | 12        | 22                  | 5.8   | PLN    |
| 13517111                                                                                                                             | STUD, M8 X 12 X 28  | 8                                                                                  | 1.25  | 28        | 12        | 22                  | 5.8   | ZND    |
| 92207488                                                                                                                             | STUD, M8 X 12 X 28  | 8                                                                                  | 1.25  | 28        | 12        | 22                  | 8.8   | ZND    |
| 13517124                                                                                                                             | STUD, M8 X 12 X 28  | 8                                                                                  | 1.25  | 28        | 12        | 22                  | 8.8   | DAC    |
| 13517210                                                                                                                             | STUD, M8 X 12 X 30  | 8                                                                                  | 1.25  | 30        | 12        | 22                  | 5.8   | PLN    |
| 13517220                                                                                                                             | STUD, M8 X 12 X 30  | 8                                                                                  | 1.25  | 30        | 12        | 22                  | 8.8   | PLN    |
| 13517221                                                                                                                             | STUD, M8 X 12 X 30  | 8                                                                                  | 1.25  | 30        | 12        | 22                  | 8.8   | ZND    |
| 13517224                                                                                                                             | STUD, M8 X 12 X 30  | 8                                                                                  | 1.25  | 30        | 12        | 22                  | 8.8   | DAC    |
| 13517320                                                                                                                             | STUD, M8 X 12 X 35  | 8                                                                                  | 1.25  | 35        | 12        | 22                  | 8.8   | PLN    |
| 92135216                                                                                                                             | STUD, M8 X 12 X 35  | 8                                                                                  | 1.25  | 35        | 12        | 22                  | 8.8   | BGM    |



# Standard Parts

Fiat 10214 , Fiat 10219, Fiat 10227 Continued from Previous page

| Part Number | Description          | Dia Nom<br>d, d2 | Pitch | Length. l | Length. e | Thread<br>Length. b | Matl | Finish |
|-------------|----------------------|------------------|-------|-----------|-----------|---------------------|------|--------|
| 13517324    | STUD, M8 X 12 X 35   | 8                | 1.25  | 35        | 12        | 22                  | 8.8  | DAC    |
| 92761845    | STUD, M8 X 12 X 40   | 8                | 1.25  | 40        | 12        | 22                  | 8.8  | BGM    |
| 13517521    | STUD, M8 X 12 X 45   | 8                | 1.25  | 45        | 12        | 22                  | 8.8  | ZND    |
| 13517620    | STUD, M8 X 12 X 50   | 8                | 1.25  | 50        | 12        | 22                  | 8.8  | PLN    |
| 13517624    | STUD, M8 X 12 X 50   | 8                | 1.25  | 50        | 12        | 22                  | 8.8  | DAC    |
| 13517821    | STUD, M8 X 12 X 60   | 8                | 1.25  | 60        | 12        | 22                  | 8.8  | ZND    |
| 13518021    | STUD, M8 X 12 X 70   | 8                | 1.25  | 70        | 12        | 22                  | 8.8  | ZND    |
| 13543624    | STUD, M8 X 16 X 30   | 8                | 1.25  | 30        | 16        | 22                  | 8.8  | DAC    |
| 92665082    | STUD, M8 X 16 X 35   | 8                | 1.25  | 35        | 16        | 22                  | 8.8  | ZND    |
| 92668491    | STUD, M8 X 16 X 45   | 8                | 1.25  | 45        | 16        | 22                  | 10.9 | DAC    |
| 92662530    | STUD, M8 X 16 X 45   | 8                | 1.25  | 45        | 16        | 22                  | 8.8  | ZND    |
| 13544120    | STUD, M8 X 16 X 55   | 8                | 1.25  | 55        | 16        | 22                  | 8.8  | PLN    |
| 47547595    | STUD, M8 X 16 X 55   | 8                | 1.25  | 55        | 16        | 22                  | 8.8  | ZND    |
| 13544220    | STUD, M8 X 16 X 60   | 8                | 1.25  | 60        | 16        | 22                  | 8.8  | PLN    |
| 92743832    | STUD, M8 X 16 X 60   | 8                | 1.25  | 60        | 16        | 22                  | 8.8  | ZND    |
| 13544320    | STUD, M8 X 16 X 65   | 8                | 1.25  | 65        | 16        | 22                  | 8.8  | PLN    |
| 13970421    | STUD, M8 X 16 X 90   | 8                | 1.25  | 90        | 16        | 22                  | 8.8  | ZND    |
| 13970520    | STUD, M8 X 16 X 95   | 8                | 1.25  | 95        | 16        | 22                  | 8.8  | PLN    |
| 13970521    | STUD, M8 X 16 X 95   | 8                | 1.25  | 95        | 16        | 22                  | 8.8  | ZND    |
| 13449111    | STUD, M10X1.25X 16   | 10               | 1.25  | 16        | 15        | 13                  | 5.8  | ZND    |
| 13449130    | STUD, M10X1.25X 16   | 10               | 1.25  | 16        | 15        | 13                  | 10.9 | PLN    |
| 13449311    | STUD, M10X1.25X 20   | 10               | 1.25  | 20        | 15        | 17                  | 5.8  | ZND    |
| 91790016    | STUD, M10X1.25X 20   | 10               | 1.25  | 20        | 15        | 17                  | 8.8  | ZND    |
| #91873503   | STUD, M10X1.5X 20    | 10               | 1.5   | 20        | 15        | 17                  | 8.8  | ZND    |
| 13449421    | STUD, M10X1.25X 22   | 10               | 1.25  | 22        | 15        | 19                  | 8.8  | ZND    |
| 13449521    | STUD, M10X1.25X 25   | 10               | 1.25  | 25        | 15        | 22                  | 8.8  | ZND    |
| 13449720    | STUD, M10X1.25X 30   | 10               | 1.25  | 30        | 15        | 26                  | 8.8  | PLN    |
| 13449721    | STUD, M10X1.25X 30   | 10               | 1.25  | 30        | 15        | 26                  | 8.8  | ZND    |
| 13449724    | STUD, M10X1.25X 30   | 10               | 1.25  | 30        | 15        | 26                  | 8.8  | DAC    |
| 87517050    | STUD, M10X1.25X 32   | 10               | 1.25  | 32        | 15        | 26                  | 8.8  | ZND    |
| 13454034    | STUD, M10X1.25 X 45  | 10               | 1.25  | 45        | 25        | 26                  | 10.9 | DAC    |
| 13450021    | STUD, M10X1.25 X 45  | 10               | 1.25  | 45        | 15        | 26                  | 8.8  | ZND    |
| 87517051    | STUD, M10X1.25 X 47  | 10               | 1.25  | 47        | 15        | 26                  | 8.8  | ZND    |
| 47754202    | STUD, M1X01.25 X 50  | 10               | 1.25  | 50        | 15        | 26                  | 8.8  | PLN    |
| 13450221    | STUD, M10X1.25 X 55  | 10               | 1.25  | 55        | 15        | 26                  | 5.8  | DAC    |
| 47754205    | STUD, M10X1.25 X 55  | 10               | 1.25  | 55        | 15        | 26                  | 8.8  | PLN    |
| 13450230    | STUD, M10X1.25 X 55  | 10               | 1.25  | 55        | 15        | 26                  | 10.9 | PLN    |
| 47894135    | STUD, M10X1.25 X 58  | 10               | 1.25  | 58        | 15        | 26                  | 8.8  | PLN    |
| #48195385   | STUD, M10X1.5 X 58   | 10               | 1.5   | 58        | 15        | 26                  | 8.8  | PLN    |
| 47929108    | STUD, M10X1.25 X 60  | 10               | 1.25  | 60        | 15        | 26                  | 8.8  | PLN    |
| 13450434    | STUD, M10X1.25 X 65  | 10               | 1.25  | 65        | 15        | 26                  | 10.9 | DAC    |
| 13451721    | STUD, M10X1.25 X 130 | 10               | 1.25  | 130       | 15        | 26                  | 8.8  | ZND    |
| 91801045    | STUD, M10X1.25 X 35  | 10               | 1.25  | 35        | 20        | 26                  | 8.8  | ZND    |
| 13546834    | STUD, M10X1.25 X 45  | 10               | 1.25  | 45        | 20        | 26                  | 10.9 | DAC    |
| 51594410    | STUD, M10X1.25 X 50  | 10               | 1.25  | 50        | 20        | 26                  | 10.9 | DAC    |
| 13530021    | STUD, M12X1.25 X 25  | 12               | 1.25  | 25        | 18        | 22                  | 8.8  | ZND    |

# part number not supported by but based on Fiat 10214

|                                               |      |           |                                  |
|-----------------------------------------------|------|-----------|----------------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS                      |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 36 OF 201 | <b>87354249</b>   <b>STPX100</b> |



# Standard Parts

## Fiat 10214 , Fiat 10219, Fiat 10227 Continued from Previous page

| Part Number | Description          | Dia Nom<br>d, d2 | Pitch | Length. l | Length. e | Thread<br>Length. b | Matl | Finish |
|-------------|----------------------|------------------|-------|-----------|-----------|---------------------|------|--------|
| 13530120    | STUD, M12X1.25 X 30  | 12               | 1.25  | 30        | 18        | 27                  | 8.8  | PLN    |
| 13530220    | STUD, M12X1.25 X 35  | 12               | 1.25  | 35        | 18        | 30                  | 8.8  | PLN    |
| 13552634    | STUD, M12X1.25 X 40  | 12               | 1.25  | 40        | 24        | 30                  | 10.9 | DAC    |
| 13530434    | STUD, M12X1.25 X 45  | 12               | 1.25  | 45        | 18        | 30                  | 10.9 | DAC    |
| 90392739    | STUD, M12X1.25 X 55  | 12               | 1.25  | 55        | 18        | 30                  | 10.9 | DAC    |
| 51568795    | STUD, M12X1.25X60    | 12               | 1.25  | 60        | 24        | 30                  | 10.9 | DAC    |
| 47550308    | STUD, M12X1.25X70    | 12               | 1.25  | 70        | 24        | 30                  | 10.9 | DAC    |
| 47550323    | STUD, M12X1.25X75    | 12               | 1.25  | 75        | 24        | 30                  | 10.9 | DAC    |
| 13553434    | STUD, M12X1.25X80    | 12               | 1.25  | 80        | 24        | 30                  | 10.9 | DAC    |
| 13972321    | STUD, M12X1.25 X 100 | 12               | 1.25  | 100       | 24        | 30                  | 8.8  | ZND    |
| 13972324    | STUD, M12X1.25 X 100 | 12               | 1.25  | 100       | 24        | 30                  | 8.8  | DAC    |
| 13972334    | STUD, M12X1.25 X 100 | 12               | 1.25  | 100       | 24        | 30                  | 10.9 | DAC    |
| 13972434    | STUD, M12X1.25 X 105 | 12               | 1.25  | 105       | 24        | 30                  | 10.9 | DAC    |
| 13972531    | STUD, M12X1.25 X 110 | 12               | 1.25  | 110       | 24        | 30                  | 10.9 | ZND    |
| 13954520    | STUD, M12X1.25 X 110 | 12               | 1.25  | 110       | 18        | 30                  | 8.8  | PLN    |
| 13531634    | STUD, M12X1.25 X 130 | 12               | 1.25  | 130       | 18        | 36                  | 10.9 | DAC    |
| 13554431    | STUD, M12X1.25 X 130 | 12               | 1.25  | 130       | 24        | 36                  | 10.9 | ZND    |
| 13531720    | STUD, M12X1.25 X 140 | 12               | 1.25  | 140       | 18        | 36                  | 8.8  | PLN    |
| 13554731    | STUD, M12X1.25 X 145 | 12               | 1.25  | 145       | 24        | 36                  | 10.9 | ZND    |
| #47411282   | STUD, M12X1.75 X 100 | 12               | 1.75  | 100       | 24        | 30                  | 8.8  | ZND    |
| #47638847   | STUD, M12X1.75 X 125 | 12               | 1.75  | 125       | 24        | 30                  | 10.9 | ZND    |
| 47774507    | STUD, M14X1.5X35     | 14               | 1.5   | 35        | 20        | 32                  | 8.8  | ZND    |
| 11797520    | STUD, M14X1.5X40     | 14               | 1.5   | 40        | 20        | 34                  | 8.8  | PLN    |
| 11797530    | STUD, M14X1.5X40     | 14               | 1.5   | 40        | 20        | 34                  | 10.9 | PLN    |
| 11797534    | STUD, M14X1.5X40     | 14               | 1.5   | 40        | 20        | 34                  | 10.9 | DAC    |
| 11797734    | STUD, M14X1.5X50     | 14               | 1.5   | 50        | 20        | 34                  | 10.9 | DAC    |
| 13555334    | STUD, M14X1.5X28X28  | 14               | 1.5   | 28        | 28        | 25                  | 10.9 | DAC    |
| 13555520    | STUD, M14X1.5X35X28  | 14               | 1.5   | 35        | 28        | 34                  | 8.8  | PLN    |
| 13555521    | STUD, M14X1.5X35X28  | 14               | 1.5   | 35        | 28        | 34                  | 8.8  | ZND    |
| 13555534    | STUD, M14X1.5X35X28  | 14               | 1.5   | 35        | 28        | 34                  | 10.9 | DAC    |
| 13555630    | STUD, M14X1.5X40X28  | 14               | 1.5   | 40        | 28        | 34                  | 10.9 | PLN    |
| 13555734    | STUD, M14X1.5X45X28  | 14               | 1.5   | 45        | 28        | 34                  | 10.9 | DAC    |
| 13975834    | STUD, M14X1.5X95     | 14               | 1.5   | 95        | 28        | 34                  | 10.9 | DAC    |
| 13975930    | STUD, M14X1.5X100    | 14               | 1.5   | 100       | 28        | 34                  | 10.9 | PLN    |
| 13975934    | STUD, M14X1.5X100    | 14               | 1.5   | 100       | 28        | 34                  | 10.9 | DAC    |
| 13976034    | STUD, M14X1.5X105    | 14               | 1.5   | 105       | 28        | 34                  | 10.9 | DAC    |
| 13976130    | STUD, M14X1.5X110    | 14               | 1.5   | 110       | 28        | 34                  | 10.9 | PLN    |
| 13976134    | STUD, M14X1.5X110    | 14               | 1.5   | 110       | 28        | 34                  | 10.9 | DAC    |
| 13976230    | STUD, M14X1.5X115    | 14               | 1.5   | 115       | 28        | 34                  | 10.9 | PLN    |
| 13976234    | STUD, M14X1.5X115    | 14               | 1.5   | 115       | 28        | 34                  | 10.9 | DAC    |
| 13976334    | STUD, M14X1.5X120    | 14               | 1.5   | 120       | 28        | 34                  | 10.9 | DAC    |
| 13976434    | STUD, M14X1.5X125    | 14               | 1.5   | 125       | 28        | 34                  | 10.9 | DAC    |
| 13557430    | STUD, M14X1.5X130    | 14               | 1.5   | 130       | 28        | 40                  | 10.9 | PLN    |
| 47614154    | STUD, M14X1.5X135    | 14               | 1.5   | 135       | 28        | 40                  | 10.9 | PLN    |
| 13557730    | STUD, M14X1.5X145    | 14               | 1.5   | 145       | 28        | 40                  | 10.9 | PLN    |

# part number not supported by but based on Fiat 10219

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

37 OF 201

CNH NUMBERS

**87354249**

**STPX100**



# Standard Parts

## Fiat 10214 , Fiat 10219, Fiat 10227 Continued from Previous page

| Part Number | Description         | Dia Nom<br>d, d2 | Pitch | Length. l | Length. e | Thread<br>Length. b | Matl | Finish  |
|-------------|---------------------|------------------|-------|-----------|-----------|---------------------|------|---------|
| 13557830    | STUD, M14X1.5X150   | 14               | 1.5   | 150       | 28        | 40                  | 10.9 | PLN     |
| 13558130    | STUD, M14X1.5X155   | 14               | 1.5   | 155       | 28        | 40                  | 10.9 | PLN     |
| 13557930    | STUD, M14X1.5X160   | 14               | 1.5   | 160       | 28        | 40                  | 10.9 | PLN     |
| 13558430    | STUD, M14X1.5X170   | 14               | 1.5   | 170       | 28        | 40                  | 10.9 | PLN     |
| 11800421    | STUD, M16X1.5X35    | 16               | 1.5   | 35        | 22        | 32                  | 8.8  | ZND     |
| 11800624    | STUD, M16X1.5X45    | 16               | 1.5   | 45        | 22        | 38                  | 8.8  | DAC     |
| 11801034    | STUD, M16X1.5X65    | 16               | 1.5   | 65        | 22        | 38                  | 10.9 | DAC     |
| 13954921    | STUD, M16X1.5X85    | 16               | 1.5   | 85        | 22        | 38                  | 8.8  | ZND     |
| 48192445    | STUD, M16X1.5X40    | 16               | 1.5   | 40        | 32        | 38                  | 10.9 | DAC     |
| 13561634    | STUD, M16X1.5X45    | 16               | 1.5   | 45        | 32        | 38                  | 10.9 | DAC     |
| 90505208    | STUD, M16X1.5X60    | 16               | 1.5   | 60        | 32        | 38                  | 10.9 | DAC     |
| 48027021    | STUD, M16X1.5X65    | 16               | 1.5   | 65        | 32        | 38                  | 10.9 | DAC     |
| 92141014    | STUD, M16X1.5X65    | 16               | 1.5   | 65        | 32        | 38                  | 10.9 | PLN     |
| 90445014    | STUD, M16X1.5X85    | 16               | 1.5   | 85        | 32        | 38                  | 10.9 | DAC     |
| 13973034    | STUD, M16X1.5X90    | 16               | 1.5   | 90        | 32        | 38                  | 10.9 | DAC     |
| 90391147    | STUD, M16X1.5X95    | 16               | 1.5   | 95        | 32        | 38                  | 10.9 | DAC     |
| 13973330    | STUD, M16X1.5X105   | 16               | 1.5   | 105       | 32        | 38                  | 10.9 | PLN     |
| 13973430    | STUD, M16X1.5X110   | 16               | 1.5   | 110       | 32        | 38                  | 10.9 | PLN     |
| 13973534    | STUD, M16X1.5X115   | 16               | 1.5   | 115       | 32        | 38                  | 10.9 | DAC     |
| 13973630    | STUD, M16X1.5X120   | 16               | 1.5   | 120       | 32        | 38                  | 10.9 | PLN     |
| 13973730    | STUD, M16X1.5X125   | 16               | 1.5   | 125       | 32        | 38                  | 10.9 | PLN     |
| 13563330    | STUD, M16X1.5X130   | 16               | 1.5   | 130       | 32        | 44                  | 10.9 | PLN     |
| 51464610    | STUD, M16X1.5X135   | 16               | 1.5   | 135       | 32        | 44                  | 10.9 | PLN     |
| 92207335    | STUD, M16X1.5X150   | 16               | 1.5   | 150       | 32        | 44                  | 10.9 | PLN     |
| 47520589    | STUD, M16X1.5X160   | 16               | 1.5   | 160       | 32        | 44                  | 10.9 | PLN     |
| 92207336    | STUD, M16X1.5X170   | 16               | 1.5   | 170       | 32        | 44                  | 10.9 | PLN     |
| 13564030    | STUD, M16X1.5X180   | 16               | 1.5   | 180       | 32        | 44                  | 10.9 | PLN     |
| 11803824    | STUD, M18X1.5X55    | 18               | 1.5   | 55        | 25        | 42                  | 8.8  | DAC     |
| 90470953    | STUD, M18X1.5X55    | 18               | 1.5   | 55        | 25        | 42                  | 8.8  | @Zn-Ni  |
| 92775107    | STUD, M18X1.5X55    | 18               | 1.5   | 55        | 25        | 42                  | 10.9 | ZN-NI-1 |
| 92251771    | STUD, M18X1.5X25X60 | 18               | 1.5   | 60        | 25        | 42                  | 10.9 | ZND     |
| 47490934    | STUD, M18X1.5X60    | 18               | 1.5   | 60        | 36        | 42                  | 8.8  | DAC     |
| 51634701    | STUD, M18X1.5X60    | 18               | 1.5   | 60        | 36        | 42                  | 10.9 | DAC     |
| 92744778    | STUD, M18X1.5X65    | 18               | 1.5   | 65        | 25        | 42                  | 8.8  | ZN-NI-1 |
| 47543628    | STUD, M18X1.5X65    | 18               | 1.5   | 65        | 45        | 42                  | 8.8  | DAC     |
| 92247810    | STUD, M18X1.5X65    | 18               | 1.5   | 65        | 45        | 42                  | 10.9 | DAC     |
| 90470971    | STUD, M18X1.5X65    | 18               | 1.5   | 65        | 45        | 42                  | 8.8  | @Zn-Ni  |
| 51609085    | STUD, M18X1.5X75    | 18               | 1.5   | 75        | 25        | 42                  | 10.9 | DAC     |
| 51622558    | STUD, M18X1.5X75    | 18               | 1.5   | 75        | 32        | 42                  | 10.9 | DAC     |
| 51609098    | STUD, M18X1.5X90    | 18               | 1.5   | 90        | 25        | 42                  | 10.9 | DAC     |
| 51622557    | STUD, M18X1.5X90    | 18               | 1.5   | 90        | 45        | 42                  | 10.9 | DAC     |
| 47507259    | STUD, M18X1.5X100   | 18               | 1.5   | 100       | 45        | 42                  | 10.9 | DAC     |
| 13976934    | STUD, M18X1.5X105   | 18               | 1.5   | 105       | 36        | 42                  | 10.9 | DAC     |
| 47467525    | STUD, M18X1.5X120   | 18               | 1.5   | 120       | 45        | 42                  | 10.9 | DAC     |
| 13955934    | STUD, M20X1.5X90    | 20               | 1.5   | 90        | 28        | 46                  | 10.9 | DAC     |
| 47893589    | STUD, M20X1.5X95    | 20               | 1.5   | 95        | 28        | 46                  | 10.9 | DAC     |

@Zn-Ni – Zinc Nickel coating per Iveco 18-1103; ZN-NI-1 per STPA020

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

38 OF 201

CNH NUMBERS

**87354249**


**STPX100**

### Fiat 10214 , Fiat 10219, Fiat 10227 Continued from Previous page

| Part Number                                            | Description       | Dia Nom<br>d, d2 | Pitch | Length. l | Length. e | Thread<br>Length. b | Matl | Finish |
|--------------------------------------------------------|-------------------|------------------|-------|-----------|-----------|---------------------|------|--------|
| 47896034                                               | STUD, M20X1.5X95  | 20               | 1.5   | 95        | 40        | 46                  | 10.9 | DAC    |
| 47617363                                               | STUD, M20X1.5X105 | 20               | 1.5   | 105       | 28        | 46                  | 10.9 | DAC    |
| 47590057                                               | STUD, M20X1.5X105 | 20               | 1.5   | 105       | 40        | 46                  | 10.9 | DAC    |
| 13974434                                               | STUD, M20X1.5X115 | 20               | 1.5   | 115       | 40        | 46                  | 10.9 | DAC    |
| 92149348                                               | STUD, M20X1.5X140 | 20               | 1.5   | 140       | 40        | 52                  | 10.9 | BGM    |
| 92149349                                               | STUD, M20X1.5X145 | 20               | 1.5   | 145       | 40        | 52                  | 10.9 | BGM    |
| 11808834                                               | STUD, M20X1.5X150 | 20               | 1.5   | 150       | 28        | 52                  | 10.9 | DAC    |
| #84561116                                              | STUD, M20X1.5X155 | 20               | 1.5   | 155       | 28        | 52                  | 10.9 | DAC    |
| 91902897                                               | STUD, M20X1.5X165 | 20               | 1.5   | 165       | 40        | 52                  | 10.9 | DAC    |
| 47519236                                               | STUD, M20X1.5X200 | 20               | 1.5   | 200       | 50        | 52                  | 10.9 | DAC    |
| # part number not supported by but based on Fiat 10214 |                   |                  |       |           |           |                     |      |        |

### Fiat 10232 Double End Studs


Material: Steel 52605/01



| Part Number | Description            | Dia Nom. | Pitch | Length .l | Stud length .e | Thread Length | Z   | C1  | Matl | Finish |
|-------------|------------------------|----------|-------|-----------|----------------|---------------|-----|-----|------|--------|
| 13591411    | Stud, M10x1.25 x 20x40 | M10      | 1.25  | 40        | 20             | 14.7          | 3.1 | 2.2 | 5.8  | ZND    |
| *47762246   | Stud, M10x1.25 x 20x70 | M10      | 1.25  | 70        | 20             | 14.7          | 3.1 | 2.2 | 5.8  | ZND    |

\* Part # not in Fiat 10232 but based on Fiat 10232

### Iveco 11-0152 Double End Studs - Medium Root (Metal Side)



[1] Incomplete thread length.

TABLE I - Basic dimensions

| Thread d (6g)          |                               | M5          | M6   | M8          | M10   | M12         | M14   | M16         | M20   | M24   |
|------------------------|-------------------------------|-------------|------|-------------|-------|-------------|-------|-------------|-------|-------|
| d <sub>1</sub> (2m/6g) |                               |             |      |             |       |             |       |             |       |       |
| Pitch P                |                               | 0,8         | 1    | 1,25        | 1,5   | 1,75        | 2     | 2           | 2,5   | 3     |
| $b + \frac{2P}{0}$     | $l \leq 120$                  | 16          | 18   | 22          | 26    | 30          | 34    | 38          | 46    | 54    |
|                        | $120 < l \leq 200$            | -           | -    | -           | -     | 36          | 40    | 44          | 52    | 60    |
|                        | $l > 200$                     | -           | -    | -           | -     | -           | -     | -           | -     | 73    |
| d <sub>s</sub>         | nominal                       | 5,00        | 6,00 | 8,00        | 10,00 | 12,00       | 14,00 | 16,00       | 20,00 | 24,00 |
|                        | deviation (h13)               | 0<br>- 0,18 |      | 0<br>- 0,22 |       | 0<br>- 0,27 |       | 0<br>- 0,33 |       |       |
| b <sub>m</sub>         | nominal                       | 7           | 9    | 12          | 15    | 18          | 20    | 22          | 28    | 32    |
|                        | Deviation (j <sub>s</sub> 16) | ± 0,45      |      | ± 0,55      |       | ± 0,65      |       | ± 0,80      |       |       |
| r <sub>e</sub>         | ≈                             | 7           | 8,4  | 11,2        | 14    | 16,8        | 19,6  | 22,4        | 28    | 33,6  |
| u                      | (2 P) max.                    | 1,6         | 2,0  | 2,5         | 3,0   | 3,5         | 4,0   | 4,0         | 5,0   | 6,0   |
| x                      | (2.5 P) max.                  | 2           | 2,5  | 3,1         | 3,8   | 4,4         | 5,0   | 5,0         | 6,2   | 7,5   |

| Part Number | Dia Nom. | Pitch | Length l | b <sub>m</sub> | Thread Length b (approx.) | Mat'l | Finish |
|-------------|----------|-------|----------|----------------|---------------------------|-------|--------|
| 16731270    | M10      | 1.5   | 25       | 15             | 18.2                      | A2-70 | PLN    |
| 16731370    | M10      | 1.5   | 30       | 15             | 23.2                      | A2-70 | PLN    |
|             |          |       |          |                |                           |       |        |

### Iveco 11-0156 Double End Studs - Long Root (Metal Side)




**TABLE I – Basic dimensions**

| Thread $d$            |                       | (6g)    | M5          | M6          | M8          | M10         | M12         | M14         | M16         | M20         | M24         |
|-----------------------|-----------------------|---------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| $d_1$                 |                       | (2m/6g) |             |             |             |             |             |             |             |             |             |
| Pitch $P$             |                       |         | 0.8         | 1           | 1.25        | 1.5         | 1.75        | 2           | 2           | 2.5         | 3           |
| $b + \frac{2P}{0}$    | $l \leq 120$          |         | 16          | 18          | 22          | 26          | 30          | 34          | 38          | 46          | 54          |
|                       | $120 < l \leq 200$    |         | –           | –           | –           | –           | 36          | 40          | 44          | 52          | 60          |
|                       | $l > 200$             |         | –           | –           | –           | –           | –           | –           | –           | –           | 73          |
| $d_s$ nominal         |                       |         | 5.00        | 6.00        | 8.00        | 10.00       | 12.00       | 14.00       | 16.00       | 20.00       | 24.00       |
| $d_s$ deviation (h13) |                       |         | 0<br>– 0.18 | 0<br>– 0.22 | 0<br>– 0.22 | 0<br>– 0.27 | 0<br>– 0.27 | 0<br>– 0.27 | 0<br>– 0.33 | 0<br>– 0.33 | 0<br>– 0.33 |
| $b_m$                 | nominal               |         | 10          | 12          | 16          | 20          | 24          | 28          | 32          | 40          | 48          |
|                       | deviation ( $j_5$ 16) |         | $\pm 0.55$  |             |             | $\pm 0.65$  |             |             | $\pm 0.80$  |             |             |
| $r_e$                 | approx.               |         | 7           | 8.4         | 11.2        | 14          | 16.8        | 19.6        | 22.4        | 28          | 33.6        |
| $u$                   | (2 P) max.            |         | 1.6         | 2.0         | 2.5         | 3.0         | 3.5         | 4.0         | 4.0         | 5.0         | 6.0         |
| $x$                   | (2.5 P) max.          |         | 2           | 2.5         | 3.1         | 3.8         | 4.4         | 5.0         | 5.0         | 6.2         | 7.5         |

\* Length of incomplete thread.

| Part Number | Dia Nom. | Pitch | Length l | $b_m$ | Thread Length b | Mat'l | Finish    |
|-------------|----------|-------|----------|-------|-----------------|-------|-----------|
| 16748734    | M10      | 1.5   | 35       | 20    | 26              | 10.9  | GEO 321-5 |
|             |          |       |          |       |                 |       |           |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

41 OF 201

CNH NUMBERS


**87354249**

**STPX100**

### Fiat 10252

Helical Screw Thread Inserts – Regular and Screw Lock

**Material:** X15 CN 1808  
per Fiat 52778




| Part Number | d  | d <sub>1</sub> |       | W Min. | l <sub>1</sub> | Type    | Material | Finish |
|-------------|----|----------------|-------|--------|----------------|---------|----------|--------|
|             |    | min            | max   |        |                |         |          |        |
| 13525770    | M8 | 9.85           | 10.10 | 8.2    | 12             | Regular | SST      | PLN    |

Fiat  
10312/02  
Non-Preferred  
ISO  
Thread  
Grade A  
Steel ---  
52605/01

Dimensions in mm

THREAD ROLLED AFTER HARDENING AND TEMPERING



| Part Number | Dia | Pitch | l   | s  | k | b  | Matl | Finish |
|-------------|-----|-------|-----|----|---|----|------|--------|
| 48125962    | 12  | 1.5   | 130 | 19 | 8 | 36 | 10.9 | DAC    |
|             |     |       |     |    |   |    |      |        |
|             |     |       |     |    |   |    |      |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

42 OF 201

CNH NUMBERS


**87354249**

**STPX100**



Fiat  
10312/03  
Non-  
Preferred  
Hexagon  
Bolts for  
Severe  
Applications

Dimensions in mm


THREAD ROLLED AFTER HARDENING AND TEMPERING



| Part Number | Dia | Pitch | l  | s  | k   | b  | Matl | Finish |
|-------------|-----|-------|----|----|-----|----|------|--------|
| 16233921    | 8   | 1.25  | 90 | 13 | 5.5 | 22 | 8.8  | ZND    |
| 16233930    | 8   | 1.25  | 90 | 13 | 5.5 | 22 | 10.9 | PLN    |
|             |     |       |    |    |     |    |      |        |

|                                                          |                                |                                                                                         |       |                                                                                    |               |                                                                                     |        |
|----------------------------------------------------------|--------------------------------|-----------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------|--------|
| Fiat 10312/04<br>DIN Head<br>Dimensions<br>Non-Preferred |                                | Material Fiat 52605/03 Non-Preferred<br>Thread Rolled before hardening and<br>tempering |       |  |               |  |        |
|                                                          |                                |                                                                                         |       | Bolt with shank                                                                    |               | Bolt fully threaded                                                                 |        |
| Part Number                                              | Description                    | Dia                                                                                     | Pitch | Length                                                                             | Thread Length | Matl                                                                                | Finish |
| 16202224                                                 | BOLT, M8 X 130 8.8 DAC         | 8                                                                                       | 1.25  | 130                                                                                |               | 8.8                                                                                 | DAC    |
| 16204230                                                 | BOLT, M10 X 1.25 X 20 10.9 PLN | 10                                                                                      | 1.25  | 20                                                                                 | FULL          | 10.9                                                                                | PLN    |
| 16204321                                                 | BOLT, M10 X 1.25 X 25 8.8 ZND  | 10                                                                                      | 1.25  | 25                                                                                 |               | 8.8                                                                                 | ZND    |
| 16204430                                                 | BOLT, M10 X 1.25 X 30 10.9 PLN | 10                                                                                      | 1.25  | 30                                                                                 | FULL          | 10.9                                                                                | PLN    |
| 16204524                                                 | BOLT, M10 X 1.25 X 35 8.8 DAC  | 10                                                                                      | 1.25  | 35                                                                                 | 26            | 8.8                                                                                 | DAC    |
| 16206024                                                 | BOLT, M10 X 1.25 X 140 8.8 DAC | 10                                                                                      | 1.25  | 140                                                                                | 32            | 8.8                                                                                 | DAC    |
| 16207524                                                 | BOLT, M12 X 1.25 X 20 8.8 DAC  | 12                                                                                      | 1.25  | 20                                                                                 | FULL          | 8.8                                                                                 | DAC    |
| 16208034                                                 | BOLT, M12 X 1.25 X 45 10.9 DAC | 12                                                                                      | 1.25  | 45                                                                                 |               | 10.9                                                                                | DAC    |
| 16208334                                                 | BOLT, M12 X 1.25 X 60 10.9 DAC | 12                                                                                      | 1.25  | 60                                                                                 |               | 10.9                                                                                | DAC    |
| 16208430                                                 | BOLT, M12 X 1.25 X 65 10.9 PLN | 12                                                                                      | 1.25  | 65                                                                                 |               | 10.9                                                                                | PLN    |
| 16214334                                                 | BOLT, M14 X 1.5 X 35 10.9 DAC  | 14                                                                                      | 1.5   | 35                                                                                 | FULL          | 10.9                                                                                | DAC    |
| 16214424                                                 | BOLT, M14 X 1.5 X 40 8.8 DAC   | 14                                                                                      | 1.5   | 40                                                                                 |               | 8.8                                                                                 | DAC    |
| 16214524                                                 | BOLT, M14 X 1.5 X 45 8.8 DAC   | 14                                                                                      | 1.5   | 45                                                                                 |               | 8.8                                                                                 | DAC    |
| 16214624                                                 | BOLT, M14 X 1.5 X 50 8.8 DAC   | 14                                                                                      | 1.5   | 50                                                                                 |               | 8.8                                                                                 | DAC    |
| 16214930                                                 | BOLT, M14 X 1.5 X 65 10.9 PLN  | 14                                                                                      | 1.5   | 65                                                                                 |               | 10.9                                                                                | PLN    |
| 16215021                                                 | BOLT, M14 X 1.5 X 70 8.8 ZND   | 14                                                                                      | 1.5   | 70                                                                                 |               | 8.8                                                                                 | ZND    |
| 16215324                                                 | BOLT, M14 X 1.5 X 90 8.8 DAC   | 14                                                                                      | 1.5   | 90                                                                                 |               | 8.8                                                                                 | DAC    |
| 16217734                                                 | BOLT, M16 X 1.5 X 50 10.9 DAC  | 16                                                                                      | 1.5   | 50                                                                                 | FULL          | 10.9                                                                                | DAC    |
| 16217834                                                 | BOLT, M16 X 1.5 X 55 10.9 DAC  | 16                                                                                      | 1.5   | 55                                                                                 |               | 10.9                                                                                | DAC    |
| 16218074                                                 | BOLT, M16 X 1.5 X 65 12.9 DAC  | 16                                                                                      | 1.5   | 65                                                                                 |               | 12.9                                                                                | DAC    |
| 16218474                                                 | BOLT, M16 X 1.5 X 90 12.9 DAC  | 16                                                                                      | 1.5   | 90                                                                                 |               | 12.9                                                                                | DAC    |
| 16218574                                                 | BOLT, M16 X 1.5 X 100 12.9 DAC | 16                                                                                      | 1.5   | 100                                                                                |               | 12.9                                                                                | DAC    |
| 16220874                                                 | BOLT, M18 X 1.5 X 45 12.9 DAC  | 18                                                                                      | 1.5   | 45                                                                                 |               | 12.9                                                                                | DAC    |
| 90375354##                                               | BOLT, M18 X 1.5 X 45 12.9 DAC  | 18                                                                                      | 1.5   | 45                                                                                 |               | 12.9                                                                                | BGM    |
| 16220934                                                 | BOLT, M18 X 1.5 X 50 10.9 DAC  | 18                                                                                      | 1.5   | 50                                                                                 |               | 10.9                                                                                | DAC    |
| 84591617##                                               | BOLT, M18 X 1.5 X 65 12.9 DAC  | 18                                                                                      | 1.5   | 65                                                                                 |               | 12.9                                                                                | DAC    |

##NON-FIAT PART NUMBER TO BE SUPPLIED PER FIAT 10312/04

| Fiat 10412<br>Square Headed<br>Bolts |                   |  |    |    |    |     |     |        |
|--------------------------------------|-------------------|--------------------------------------------------------------------------------------|----|----|----|-----|-----|--------|
| Part Number                          | Description       | d1                                                                                   | b  | s  | e  | k   | Mat | Finish |
| 11944610                             | Bolt, Sq Hd M6x20 | 6                                                                                    | 18 | 10 | 13 | 4   | 5.8 | PLN    |
| 11947510                             | Bolt, Sq Hd M8x25 | 8                                                                                    | 22 | 13 | 17 | 5.5 | 5.8 | PLN    |
| 11948724                             | Bolt, Sq Hd M8x60 | 8                                                                                    | 22 | 13 | 17 | 5.5 | 8.8 | DAC    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


44 OF 201

CNH NUMBERS

**87354249**


**STPX100**

### Fiat 10413 Screws with Collars Flat Head




| Part Number | Description                             | l    | t    | d  | a  | s   | Mat | Finish |
|-------------|-----------------------------------------|------|------|----|----|-----|-----|--------|
| 10558628    | SCREW, FLAT-HD W/COLLAR M5X17 8.8 BZN   | 17   | 1.66 | M5 | 7  | 2.5 | 8.8 | BZN    |
| 10589928    | SCREW, FLAT-HD W/COLLAR M6X17 8.8 BZN   | 17   | 3.2  | M6 | 10 | 3.0 | 8.8 | BZN    |
| 10585428    | SCREW, FLAT-HD W/COLLAR M6X18.5 8.8 BZN | 18.5 | 3.2  | M6 | 10 | 3.5 | 8.8 | BZN    |
| 10558728    | SCREW, FLAT-HD W/COLLAR M6X22 8.8 BZN   | 22   | 3.7  | M6 | 10 | 3   | 8.8 | BZN    |
| 10558828    | SCREW, FLAT-HD W/COLLAR M6X22 8.8 BZN   | 22   | 3.2  | M6 | 10 | 3.5 | 8.8 | BZN    |

### Fiat 10413 Screws with Collars Hexagonal Head



| Part Number | Description                           | l  | t | d  | a  | s | mat | fin |
|-------------|---------------------------------------|----|---|----|----|---|-----|-----|
| 10558928    | Screw.Hex-hd w/collar M6 x 22 8.8 BZN | 22 | 2 | M6 | 10 | 5 | 8.8 | BZN |

### Fiat 10452 Screws with Pan Head Square Neck



| Part Number | d (6g) | d1 | k   | g | t (h12) | a max. | C1 max | Mat | Finish |
|-------------|--------|----|-----|---|---------|--------|--------|-----|--------|
| 15966217    | M6     | 10 | 1.5 | 4 | 6       | 2.5    | 1.8    | 5.8 | BZN    |

NAME


**NATIONAL & INTERNATIONAL STD PARTS**

REV.  
KM

PAGE  
45 OF 201

CNH NUMBERS

**87354249 | STPX100**

| Fiat 10453  | Spherical Projection Screws for Projection Welding |  |      |    |     |    |             |        |
|-------------|----------------------------------------------------|------------------------------------------------------------------------------------|------|----|-----|----|-------------|--------|
| Part Number | Description                                        | n                                                                                  | m    | d  | h   | l  | Mat         | Finish |
| 14082410    | Screw, proj weld M4 x 16                           | 2.5                                                                                | 9    | M4 | 2   | 16 | R50 SD STAB | PLN    |
| 14113510    | Screw, proj weld M5 x 10                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 10 | R50 SD STAB | PLN    |
| 14113511    | Screw, proj weld M5 x 10                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 10 | R50 SD STAB | ZND    |
| 14113810    | Screw, proj weld M5 x 12                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 12 | R50 SD STAB | PLN    |
| 14113811    | Screw, proj weld M5 x 12                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 12 | R50 SD STAB | ZND    |
| 14115211    | Screw, proj weld M5 x 14                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 14 | R50 SD STAB | ZND    |
| 14114010    | Screw, proj weld M5 x 16                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 16 | R50 SD STAB | PLN    |
| 14114011    | Screw, proj weld M5 x 16                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 16 | R50 SD STAB | ZND    |
| 47711805    | Screw, proj weld M5 x 16                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 16 | R50 SD STAB | PFL    |
| 14113911    | Screw, proj weld M5 x 18                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 18 | R50 SD STAB | ZND    |
| 14115111    | Screw, proj weld M5 x 20                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 20 | R50 SD STAB | ZND    |
| 14112911    | Screw, proj weld M5 x 22                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 22 | R50 SD STAB | ZND    |
| 14112913    | Screw, proj weld M5 x 22                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 22 | R50 SD STAB | PFL    |
| 47636554    | Screw, proj weld M5 x 30                           | 2.5                                                                                | 9.5  | M5 | 2.5 | 30 | R50 SD STAB | PFL    |
| 14114810    | Screw, proj weld M6 x 10                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 10 | R50 SD STAB | PLN    |
| 14113610    | Screw, proj weld M6 x 12                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 12 | R50 SD STAB | PLN    |
| 14082210    | Screw, proj weld M6 x 14                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 14 | R50 SD STAB | PLN    |
| 14082211    | Screw, proj weld M6 x 14                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 14 | R50 SD STAB | ZND    |
| 14082213    | Screw, proj weld M6 x 14                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 14 | R50 SD STAB | PFL    |
| 14082221    | Screw, proj weld M6 x 14                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 14 | R80 SD      | ZND    |
| 14114710    | Screw, proj weld M6 x 16                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 16 | R50 SD STAB | PLN    |
| 14114110    | Screw, proj weld M6 x 18                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 18 | R50 SD STAB | PLN    |
| 14114113    | Screw, proj weld M6 x 18                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 18 | R50 SD STAB | PFL    |
| 14141410    | Screw, proj weld M6 x 20                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 20 | R50 SD STAB | PLN    |
| 14141413    | Screw, proj weld M6 x 20                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 20 | R50 SD STAB | PFL    |
| 14141417    | Screw, proj weld M6 x 20                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 20 | R50 SD STAB | ZND    |
| 47544651    | Screw, proj weld M6 x 22                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 22 | R50 SD STAB | PLN    |
| 47424056    | Screw, proj weld M6 x 25                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 25 | R50 SD STAB | PLN    |
| 47587201    | Screw, proj weld M6 x 25                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 25 | R50 SD STAB | PFL    |
| 14082010    | Screw, proj weld M6 x 28                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 28 | R50 SD STAB | PLN    |
| 14081610    | Screw, proj weld M6 x 30                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 30 | R50 SD STAB | PLN    |
| 14081710    | Screw, proj weld M6 x 40                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 40 | R50 SD STAB | PLN    |
| 14141910    | Screw, proj weld M6 x 35                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 35 | R50 SD STAB | PLN    |
| 14141913    | Screw, proj weld M6 x 35                           | 2.5                                                                                | 10.5 | M6 | 2.5 | 35 | R50 SD STAB | PFL    |
| 14140821    | Screw, proj weld M8 x 14                           | 3                                                                                  | 13   | M8 | 3.5 | 14 | R80 SD      | ZND    |
| 14114910    | Screw, proj weld M8 x 16                           | 3                                                                                  | 13   | M8 | 3.5 | 16 | R50 SD STAB | PLN    |
| 14114911    | Screw, proj weld M8 x 16                           | 3                                                                                  | 13   | M8 | 3.5 | 16 | R50 SD STAB | ZND    |
| 47748851    | Screw, proj weld M8 x 16                           | 3                                                                                  | 13   | M8 | 3.5 | 16 | R80 SD      | PLN    |
| 14114921    | Screw, proj weld M8 x 16                           | 3                                                                                  | 13   | M8 | 3.5 | 16 | R80 SD      | ZND    |
| 14140910    | Screw, proj weld M8 x 18                           | 3                                                                                  | 13   | M8 | 3.5 | 18 | R50 SD STAB | PLN    |
| 14140911    | Screw, proj weld M8 x 18                           | 3                                                                                  | 13   | M8 | 3.5 | 18 | R50 SD STAB | ZND    |

NAME

NATIONAL &amp; INTERNATIONAL STD PARTS

REV.

KM


PAGE

46 OF 201

CNH NUMBERS

87354249

STPX100

| Fiat 10453  | Spherical Projection Screws for Projection Welding<br>Cont. from Previous Page |  |    |          |     |    |             |        |
|-------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----|----------|-----|----|-------------|--------|
| Part Number | Description                                                                    | n                                                                                  | m  | d        | h   | l  | Mat         | Finish |
| 14140920    | Screw, proj weld M8 x 18                                                       | 3                                                                                  | 13 | M8       | 3.5 | 18 | R80 SD      | PLN    |
| 14140921    | Screw, proj weld M8 x 18                                                       | 3                                                                                  | 13 | M8       | 3.5 | 18 | R80 SD      | ZND    |
| 14141010    | Screw, proj weld M8 x 20                                                       | 3                                                                                  | 13 | M8       | 3.5 | 20 | R50 SD STAB | PLN    |
| 47558102    | Screw, proj weld M8 x 20                                                       | 3                                                                                  | 13 | M8       | 3.5 | 20 | R50 SD STAB | PFL    |
| 47779215    | Screw, proj weld M8 x 20                                                       | 3                                                                                  | 13 | M8       | 3.5 | 20 | R80 SD      | PLN    |
| 92660376    | Screw, proj weld M8 x 20                                                       | 3                                                                                  | 13 | M8       | 3.5 | 20 | R80 SD      | ZND    |
| 14081011    | Screw, proj weld M8 x 22                                                       | 3                                                                                  | 13 | M8       | 3.5 | 22 | R50 SD STAB | ZND    |
| 14081013    | Screw, proj weld M8 x 22                                                       | 3                                                                                  | 13 | M8       | 3.5 | 22 | R50 SD STAB | PFL    |
| 47779236    | Screw, proj weld M8 x 22                                                       | 3                                                                                  | 13 | M8       | 3.5 | 22 | R80 SD      | PLN    |
| 14114310    | Screw, proj weld M8x25                                                         | 3                                                                                  | 13 | M8       | 3.5 | 25 | R50 SD STAB | PLN    |
| 14114311    | Screw, proj weld M8x25                                                         | 3                                                                                  | 13 | M8       | 3.5 | 25 | R50 SD STAB | ZND    |
| 47779247    | Screw, proj weld M8x25                                                         | 3                                                                                  | 13 | M8       | 3.5 | 25 | R80 SD      | PLN    |
| 92660379    | Screw, proj weld M8x25                                                         | 3                                                                                  | 13 | M8       | 3.5 | 25 | R80 SD      | ZND    |
| 14141110    | Screw, proj weld M8x30                                                         | 3                                                                                  | 13 | M8       | 3.5 | 30 | R50 SD STAB | PLN    |
| 47779254    | Screw, proj weld M8x30                                                         | 3                                                                                  | 13 | M8       | 3.5 | 30 | R80 SD      | PLN    |
| 14115010    | Screw, proj weld M8x35                                                         | 3                                                                                  | 13 | M8       | 3.5 | 35 | R50 SD STAB | PLN    |
| 47748855    | Screw, proj weld M8x35                                                         | 3                                                                                  | 13 | M8       | 3.5 | 35 | R80 SD      | PLN    |
| 14081120    | Screw, proj weld M8x40                                                         | 3                                                                                  | 13 | M8       | 3.5 | 40 | R80 SD      | PLN    |
| 14081418    | Screw, proj weld M8x55                                                         | 3                                                                                  | 13 | M8       | 3.5 | 55 | R50 SD STAB | ZN     |
| 14081518    | Screw, proj weld M8x60                                                         | 3                                                                                  | 13 | M8       | 3.5 | 60 | R50 SD STAB | ZN     |
| 14079818    | Screw, proj weld M8x80                                                         | 3                                                                                  | 13 | M8       | 3.5 | 80 | R50 SD STAB | ZN     |
| 90335079    | Screw, proj weld M10x1.25x20                                                   | 3                                                                                  | 15 | M10x1.25 | 3.5 | 20 | R50 SD STAB | PFL    |
| 14114410    | Screw, proj weld M10x1.25x20                                                   | 3                                                                                  | 15 | M10x1.25 | 3.5 | 20 | R50 SD STAB | PLN    |
| 14141710    | Screw, proj weld M10x1.25 x 30                                                 | 3                                                                                  | 15 | M10X1.25 | 3.5 | 30 | R50 SD STAB | PLN    |
| 47946850    | Screw, proj weld M10x1.25 x 35                                                 | 3                                                                                  | 15 | M10X1.25 | 3.5 | 35 | R50 SD STAB | PLN    |
| 14114610    | Screw, proj weld M10x1.25 x 50                                                 | 3                                                                                  | 15 | M10X1.25 | 3.5 | 50 | R50 SD STAB | PLN    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.


KM

PAGE

47 OF 201

CNH NUMBERS

**87354249**
**STPX100**

| Fiat 10453/01<br>Cone Point Screws for<br>Projection Welding<br>Steel Per Fiat 52605/02 |                          |  |      |     |    |             |        |
|-----------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------|------|-----|----|-------------|--------|
| Part Number                                                                             | Description              | n                                                                                  | m    | h   | l  | Mat         | Finish |
| 14012210                                                                                | Screw, Proj weld M6 x 16 | 2.5                                                                                | 10.5 | 2.5 | 16 | R50 Sd Stab | PLN    |
| 14012520                                                                                | Screw, Proj weld M6 x 22 | 2.5                                                                                | 10.5 | 2.5 | 22 | R80 Sd      | PLN    |
| 14012620                                                                                | Screw, Proj weld M6 x 25 | 2.5                                                                                | 10.5 | 2.5 | 25 | R80 Sd      | PLN    |
| 14012720                                                                                | Screw, Proj weld M6 x 28 | 2.5                                                                                | 10.5 | 2.5 | 28 | R80 Sd      | PLN    |
| 14012820                                                                                | Screw, Proj weld M6 x 30 | 2.5                                                                                | 10.5 | 2.5 | 30 | R80 Sd      | PLN    |
| 14079510                                                                                | Screw, Proj weld M8 x 20 | 3                                                                                  | 13   | 3.5 | 20 | R50 Sd Stab | PLN    |
| 14014110                                                                                | Screw, Proj weld M8 x 25 | 3                                                                                  | 13   | 3.5 | 25 | R50 Sd Stab | PLN    |
| 14014111                                                                                | Screw, Proj weld M8 x 25 | 3                                                                                  | 13   | 3.5 | 25 | R50 Sd Stab | ZND    |

| Fiat 10453/02<br>Elongated Projection Weld<br>Screws<br>Steel Per Fiat 52605/02 |          |      |    |            |     |                 |            |           |                |          |           |            |
|---------------------------------------------------------------------------------|----------|------|----|------------|-----|-----------------|------------|-----------|----------------|----------|-----------|------------|
| Part Number                                                                     | Thread   | d1   | l  | h<br>±0.15 | b   | e<br>+0.15<br>0 | c1<br>max. | m<br>min. | n<br>+0.3<br>0 | z<br>max | Material  | Finis<br>h |
| 14004310                                                                        | M8       | 20.5 | 22 | 4.3        | 1.2 | 3.0             | 2.2        | 16.7      | 7.3            | 3.1      | R50SDSTAB | PLN        |
| 47865963                                                                        | M8       | 20.5 | 25 | 4.3        | 1.2 | 3.0             | 2.2        | 16.7      | 7.3            | 3.1      | R80 SD    | PFL        |
| 48032942                                                                        | M8       | 20.5 | 30 | 4.3        | 1.2 | 3.0             | 2.2        | 16.7      | 7.3            | 3.1      | R80 SD    | PLN        |
| 48032944                                                                        | M8       | 20.5 | 35 | 4.3        | 1.2 | 3.0             | 2.2        | 16.7      | 7.3            | 3.1      | R80 SD    | PLN        |
| 14005910                                                                        | M10x1.25 | 24   | 18 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R50SDSTAB | PLN        |
| 14006010                                                                        | M10x1.25 | 24   | 20 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R50SDSTAB | PLN        |
| 14006110                                                                        | M10x1.25 | 24   | 22 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R50SDSTAB | PLN        |
| 14006210                                                                        | M10x1.25 | 24   | 25 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R50SDSTAB | PLN        |
| 47943029                                                                        | M10x1.25 | 24   | 25 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R80 SD    | PLN        |
| 14006310                                                                        | M10x1.25 | 24   | 28 | 4.8        | 1.4 | 3.4             | 2.2        | 19.5      | 7.5            | 3.1      | R50SDSTAB | PLN        |
| 14007610                                                                        | M12x1.25 | 25.5 | 16 | 5          | 1.4 | 3.4             | 2.2        | 21.2      | 8.4            | 3.1      | R50SDSTAB | PLN        |
| 14007710                                                                        | M12x1.25 | 25.5 | 18 | 5          | 1.4 | 3.4             | 2.2        | 21.2      | 8.4            | 3.1      | R50SDSTAB | PLN        |
| 14007910                                                                        | M12x1.25 | 25.5 | 22 | 5          | 1.4 | 3.4             | 2.2        | 21.2      | 8.4            | 3.1      | R50SDSTAB | PLN        |
| 14008010                                                                        | M12x1.25 | 25.5 | 25 | 5          | 1.4 | 3.4             | 2.2        | 21.2      | 8.4            | 3.1      | R50SDSTAB | PLN        |
| 14008110                                                                        | M12x1.25 | 25.5 | 28 | 5          | 1.4 | 3.4             | 2.2        | 21.2      | 8.4            | 3.1      | R50SDSTAB | PLN        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


48 OF 201


CNH NUMBERS

**87354249**
**STPX100**

| Fiat<br>10453/20<br>Material<br>Per Fiat<br>52605/02 | Spherical<br>Projection<br>Pins for<br>Projection<br>Welding |   |    |   |     |     |     |      |    |       |                |     |
|------------------------------------------------------|--------------------------------------------------------------|---|----|---|-----|-----|-----|------|----|-------|----------------|-----|
|                                                      |                                                              |   |    |   |     |     |     |      |    |       |                |     |
| Part Number                                          | Description                                                  | d | d1 | D | h   | b   | n   | m    | l  | Style | Mat            | Fin |
| 48087518                                             | Pin, Proj Weld<br>6 x 7                                      | 6 | 14 | 6 | 2.5 | 1   | 2.5 | 10.5 | 7  | A     | R50 SD<br>STAB | PLN |
| 14117410                                             | Pin, Proj Weld<br>6 x 12                                     | 6 | 14 | 6 | 2.5 | 1   | 2.5 | 10.5 | 12 | B     | R50 SD<br>STAB | PLN |
| 14079010                                             | Pin, Proj Weld<br>8 x 10                                     | 8 | 17 | 8 | 3.5 | 1.3 | 3   | 13   | 10 | A     | R50 SD<br>STAB | PLN |
| 14079410                                             | Pin, Proj Weld<br>8 x 35                                     | 8 | 17 | 8 | 3.5 | 1.3 | 3   | 13   | 35 | A     | R50 SD<br>STAB | PLN |

|             |                                    |                                                                                      |     |     |      |    |                  |       |        |
|-------------|------------------------------------|--------------------------------------------------------------------------------------|-----|-----|------|----|------------------|-------|--------|
| Fiat 10514  | Slotted Cheese Head Screw          |  |     |     |      |    |                  |       |        |
| Part Number | Description                        | d <sub>1</sub>                                                                       | D   | k   | b    | l  | z <sub>max</sub> | Mat   | Finish |
| 10372411    | SCREW, M3X25 CHEZ-HD SLT 5.8 ZND   | M3                                                                                   | 5.5 | 2   | 19   | 25 | 1.2              | 5.8   | ZND    |
| 51611467    | SCREW, M3X40 CHEZ-HD SLT 5.8 ZND   | M3                                                                                   | 5.5 | 2   | 39   | 40 | 1.2              | 5.8   | ZND    |
| 10375011    | SCREW, M4X14 CHEZ-HD SLT 5.8 ZND   | M4                                                                                   | 7   | 2.6 | 12.2 | 14 | 1.8              | 5.8   | ZND    |
| 10375014    | SCREW, M4X14 CHEZ-HD SLT 5.8 DAC   | M4                                                                                   | 7   | 2.6 | 12.2 | 14 | 1.8              | 5.8   | DAC    |
| 10375177    | SCREW, M4X16 CHEZ-HD SLT A2-70 BLO | M4                                                                                   | 7   | 2.6 | 14.2 | 16 | 1.8              | A2-70 | BLO    |
| 10375414    | SCREW, M4X25 CHEZ-HD SLT 5.8 DAC   | M4                                                                                   | 7   | 2.6 | 22   | 25 | 1.8              | 5.8   | DAC    |
| 10389211    | SCREW, M5X8 CHEZ-HD SLT 5.8 ZND    | M5                                                                                   | 8.5 | 3.3 | 6.4  | 8  | 2                | 5.8   | ZND    |
| 10389611    | SCREW, M5X16 CHEZ-HD SLT 5.8 ZND   | M5                                                                                   | 8.5 | 3.3 | 14   | 16 | 2                | 5.8   | ZND    |
| 10389677    | SCREW, M5X16 CHEZ-HD SLT A2-70 BLO | M5                                                                                   | 8.5 | 3.3 | 14   | 16 | 2                | A2-70 | BLO    |
| 10376511    | SCREW, M6X12 CHEZ-HD SLT 5.8 ZND   | M6                                                                                   | 10  | 3.9 | 10   | 12 | 2.5              | 5.8   | ZND    |
| 51616476    | SCREW, M6X12 CHEZ-HD SLT 5.8 DAC   | M6                                                                                   | 10  | 3.9 | 10   | 12 | 2.5              | 5.8   | DAC    |


| Fiat<br>10518<br>Part 1 | Slotted<br>Countersunk<br>Head Screws |  |      |    |     |        |
|-------------------------|---------------------------------------|------------------------------------------------------------------------------------|------|----|-----|--------|
| Part<br>Number          | Description                           | d                                                                                  | b    | l  | Mat | Finish |
| 10352011                | Screw,M4x14 5.8 ZND                   | 4                                                                                  | Full | 14 | 5.8 | ZND    |
| 10352111                | Screw,M4x16 5.8 ZND                   | 4                                                                                  | Full | 16 | 5.8 | ZND    |
| 10352311                | Screw,M4x20 5.8 ZND                   | 4                                                                                  | Full | 20 | 5.8 | ZND    |
| 10384911                | Screw,M5X12 5.8 ZND                   | 5                                                                                  | Full | 12 | 5.8 | ZND    |
| 10384511                | Screw,M5X30 5.8 ZND                   | 5                                                                                  | 25   | 30 | 5.8 | ZND    |
| 10353511                | Screw,M6X14 5.8 ZND                   | 6                                                                                  | Full | 14 | 5.8 | ZND    |
| 10353611                | Screw,M6X16 5.8 ZND                   | 6                                                                                  | Full | 16 | 5.8 | ZND    |
| 10353811                | Screw,M6X20 5.8 ZND                   | 6                                                                                  | Full | 20 | 5.8 | ZND    |
| 47544558                | Screw,M6X20 8.8 ZND                   | 6                                                                                  | Full | 20 | 8.8 | ZND    |
| 10356321                | Screw,M8x20 8.8 ZND                   | 8                                                                                  | Full | 20 | 8.8 | ZND    |
| 51533226                | Screw,M8x25 8.8 ZND                   | 8                                                                                  | Full | 25 | 8.8 | ZND    |
| 51533227                | Screw,M8x30 8.8 ZND                   | 8                                                                                  | Full | 30 | 8.8 | ZND    |

| Fiat<br>10631/02 | Pan-HD PZ<br>Cross<br>Recess<br>Tapping<br>Screws with<br>Wide Flange |  |       |     |         |             |
|------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|-----|---------|-------------|
| Part<br>Number   | Description                                                           | d                                                                                    | Point | l   | Mat     | Finish      |
| 90386416         | Screw, Tapping PHD 3.5X6.5 AB                                         | 3.5                                                                                  | AB    | 6.5 | R40 IND | DAC         |
| 90386419         | Screw, Tapping PHD 3.5X9.5 AB                                         | 3.5                                                                                  | AB    | 9.5 | R40 IND | DAC         |
| 15538704         | Screw, Tapping PHD 4.2X13 AB                                          | 4.2                                                                                  | AB    | 13  | R40 IND | DAC         |
| 15538709         | Screw, Tapping PHD 4.2X13 AB                                          | 4.2                                                                                  | AB    | 13  | R40 IND | FEZNNI7VIIS |

Fiat 10638  
Self-  
Drilling  
Tapping  
Screws W/  
PZ C/R  
Pan Head

Dimensions in mm

$$a \leq P$$



Std. 01532

Std. 01332

|                     |            |      |      |      |      |       |       |      |
|---------------------|------------|------|------|------|------|-------|-------|------|
| d                   | nom.       | 2,9  | 3,5  | 4,2  | 4,8  | 5,5   | 6,3   |      |
| d <sub>1</sub>      | max.       | 2,29 | 2,80 | 3,28 | 3,76 | 4,32  | 5,03  |      |
|                     | min.       | 2,18 | 2,67 | 3,15 | 3,63 | 4,19  | 4,90  |      |
| Y                   | ✱          | 4,1  | 4,8  | 5,4  | 6,0  | 7,0   | 8,1   |      |
| P                   |            | 1,06 | 1,27 | 1,41 | 1,59 | 1,81  | 1,81  |      |
| d <sub>2</sub>      | max.       | 5,60 | 6,90 | 8,20 | 9,50 | 10,80 | 12,50 |      |
|                     | min.       | 5,30 | 6,54 | 7,84 | 9,14 | 10,37 | 12,07 |      |
| k                   | max.       | 2,20 | 2,60 | 3,05 | 3,55 | 3,95  | 4,55  |      |
|                     | min.       | 1,95 | 2,35 | 2,75 | 3,25 | 3,65  | 4,25  |      |
| R                   |            | 4,4  | 5,4  | 6,2  | 7,2  | 8,2   | 9,5   |      |
| R <sub>1</sub>      | max.       | 0,4  | 0,5  | 0,6  | 0,7  | 0,8   | 0,9   |      |
| Cross<br>recess     | Recess No. | 1    | 2    | 2    | 2    | 3     | 3     |      |
|                     | A          | 2,9  | 3,9  | 4,3  | 4,7  | 6,2   | 6,7   |      |
|                     | Depth. t   | max. | 1,83 | 1,93 | 2,34 | 2,74  | 2,97  | 3,48 |
|                     |            | min. | 1,58 | 1,47 | 1,88 | 2,28  | 2,51  | 3,02 |
| Drillable thickness | max.       | 2,0  | 2,2  | 2,5  | 2,8  | 3,6   | 4,4   |      |

| Part Number | d   | P (pitch) | L  | Tol.      | Mat     | Finish |
|-------------|-----|-----------|----|-----------|---------|--------|
| 15931011    | 4.2 | 1.41      | 13 | +/-0.550  | R50 IND | ZND    |
| 47881009    | 4.2 | 1.41      | 13 |           | R50 IND | BZN    |
| 15931211    | 4.2 | 1.41      | 19 | +/- 0.650 | R50 IND | ZND    |
| 15931311    | 4.2 | 1.41      | 22 |           | R50 IND | ZND    |
| 15931411    | 4.2 | 1.41      | 25 |           | R50 IND | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

51 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Fiat 10653/01  
and 10653/02  
Hex standard  
and large  
washer head  
tapping screw  
for soft  
materials.


Material: R40 IND per  
Fiat 52605/02  
Two parallel threads.  
One is high and thin.  
The other is short and  
stubby



| Part Number | D Dia | P Pitch | L Length | S max | d2 max | Material | Finish |
|-------------|-------|---------|----------|-------|--------|----------|--------|
| 15516201    | 4     | 2.5     | 12       | 5.5   | 8.8    | R40 IND  | BZN    |
| 47874152    | 4     | 2.5     | 12       | 5.5   | 9.9    | R40 IND  | BGM    |
| 51666520    | 4     | 2.5     | 14       | 5.5   | 8.8    | R40 IND  | BZN    |
| 15516401    | 4     | 2.5     | 16       | 5.5   | 8.8    | R40 IND  | BZN    |
| 47599648    | 5.5   | 3       | 14       | 8.0   | 11.5   | R40 IND  | ZND    |
| 47599780    | 5.5   | 3       | 16       | 8.0   | 11.5   | R40 IND  | ZND    |
| 47599785    | 5.5   | 3       | 18       | 8.0   | 11.5   | R40 IND  | ZND    |
| 47599631    | 6     | 3.0     | 16       | 8.0   | 13.0   | R40 IND  | ZND    |
| 47502901    | 6     | 3.0     | 18       | 8.0   | 13.0   | R40 IND  | ZND    |
| 47502909    | 6     | 3.0     | 20       | 8.0   | 13.0   | R40 IND  | ZND    |
| 15697801    | 6     | 3.0     | 20       | 8.0   | 16.3   | R40 IND  | ZND    |
| 15697804    | 6     | 3.0     | 20       | 8.0   | 16.3   | R40 IND  | DAC    |
| 47502911    | 6     | 3.0     | 25       | 8.0   | 13.0   | R40 IND  | ZND    |
| 47556256    | 6     | 3.0     | 25       | 8.0   | 16.3   | R40 IND  | DAC    |
| 47866060    | 6     | 3.0     | 30       | 8.0   | 13.0   | R40 IND  | DAC    |
| 15698004    | 6     | 3.0     | 30       | 8.0   | 16.3   | R40 IND  | DAC    |
| 47903336    | 7     | 3.5     | 20       | 10.0  | 18.4   | R40 IND  | DAC    |
| 47521484    | 7     | 3.5     | 25       | 10.0  | 15.0   | R40 IND  | DAC    |
| 47912653    | 7     | 3.5     | 25       | 10.0  | 18.4   | R40 IND  | DAC    |
| 47903337    | 7     | 3.5     | 35       | 10.0  | 18.4   | R40 IND  | DAC    |
| 47912654    | 7     | 3.5     | 40       | 10.0  | 18.4   | R40 IND  | DAC    |

Iveco 11-0235  
Hexagon Head  
Self Tapping  
Screws with  
Large Flange


Material: R40 IND Per  
Iveco Std 15-2605




| Part Number | Thread (d) | Pitch P | d <sub>c</sub> (max) | Point Type | L  | y | s (max) | Material | Finish |
|-------------|------------|---------|----------------------|------------|----|---|---------|----------|--------|
| 17935001    | ST5.5      | 1.8     | 16                   | C          | 45 | 5 | 7.78    | R40 IND  | ZND    |

Iveco 11-0255  
Round Head  
Self Tapping  
Screws with  
Normal Flange  
for Plastic  
Materials

Material: R40 IND Per  
Iveco Std 15-2605




Recess  
(Type H)



| Part Number | Thread (d) | Pitch P | d <sub>c</sub> (max) | a   | l  | y   | m   | Material | Finish        |
|-------------|------------|---------|----------------------|-----|----|-----|-----|----------|---------------|
| 47948189    | 6          | 3.1     | 12.98                | 3.1 | 20 | 4.8 | 6.5 | R40 IND  | Fe/ZnNi VII S |

Fiat 10654  
Pan Head  
PZ Cross  
Recess  
Tapping  
Screws for  
soft  
material

Material: Fiat 52605/02



| Part Number | Description                                | Pitch | Length | Matl    | Finish |
|-------------|--------------------------------------------|-------|--------|---------|--------|
| 15963201    | Screw, Tapping Pan-hd C/R-Z M4x14 Hi-Low   | 2.5   | 14     | R40 IND | ZND    |
| 15956607    | Screw, Tapping Pan-hd C/R-Z M3x12 Hi-Low   | 3     | 12     | R40 IND | BZN    |
| 15957101    | Screw, Tapping Pan-hd C/R-Z M3.5x10 Hi-Low | 3.5   | 10     | R40 IND | ZND    |
| 15957177    | Screw, Tapping Pan-hd C/R-Z M3.5x10 Hi-Low | 3.5   | 10     | A2-70   | PLN    |
| 15957377    | Screw, Tapping Pan-hd C/R-Z M3.5x16 Hi-Low | 3.5   | 16     | A2-70   | PLN    |
| 15957877    | Screw, Tapping Pan-hd C/R-Z M4x12 Hi-Low   | 2.5   | 12     | A2-70   | BLO    |
| 15958001    | Screw, Tapping Pan-hd C/R-Z M4x20 Hi-Low   | 2.5   | 20     | R40 IND | ZND    |
| 15958107    | Screw, Tapping Pan-hd C/R-Z M4x25 Hi-Low   | 2.5   | 25     | R40 IND | BZN    |
| 15958701    | Screw, Tapping Pan-hd C/R-Z M5x12 Hi-Low   | 3     | 12     | R40 IND | ZND    |
| 15958704    | Screw, Tapping Pan-hd C/R-Z M5x12 Hi-Low   | 3     | 12     | R40 IND | DAC    |
| 15958804    | Screw, Tapping Pan-hd C/R-Z M5x16 Hi-Low   | 3     | 16     | R40 IND | DAC    |
| 15959204    | Screw, Tapping Pan-hd C/R-Z M5x20 Hi-Low   | 3     | 20     | R40 IND | DAC    |
| 15959301    | Screw, Tapping Pan-hd C/R-Z M5x25 Hi-Low   | 3     | 25     | R40 IND | ZND    |
| 15959504    | Screw, Tapping Pan-hd C/R-Z M5x30 Hi-Low   | 3     | 30     | R40 IND | DAC    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


53 OF 201

CNH NUMBERS

**87354249**


**STPX100**

| Fiat 10655<br>Raised<br>Countersunk<br>Head PZ<br>Cross<br>Recess<br>Tapping<br>Screws for<br>soft material | Material:<br>Fiat<br>52605/02<br>R40 IND        | <p>Dimensions in mm</p>  |       |        |         |        |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------|--------|---------|--------|
| Part Number                                                                                                 | Description                                     | Dia                                                                                                        | Pitch | Length | Matl    | Finish |
| 12670407                                                                                                    | Screw, Tapping Oval-hd C/R-Z<br>3.5X2.5X18 FULL | 3.5                                                                                                        | 2.5   | 18     | R40 IND | ZND    |
| 12674404                                                                                                    | Screw, Tapping Oval-hd C/R-Z<br>5X3.0X16 FULL   | 5                                                                                                          | 3.0   | 16     | R40 IND | DAC    |

| Fiat 10656<br>Countersunk<br>Head PZ<br>Cross<br>Recess<br>Tapping<br>Screws for<br>soft material | Material:<br>Fiat<br>52605/02<br>R40 IND | <p>Dimensions in mm</p>  |       |        |         |        |
|---------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------|--------|---------|--------|
| Part Number                                                                                       | Description                              | Dia                                                                                                         | Pitch | Length | Matl    | Finish |
| 12678801                                                                                          | Screw, Tapping FCS C/R-Z<br>3X2X8        | 3                                                                                                           | 2     | 8      | R40 IND | ZND    |
| 12678401                                                                                          | Screw, Tapping FCS C/R-Z<br>4X2.5X14     | 4                                                                                                           | 2.5   | 14     | R40 IND | ZND    |

Fiat 10670  
Hex Head  
Tapping  
Screws


Material: Fiat 52605/01



| Part Number | Dia | Pitch | l  | K   | a    | s  | Matl     | Finish |
|-------------|-----|-------|----|-----|------|----|----------|--------|
| 47548184    | 5   | 0.8   | 12 | 3.5 | 0.8  | 8  | R 50 IND | ZND    |
| 14038214    | 8   | 1.25  | 20 | 5.5 | 1.25 | 13 | R 50 IND | DAC    |

Fiat 10710  
Protective  
Caps


Material: Fiat Polyethylene  
55250




| Part Number | Description                 | s  | h1   | h2   | h3   | d1 | d2 | s1  | t1  | Matl | Finish |
|-------------|-----------------------------|----|------|------|------|----|----|-----|-----|------|--------|
| 15811187    | Cover, Protective 10 x 6.5  | 10 | 6.5  | -    | -    | 12 | 13 | 1.2 | 0.3 | Poly | BLK    |
| 47554582    | Cover, Protective 10 x 10   | 10 | -    | 10   | -    | 12 | 13 | 1.2 | 0.3 | Poly | BLK    |
| 15811387    | Cover, Protective 10 x 13.5 | 10 | -    | -    | 13.5 | 12 | 13 | 1.2 | 0.3 | Poly | BLK    |
| 15811487    | Cover, Protective 13 x 8.5  | 13 | 8.5  | -    | -    | 16 | 18 | 1.4 | 0.4 | Poly | BLK    |
| 15811587    | Cover, Protective 13 x 13.5 | 13 | -    | 13.5 | -    | 16 | 18 | 1.4 | 0.4 | Poly | BLK    |
| 15811787    | Cover, Protective 17 x 10.5 | 17 | 10.5 | -    | -    | 21 | 23 | 1.6 | 0.4 | Poly | BLK    |
| 47942316    | Cover, Protective 17 x 14   | 17 | -    | 14   | -    | 21 | 23 | 1.6 | 0.4 | Poly | BLK    |
| 47942319    | Cover, Protective 17 x 19   | 17 | -    | -    | 19   | 21 | 23 | 1.6 | 0.4 | Poly | BLK    |
| 47942321    | Cover, Protective 19 x 14   | 19 | -    | 14   | -    | 23 | 26 | 1.8 | 0.4 | Poly | BLK    |


Fiat 12128  
Thin Narrow  
Button Head  
Semitubular  
rivets


Material: Fiat 53551 or 53550  
Copper




| Part Number | Description             | d   | l | d1  | h   | D   | t   | Finish |
|-------------|-------------------------|-----|---|-----|-----|-----|-----|--------|
| 13761760    | Rivet, 2.6 x 4mm Copper | 2.6 | 4 | 4.6 | 1.2 | 1.4 | 2.6 | Copper |


| Fiat 12135  | Flat Head Threaded Tubular Rivets<br>Style A<br><br>***part not covered in Fiat 12135 |  |      |       |    |       |            |      |       |
|-------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------|-------|----|-------|------------|------|-------|
| Part Number | Description                                                                           | D                                                                                  | D1   | d     | d1 | D2    | s          | b    | l1    |
| 15627411    | RIVET, FLAT HD M4X10.5 THDED STYLE A R50 ZND                                          | M4                                                                                 | 5    | 6     | 10 | 6     | 0.4 to 2.0 | 5    | 10.5  |
| 15627611    | RIVET, FLAT HD M5X12.5 THDED STYLE A R50 ZND                                          | M5                                                                                 | 6    | 7     | 11 | 7     | 0.4 to 2.5 | 6    | 12.5  |
| 15627011    | RIVET, FLAT HD M6X15.5 THDED STYLE A R50 ZND                                          | M6                                                                                 | 7.5  | 9     | 12 | 9     | 3.0 to 4.5 | 6    | 15.5  |
| 15628511    | RIVET, FLAT HD M6X16 THDED STYLE A R50 ZND                                            | M6                                                                                 | 7.5  | 9     | 13 | 9     | 0.4 to 3.0 | 8    | 16    |
| 15629111    | RIVET, FLAT HD M8X17.5 THDED STYLE A R50 ZND                                          | M8                                                                                 | 9.5  | 11    | 16 | 11    | 0.4 to 3.5 | 9    | 17.5  |
| 90448361    | RIVET, FLAT HD M8X17.5 THDED STYLE A R50 BGM                                          | M8                                                                                 | 9.5  | 11    | 16 | 11    | 0.4 to 3.5 | 9    | 17.5  |
| 15629114    | RIVET, FLAT HD M8X17.5 THDED STYLE A R50                                              | M8                                                                                 | 9.5  | 11    | 16 | 11    | 0.4 to 3.5 | 9    | 17.5  |
| 15629311    | RIVET, FLAT HD M10X1.25 X 23 THDED STYLE A R50                                        | M10x1.25                                                                           | 11.5 | 13    | 18 | 13    | 0.5 to 3.5 | 10   | 23    |
| ***84214045 | RIVET, FLAT HD M10 X 25.75 STYLE A                                                    | M10                                                                                |      | 12.98 | 19 | 12.98 | -          | 12.5 | 25.75 |

| Fiat 12135 Flat Head Threaded Tubular Rivets Style C |    |  |           |              |                     |                 |              |          |          |               |     |            |        |
|------------------------------------------------------|----|--------------------------------------------------------------------------------------|-----------|--------------|---------------------|-----------------|--------------|----------|----------|---------------|-----|------------|--------|
| Part #                                               | D2 | Grip Range<br>s                                                                      | D<br>(6H) | D1<br>+/-0.2 | d<br>-0.03<br>-0.10 | d1<br>+0.5<br>0 | k<br>+/-0.12 | b<br>min | c<br>max | l1<br>+/- 0.5 | l2  | Material   | Finish |
| 15629711                                             | 9  | 0.7 to 3.0                                                                           | M6        | 7.7          | 9                   | 9.8             | 0.7          | 8        | 1.4      | 15            | 9.5 | R50<br>RCT | ZND    |
| 15629811                                             | 11 | 0.7 to 4.0                                                                           | M8        | 9.5          | 11                  | 11.7            | 0.7          | 9        | 1.7      | 16            | 9.5 | R50<br>RCT | ZND    |

| Fiat 12135/01 | Flat Head, Closed End, Threaded Tubular Hexagon Rivets |  |    |    |      |    |  |  |  |         |
|---------------|--------------------------------------------------------|------------------------------------------------------------------------------------|----|----|------|----|--|--|--|---------|
| Part Number   | Description                                            | D                                                                                  | D1 | d  | L    | L1 |  |  |  | Mat/Fin |
| 15625211      | Rivet, M8 FHD Closed End                               | 11                                                                                 | M8 | 11 | 22.5 | 16 |  |  |  | STL/ZND |

| Fiat 12136  | Flat Head Threaded Tubular Hexagon Rivets |  |    |                     |    |     |      |     |     |     |
|-------------|-------------------------------------------|-------------------------------------------------------------------------------------|----|---------------------|----|-----|------|-----|-----|-----|
| Part Number | Description                               | D                                                                                   | S  | Seat S <sub>1</sub> | d  | h   | l1   | l2  | FIN | MAT |
| 15624211    | RIVET, FLAT HD M4 X 10                    | M4                                                                                  | 6  | 6                   | 9  | 0.8 | 10   | 6.5 | ZND | R50 |
| 15624311    | RIVET, FLAT HD M5 X 7                     | M5                                                                                  | 7  | 7                   | 10 | 1.0 | 14   | 7   | ZND | R50 |
| 15624411    | RIVET, FLAT HD M6X16                      | M6                                                                                  | 9  | 9                   | 13 | 1.2 | 16   | 9.5 | ZND | R50 |
| 350339312   | RIVET, FLAT HD M6X15                      | M6                                                                                  | 9  | 9                   | 10 | 0.6 | 15   | 9.5 | ZND | R50 |
| 350339317   | RIVET, FLAT HD M8X16                      | M8                                                                                  | 11 | 11                  | 12 | 0.6 | 16   | 9.5 | ZND | R50 |
| 15624511    | RIVET, FLAT HD M8X17                      | M8                                                                                  | 11 | 11                  | 16 | 1.3 | 17   | 9.5 | ZND | R50 |
| 350339318   | RIVET, FLAT HD M8X18.5                    | M8                                                                                  | 11 | 11                  | 12 | 0.6 | 18.5 | 9.5 | ZND | R50 |


Fiat  
12136/01  
Flat Head  
Threaded  
Tubular  
Hexagon  
Blind Rivets




| Part Number | S <sub>1</sub> | Grip Range s | D (6H) | S   |          | D <sub>1</sub> +/-0.2 | d +2 -0.2 | h +0.5 -0.1 | m min | c   | l <sub>1</sub> +/-1.5 | l <sub>2</sub> | FIN | Mat. |
|-------------|----------------|--------------|--------|-----|----------|-----------------------|-----------|-------------|-------|-----|-----------------------|----------------|-----|------|
|             |                |              |        | nom |          |                       |           |             |       |     |                       |                |     |      |
| 47466102    | 7              | 0.5 – 2.5    | M5     | 7   | +0 -0.09 | 6.0                   | 10        | 1.0         | 5     | 2.0 | 18                    | 14             | ZND | R50  |
| 15180411    | 9              | 0.5 – 3.0    | M6     | 9   | +0 -0.09 | 8.1                   | 12        | 1.2         | 6     | 2.7 | 22.5                  | 17             | ZND | R50  |
| 47636463    | 11             | 0.5 – 3.5    | M8     | 11  | +0 -0.11 | 10                    | 14        | 1.3         | 8     | 3.3 | 25.0                  | 19.5           | ZND | R50  |

Button Head  
Tapping Rivets Fiat  
12140


Steel Per 52605/02



| Part Number | d   | d1   | l   | D Max | K Max | P     | R   | c   | Material | Finish |
|-------------|-----|------|-----|-------|-------|-------|-----|-----|----------|--------|
| 13683701    | 2.5 | 2.1  | 6.5 | 4.1   | 1.75  | 0.785 | 2.1 | 1   | R40 IND  | ZND    |
| 13683801    | 2.9 | 2.43 | 5   | 5.35  | 2.18  | 1.08  | 2.7 | 1   | R40 IND  | ZND    |
| 47692101    | 3.5 | 2.94 | 9.5 | 6.6   | 2.6   | 1.3   | 3.3 | 1.5 | R40 IND  | ZND    |


| Fiat<br>12252  | Safety<br>Retainers<br>for Shafts |  |    |      |      |     |    |     |      |     |     |        |      |     |      |
|----------------|-----------------------------------|------------------------------------------------------------------------------------|----|------|------|-----|----|-----|------|-----|-----|--------|------|-----|------|
| Part<br>Number | Desc                              | d                                                                                  | b  | h    | h1   | D   | D1 | s   | s1   | c   | d1  | Finish | m    | n   | e    |
| 91711751       | M4 X 3.2                          | 4                                                                                  | 7  | 8.5  | 4    | 3.2 | 4  | 2.2 | 0.30 | 0.3 | 3.2 | DAC    | 0.64 | 2   | 0.5  |
| 11063876       | M5 X 4                            | 5                                                                                  | 9  | 10.8 | 5    | 4   | 5  | 2.8 | 0.35 | 0.3 | 4   | BLO    | 0.74 | 2.5 | 0.5  |
| 11063974       | M6 X 5                            | 6                                                                                  | 11 | 12.8 | 6    | 5   | 6  | 2.8 | 0.35 | 0.3 | 5   | DAC    | 0.74 | 3   | 0.75 |
| 11063976       | M6 X 5                            | 6                                                                                  | 11 | 12.8 | 6    | 5   | 6  | 2.8 | 0.35 | 0.3 | 5   | BLO    | 0.74 | 3   | 0.75 |
| 11063971       | M6 X 5                            | 6                                                                                  | 11 | 12.8 | 6    | 5   | 6  | 2.8 | 0.35 | 0.3 | 5   | ZND    | 0.74 | 3   | 0.75 |
| 11064076       | M8 X 6                            | 8                                                                                  | 14 | 16.5 | 8    | 6   | 8  | 4   | 0.45 | 0.4 | 6   | BLO    | 0.94 | 3.5 | 1    |
| 11064071       | M8 X 6                            | 8                                                                                  | 14 | 16.5 | 8    | 6   | 8  | 4   | 0.45 | 0.4 | 6   | ZND    | 0.94 | 3.5 | 1    |
| 11064176       | M10 X 8                           | 10                                                                                 | 18 | 22   | 10   | 8   | 10 | 5   | 0.50 | 0.4 | 8   | BLO    | 1.05 | 4.5 | 1    |
| 11064171       | M10 X 8                           | 10                                                                                 | 18 | 22   | 10   | 8   | 10 | 5   | 0.50 | 0.4 | 8   | ZND    | 1.05 | 4.5 | 1    |
| 11064174       | M10 X 8                           | 10                                                                                 | 18 | 22   | 10   | 8   | 10 | 5   | 0.50 | 0.4 | 8   | DAC    | 1.05 | 4.5 | 1    |
| 11064276       | M12 X 9                           | 12                                                                                 | 22 | 25.5 | 12   | 9   | 12 | 5   | 0.55 | 0.5 | 9   | BLO    | 1.15 | 5   | 1.25 |
| 11064374       | M14 X 10                          | 14                                                                                 | 25 | 30   | 13.5 | 10  | 14 | 5.3 | 0.60 | 0.5 | 10  | DAC    | 1.25 | 5.5 | 1.25 |
| 11064376       | M14 X 10                          | 14                                                                                 | 25 | 30   | 13.5 | 10  | 14 | 5.3 | 0.60 | 0.5 | 10  | BLO    | 1.25 | 5.5 | 1.25 |
| 47554724       | M16 X 12                          | 16                                                                                 | 28 | 34   | 16   | 12  | 16 | 5.8 | 0.65 | 0.5 | 12  | ZND    | 1.35 | 6   | 1.5  |
| 90411979       | M16 X 12                          | 16                                                                                 | 28 | 34   | 16   | 12  | 16 | 5.8 | 0.65 | 0.5 | 12  | BGM    | 1.35 | 6   | 1.5  |

Fiat 12506  
Round End  
Dowel Pins  
Material: Steel  
Per Fiat  
52605/01




| Part Number | d (h8)<br>nom. | d<br>devtn.<br>limit                      | l  | c   | a  | D<br>nom. | D<br>devtn.<br>Limit on<br>aluminum            | D<br>devtn.<br>Limit on<br>steel               | Mat'l | Finish |
|-------------|----------------|-------------------------------------------|----|-----|----|-----------|------------------------------------------------|------------------------------------------------|-------|--------|
| 10837610    | 8              | $\begin{matrix} 0 \\ -0.022 \end{matrix}$ | 22 | 0.6 | 14 | 8         | $\begin{matrix} -0.030 \\ -0.080 \end{matrix}$ | $\begin{matrix} -0.019 \\ -0.041 \end{matrix}$ | R50   | PLN    |
| 10837710    | 10             | $\begin{matrix} 0 \\ -0.022 \end{matrix}$ | 25 | 1.0 | 15 | 10        | $\begin{matrix} -0.030 \\ -0.080 \end{matrix}$ | $\begin{matrix} -0.019 \\ -0.041 \end{matrix}$ | R50   | PLN    |
| 10837810    | 12             | $\begin{matrix} 0 \\ -0.027 \end{matrix}$ | 30 | 1.0 | 18 | 12        | $\begin{matrix} -0.050 \\ -0.100 \end{matrix}$ | $\begin{matrix} -0.023 \\ -0.050 \end{matrix}$ | R50   | PLN    |

Fiat 12508  
Two Diameter  
locating Pins  
Material: Fiat  
52605/01




| Part Number | d  | d <sub>1</sub> | l  | l <sub>1</sub> | c   | D  | Material | Finish |
|-------------|----|----------------|----|----------------|-----|----|----------|--------|
| 10799310    | 10 | 9              | 15 | 5              | 0.6 | 10 | R50      | PLN    |
|             |    |                |    |                |     |    |          |        |
|             |    |                |    |                |     |    |          |        |

Fiat 12520 Material: Fiat 52605/01  
Slotted Set  
Screws



| Part Number | Description                | Dia      | Length | n   | t   | v <sub>1</sub> | c <sub>1</sub> | Mat'l | Finish |
|-------------|----------------------------|----------|--------|-----|-----|----------------|----------------|-------|--------|
| 13713214    | SET SCREW, M8 X 25         | M8       | 25     | 1.2 | 2.5 | 1.8            | 2.2            | 5.8   | DAC    |
| 13781910    | SET SCREW, M10 X 1.25 X 12 | M10x1.25 | 12     | 1.6 | 3   | 1.8            | 2.2            | 5.8   | PLN    |
| 13785210    | SET SCREW, M10 X 1.25 X 16 | M10x1.25 | 16     | 1.6 | 4   | 2.2            | 2.6            | 5.8   | PLN    |
| 13785710    | SET SCREW, M10 X 1.25 X 28 | M10x1.25 | 28     | 1.6 | 4   | 2.2            | 2.6            | 5.8   | PLN    |

Fiat 12522 Material: Fiat 52605/01  
Part 1  
Slotted Set  
Screws with cone point.



### Example of designation

1/37367/10 – Std. Sh. 12522 – Slotted setscrew with cone point M5x16 – Mat. 5.8.

| Thread d 6g         | M3                          | M4  | M5        | M6  | M8             | M10x1.25 |
|---------------------|-----------------------------|-----|-----------|-----|----------------|----------|
| nom.                | 0.5                         | 0.6 | 0.8       | 1   | 1.2            | 1.6      |
| n                   | +0.20<br>devtn. limit +0.06 |     |           |     | +0.31<br>+0.06 |          |
| nom.                | 1.2                         | 1.4 | 1.8       | 2   | 2.5            | 3        |
| t                   | +0.4<br>devtn. limit 0      |     | +0.5<br>0 |     |                |          |
| v <sub>1</sub> max. | 0.8                         | 1.0 | 1.2       | 1.5 | 1.8            | 1.8      |
| D                   | 2.2                         | 2.9 | 3.8       | 4.5 | 6              | 7        |
| D <sub>1</sub>      | 1                           | 1   | 1.5       | 1.5 | 2              | 2.5      |
| t <sub>1</sub>      | 1.5                         | 2   | 2.5       | 3   | 4              | 5.2      |
| t <sub>2</sub>      | 0.6                         | 1   | 1.2       | 1.5 | 2              | 2.2      |
| c <sub>7</sub>      | 1.5                         | 2   | 2.5       | 2.5 | 3              | 4        |
| d <sub>6</sub>      | –                           | –   | –         | 1   | 2              | 2        |

| Part Number | Description        | Dia | Length | Matl | Finish |
|-------------|--------------------|-----|--------|------|--------|
| 13739610    | SET SCREW, M8 X 12 | 8   | 12     | 5.8  | PLN    |
| 13739811    | SET SCREW, M8 X 16 | 8   | 16     | 5.8  | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

61 OF 201

CNH NUMBERS


**87354249**

**STPX100**

Fiat  
12522  
Part 2  
Slotted  
Set  
Screws  
with cone  
point.

Material: Fiat  
52605/01

Dimensions in mm



Example of designation

1/37318/10 – Std. Sh. 12522 Slotted setscrew with cone point M2x8 – Mat. 5.8.

| Thread d 6g         | M2             | M3        | M4  | M5        | M6  | M8  | M10x1.25       | M12x1.5 |
|---------------------|----------------|-----------|-----|-----------|-----|-----|----------------|---------|
| nom.                | 0.3            | 0.5       | 0.6 | 0.8       | 1   | 1.2 | 1.6            | 2       |
| n                   | +0.20<br>+0.06 |           |     |           |     |     | +0.31<br>+0.06 |         |
| devtn.<br>limit     |                |           |     |           |     |     |                |         |
| nom.                | 0.8            | 1.2       | 1.4 | 1.8       | 2   | 2.5 | 3              | 4       |
| t                   | +0.3<br>0      | +0.4<br>0 |     | +0.5<br>0 |     |     | +0.6<br>0      |         |
| devtn.<br>limit     |                |           |     |           |     |     |                |         |
| v <sub>1</sub> max. | 0.6            | 0.8       | 1.0 | 1.2       | 1.5 | 1.8 | 1.8            | 2.2     |
| D                   | –              | 2.2       | 2.9 | 3.8       | 4.5 | 6   | 7              | 9       |
| D <sub>1</sub>      | –              | 1         | 1   | 1.5       | 1.5 | 2   | 2.5            | 4       |
| t <sub>1</sub>      | –              | 1.5       | 2   | 2.5       | 3   | 4   | 5.2            | 5.5     |
| t <sub>2</sub>      | –              | 0.6       | 1   | 1.2       | 1.5 | 2   | 2.2            | 2.5     |
| c <sub>7</sub>      | 1              | 1.5       | 2   | 2.5       | 2.5 | 3   | 4              | 5       |
| d <sub>6</sub>      | –              | –         | –   | –         | 1   | 2   | 2              | 2       |

Part

| Number   | Description       | Dia | Length | Matl | Finish |
|----------|-------------------|-----|--------|------|--------|
| 13734811 | SET SCREW, M4 X 5 | 4   | 5      | 5.8  | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

62 OF 201

CNH NUMBERS

**87354249**


**STPX100**

Fiat 12706  
and  
DIN 7985



PZ Cross Recessed Raised  
Thin Cheese Head Bolts CL  
5.8

Recessed Raised  
Cheese Head Screws  
Screw noted with \*

#Non-Standard



Underhead detail



| Part Number | Description                        | d <sub>1</sub> | d    | l  | k   | d <sub>2</sub> | R  | Finish |
|-------------|------------------------------------|----------------|------|----|-----|----------------|----|--------|
| 47920065    | SCREW, M4X8 C/R CHEESE HD 5.8 BZN  | 4              | 0.7  | 8  | 2.5 | 11             | 11 | BZN    |
| 14775214    | SCREW, M4X8 C/R CHEESE HD 5.8 DAC  | 4              | 0.7  | 8  | 2.5 | 11             | 11 | DAC    |
| 47925756    | SCREW, M4X12 C/R CHEESE HD 5.8 BZN | 4              | 0.7  | 12 | 2.5 | 11             | 11 | BZN    |
| 14775314    | SCREW, M4X12 C/R CHEESE HD 5.8 DAC | 4              | 0.7  | 12 | 2.5 | 11             | 11 | DAC    |
| 14776214    | SCREW, M4X22 C/R CHEESE HD 5.8 DAC | 4              | 0.7  | 22 | 2.5 | 11             | 11 | DAC    |
| 14071914    | SCREW, M5X12 C/R CHEESE HD 5.8 DAC | 5              | 0.8  | 12 | 3   | 13             | 15 | DAC    |
| 84479750#   | SCREW, M5X12 C/R CHEESE HD 5.8 BZN | 5              | 0.8  | 12 | 4   | 10             |    | BZN    |
| 14778711    | SCREW, M6X10 C/R CHEESE HD 5.8 ZND | 6              | 1    | 10 | 3   | 15             | 20 | ZND    |
| 14778714    | SCREW, M6X10 C/R CHEESE HD 5.8 DAC | 6              | 1    | 10 | 3   | 15             | 20 | DAC    |
| 14064514    | SCREW, M6X12 C/R CHEESE HD 5.8 DAC | 6              | 1    | 12 | 3   | 15             | 20 | DAC    |
| 84479751#   | SCREW, M6X12 C/R CHEESE HD 5.8 BZN | 6              | 1    | 12 | 4   | 14             |    | BZN    |
| 14778011    | SCREW, M6X14 C/R CHEESE HD 5.8 ZND | 6              | 1    | 14 | 3   | 15             | 20 | ZND    |
| 14778014    | SCREW, M6X14 C/R CHEESE HD 5.8 DAC | 6              | 1    | 14 | 3   | 15             | 20 | DAC    |
| 14778814    | SCREW, M6X16 C/R CHEESE HD 5.8 DAC | 6              | 1    | 16 | 3   | 15             | 20 | DAC    |
| 5183681     | SCREW, M6X16 C/R CHEESE HD 5.8 BGM | 6              | 1    | 16 | 3   | 15             | 20 | BGM    |
| 84479753#   | SCREW, M6X16 C/R CHEESE HD 5.8 BZN | 6              | 1    | 16 | 4   | 14             |    | BZN    |
| 87664045    | SCREW, M6X20 C/R CHEESE HD 5.8 PHC | 6              | 1    | 20 | 3   | 15             | 20 | PHC    |
| 14778411    | SCREW, M6X20 C/R CHEESE HD 5.8 ZND | 6              | 1    | 20 | 3   | 15             | 20 | ZND    |
| 84479754#   | SCREW, M6X20 C/R CHEESE HD 5.8 BZN | 6              | 1    | 20 | 4   | 14             |    | BZN    |
| 14778914    | SCREW, M6X22 C/R CHEESE HD 5.8 DAC | 6              | 1    | 22 | 3   | 15             | 20 | DAC    |
| 84554745#   | SCREW, M6X22 C/R CHEESE HD 5.8 BZN | 6              | 1    | 22 | 3   | 15             | 20 | BZN    |
| 14778911    | SCREW, M6X22 C/R CHEESE HD 5.8 ZND | 6              | 1    | 22 | 3   | 15             | 20 | ZND    |
| 14064114    | SCREW, M6X25 C/R CHEESE HD 5.8 DAC | 6              | 1    | 25 | 3   | 15             | 20 | DAC    |
| 14064214    | SCREW, M6X30 C/R CHEESE HD 5.8 DAC | 6              | 1    | 30 | 3   | 15             | 20 | DAC    |
| 14779014    | SCREW, M6X35 C/R CHEESE HD 5.8 DAC | 6              | 1    | 35 | 3   | 15             | 20 | DAC    |
| 14781714    | SCREW, M8X16 C/R CHEESE HD 5.8 DAC | 8              | 1.25 | 16 | 4   | 20             | 26 | DAC    |
| 14781811    | SCREW, M8X18 C/R CHEESE HD 5.8 ZND | 8              | 1.25 | 18 | 4   | 20             | 26 | ZND    |
| 14781814    | SCREW, M8X18 C/R CHEESE HD 5.8 DAC | 8              | 1.25 | 18 | 4   | 20             | 26 | DAC    |
| 14781914    | SCREW, M8X20 C/R CHEESE HD 5.8 DAC | 8              | 1.25 | 20 | 4   | 20             | 26 | DAC    |
| 14780511    | SCREW, M8X25 C/R CHEESE HD 5.8 ZND | 8              | 1.25 | 25 | 4   | 20             | 26 | ZND    |
| 14065011    | SCREW, M8X30 C/R CHEESE HD 5.8 ZND | 8              | 1.25 | 30 | 4   | 20             | 26 | ZND    |
| 14780711    | SCREW, M8X35 C/R CHEESE HD 5.8 ZND | 8              | 1.25 | 35 | 4   | 20             | 26 | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

63 OF 201

CNH NUMBERS

**87354249**


**STPX100**

### FIAT 12706 (CON'TD)


|           |                                       |    |      |    |   |    |    |     |
|-----------|---------------------------------------|----|------|----|---|----|----|-----|
| 84554746# | SCREW, M8X35 C/R CHEESE HD 5.8 BZN    | 8  | 1.25 | 35 | 4 | 20 | 26 | BZN |
| *120223   | SCREW, M8X40 C/R-Z CHEESE HD 5.8 PLN  | 8  | 1.25 | 40 | 6 | 16 |    | PLN |
| 14780911  | SCREW, M8X45 C/R CHEESE HD 5.8 ZND    | 8  | 1.25 | 45 | 4 | 20 | 26 | ZND |
| 14783714  | SCREW, M10X1.25X16 C/R CHE HD 5.8 DAC | 10 | 1.25 | 16 | 5 | 25 | 32 | DAC |
| 14783914  | SCREW, M10X1.25X20 C/R CHE HD 5.8 DAC | 10 | 1.25 | 20 | 5 | 25 | 32 | DAC |
| 14782514  | SCREW, M10X1.25X25 C/R CHE HD 5.8 DAC | 10 | 1.25 | 25 | 5 | 25 | 32 | DAC |
| 14782511  | SCREW, M10X1.25X25 C/R CHE HD 5.8 ZND | 10 | 1.25 | 25 | 5 | 25 | 32 | ZND |
| 14782614  | SCREW, M10X1.25X30 C/R CHE HD 5.8 DAC | 10 | 1.25 | 30 | 5 | 25 | 32 | DAC |
| 14782611  | SCREW, M10X1.25X30 C/R CHE HD 5.8 ZND | 10 | 1.25 | 30 | 5 | 25 | 32 | ZND |
| 14782714  | SCREW, M10X1.25X35 C/R CHE HD 5.8 DAC | 10 | 1.25 | 35 | 5 | 25 | 32 | DAC |
| 14782814  | SCREW, M10X1.25X40 C/R CHE HD 5.8 DAC | 10 | 1.25 | 40 | 5 | 25 | 32 | DAC |


Fiat 12717 Material: Fiat Steel 52135  
Washers for  
Countersunk  
hd Screws

STYLE N  
(normal, for use on hard materials)





| Part Number | Description            | D | d1 | s   | h1  | Matl | Finish |
|-------------|------------------------|---|----|-----|-----|------|--------|
| 13336407    | WASHER, Style N Size 5 | 5 | 12 | 0.3 | 2.1 | CST  | BZN    |


| Fiat 12753<br>Stud<br>Fasteners | Material: Plastic<br>55232 and 55246 | <p>Dimensions in mm</p> <p>Configuration:<br/>A: Without screwdriver slot.<br/>B: With screwdriver slot.</p>  <p>Example of designation:</p> |     |                |      |      |      |         |        |
|---------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------|------|------|------|---------|--------|
| Part Number                     | Design (d x l)                       | d                                                                                                                                                                                                                              | b   | d <sub>1</sub> | a    | l    | L    | Matl    | Finish |
| 14591687                        | 6.5 x 7.5                            | 6.5                                                                                                                                                                                                                            | 2.5 | 15             | 8    | 7.5  | 14.5 | Plastic | Black  |
| 14591987                        | 6.5 x 12                             | 6.5                                                                                                                                                                                                                            | 3   | 20             | 8    | 12   | 19   | Plastic | Black  |
| 14591887                        | 6.5 x 18                             | 6.5                                                                                                                                                                                                                            | 6   | 15             | 8    | 18   | 25   | Plastic | Black  |
| 92720602                        | 6.5 x 22.5                           | 6.5                                                                                                                                                                                                                            | 4.5 | 20             | 8    | 22.5 | 30   | Plastic | Black  |
| 14589987                        | 8 x 23.5                             | 8                                                                                                                                                                                                                              | 3.5 | 20             | 9.5  | 23.5 | 31.5 | Plastic | Black  |
| 92726596                        | 8.5 x 19                             | 8.5                                                                                                                                                                                                                            | 4   | 26             | 11.2 | 19   | 27.5 | Plastic | Black  |


| Fiat 12753<br>Stud<br>Fasteners | Material: Vinyl Plastic<br>55251<br>Rubber 55272 | <p>Dimensions in mm</p>  |                   |        |
|---------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------|--------|
| Part Number                     | Description                                      | b                                                                                                            | Number of Detents | Finish |
| 14623980                        | STUD, 5.5 X 2.5X1                                | 2.5                                                                                                          | 1                 | BLK    |
| 14567080                        | STUD, 5.5 X 4 X 1                                | 4                                                                                                            | 1                 | BLK    |






|                                 |                                        |                                                                                                         |     |      |     |     |    |    |      |     |
|---------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------|-----|------|-----|-----|----|----|------|-----|
| Fiat<br>12753/41<br>Blank Plugs | Material: M80-70<br>Rubber 55272 Black | <div>STYLE A/1</div>  |     |      |     |     |    |    |      |     |
| Part<br>Number                  | Description                            | a                                                                                                       | b   | c    | d   | f   | h  | D  | L    | R1  |
| 14624887                        | Plug, Dia 5.5 x 2.5                    | 8.5                                                                                                     | 2.5 | 10.5 | 5.5 | 2.5 | 4  | 14 | 14.5 | 2   |
| 14624787                        | Plug, Dia 5.5 x 3.5                    | 8.5                                                                                                     | 3.5 | 22.5 | 5.5 | 2.5 | 15 | 14 | 26.5 | 2   |
| 14624587                        | Plug, Dia 6.3 x 3                      | 9.5                                                                                                     | 3   | 13   | 6.3 | 3.5 | 7  | 12 | 18   | 1.5 |

|                                 |                                                  |                                                                                                                                     |     |    |                |     |     |                |   |
|---------------------------------|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|----|----------------|-----|-----|----------------|---|
| Fiat<br>12753/41<br>Blank Plugs | Material: VC 70<br>Vinyl plastic --- 55251 Black | <div>Dimensions in mm</div> <div>STYLE F</div>  |     |    |                |     |     |                |   |
| Part Number                     | Description                                      | D                                                                                                                                   | b   | d  | d <sub>1</sub> | f   | h   | d <sub>2</sub> | L |
| 14621987                        | Plug, 8X1.8                                      | -                                                                                                                                   | 1.8 | 10 | 8              | 1.7 | 1.5 | 15             | 5 |

|                                 |                                        |                                                                                                         |     |   |     |   |   |    |      |
|---------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------|-----|---|-----|---|---|----|------|
| Fiat<br>12753/41<br>Blank Plugs | Material: M80-60<br>Rubber 55272 Black | <div>STYLE F/1</div>  |     |   |     |   |   |    |      |
| Part Number                     | Description                            | a                                                                                                       | b   | e | d   | f | h | D  | L    |
| 14621787                        | Plug, Dia 6.5 x 1.2                    | 9                                                                                                       | 1.2 | 3 | 6.5 | 8 | 4 | 14 | 13.2 |

|                                 |                                                      |                                                                                     |   |    |    |   |     |    |    |
|---------------------------------|------------------------------------------------------|-------------------------------------------------------------------------------------|---|----|----|---|-----|----|----|
| Fiat<br>12753/41<br>Blank Plugs | Material:<br>Rubber Black TA 10--45÷50<br>Fiat 55296 |  |   |    |    |   |     |    |    |
| Part Number                     | Description                                          | a                                                                                   | b | c  | d  | f | h   | D  | L  |
| 47788290                        | Plug, 15 x 1 style D Rub blk                         | 20                                                                                  | 1 | 7  | 15 | 3 | 2.5 | 24 | 6  |
| 14623387                        | Plug, 16 x 3 style D Rub blk                         | 25                                                                                  | 3 | 10 | 16 | 3 | 3   | 30 | 12 |

|                                                             |                                 |                           |      |    |     |    |     |     |     |     |    |
|-------------------------------------------------------------|---------------------------------|---------------------------|------|----|-----|----|-----|-----|-----|-----|----|
| Fiat<br>12753/43<br>Body Shell<br>Hole<br>Blanking<br>Plugs | Material:<br>Rubber 55297 Black | <div><p>STYLE A</p></div> |      |    |     |    |     |     |     |     |    |
| Part Number                                                 | Description                     | d                         | d1   | D1 | F   | S  | G   | C   | H   | R1  | R2 |
| 13141087                                                    | Plug, 12.3 x 2.1 style A        | 12.3                      | 20.3 | 7  | 2.5 | 10 | 1.5 | 2.1 | 3.5 | 1.5 | 3  |
| 13141187                                                    | Plug, 18 x 2 style A            | 18                        | 26   | 10 | 3   | 10 | 1   | 2   | 4.5 | 3   | 4  |
| 13141287                                                    | Plug, 18 x 1.5 style A          | 18                        | 26   | 10 | 3   | 10 | 1   | 1.5 | 4.5 | 3   | 4  |
| 13140987                                                    | Plug, 45 x 1 style A            | 45                        | 53   | 35 | 4   | 11 | 1   | 1   | 5   | 3   | 6  |


|                               |                                   |                                                 |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |     |       |
|-------------------------------|-----------------------------------|-------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|
| Fiat 12791<br>Grommet Style M |                                   | Material : PA 75.100<br>Polyamide Plastic 55232 |     | <div>Dimensions in mm</div> <div><div><div>Round head design</div><div></div></div><div><div>Square head design</div><div></div></div><div><div>Example of application</div><div></div></div></div> |     |       |
| Part Number                   | Description                       | f                                               | h   | A                                                                                                                                                                                                                                                                                                                                                                                                                                                               | D   | Color |
| 14115980                      | Grommet, Style M Tapping Screw 10 | 7                                               | 9   | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3.5 | White |
| 14115780                      | Grommet, Style M Tapping Screw 8  | 7                                               | 9.2 | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3.0 | White |

Fiat 12794 Style A  
(for metric screws)  
Caged Nuts  
Assembly.  
Color can be  
applied to either  
the cage or nut.  
Cage Material:  
Stainless Steel Per  
Fiat 52770 or Steel  
Per 52554 with  
phosphate coating  
per Fiat 9.57408

Dimensions in mm

### STYLE A (for metric screws)

### Example of application




| Part Number | D  | a<br>+0.1<br>-0.3 | b<br>±0.1 | c<br>±0.8 | h<br>±0.2 | s1<br>+0.05<br>-0.1 | s          | A<br>+0.2<br>0 | B<br>+0.12<br>0 | Color       | Nut<br>Mat'l | Nut<br>Finish |
|-------------|----|-------------------|-----------|-----------|-----------|---------------------|------------|----------------|-----------------|-------------|--------------|---------------|
| 14649390    | M8 | 17.5              | 16        | 26        | 8.6       | 0.6                 | 1.5 to 1.6 | 16.5           | 10.5            | Light Green | R50          | ZND           |
| 14649590    | M8 | 17.5              | 16        | 26        | 9.1       | 0.6                 | 2.0 to 2.1 | 16.5           | 10.5            | Yellow      | R50          | ZND           |
|             |    |                   |           |           |           |                     |            |                |                 |             |              |               |

Fiat 12794  
Caged Nuts Style  
B (for metric  
screws)

### STYLE B (for metric screws)

### Example of application



| Part Number | D  | b    | n   | e | g | D1 | A    | l   | m   | Mat'l | Finish |
|-------------|----|------|-----|---|---|----|------|-----|-----|-------|--------|
| 14197790    | M4 | 10.5 | 4.8 | 2 | 8 | 6  | 6.75 | 9.5 | 6.5 | SST   | PLN    |
| 14197791    | M4 | 10.5 | 4.8 | 2 | 8 | 6  | 6.75 | 9.5 | 6.5 | STL   | ZND    |
| 14197890    | M5 | 10.5 | 4.8 | 2 | 8 | 6  | 6.75 | 9.5 | 6.5 | SST   | PLN    |
| 14197891    | M5 | 10.5 | 4.8 | 2 | 8 | 6  | 6.75 | 9.5 | 6.5 | STL   | ZND    |
| 14197894    | M5 | 10.5 | 4.8 | 2 | 8 | 6  | 6.75 | 9.5 | 6.5 | STL   | DAC    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

70 OF 201

CNH NUMBERS

**87354249**

**STPX100**


Fiat 12794  
Caged Nuts Style  
B/1 (for Metric  
Screws)

Cage: Stainless  
Steel or Fiat  
52770

Dimensions in mm

**STYLE B/1**  
(for metric screws)

Example of application




| Part Number | D  | b<br>±0.3 | f<br>±0.3 | h<br>±0.3 | l<br>±0.3 | m<br>±0.2 | s <sub>1</sub> | n   | R | Nut    | Mat'l | Finish |
|-------------|----|-----------|-----------|-----------|-----------|-----------|----------------|-----|---|--------|-------|--------|
| 14074790    | M6 | 13        | 13.7      | 10        | 12.7      | 8.5       | 0.5            | 6.5 | 1 | 11X4.8 | STL   | BLO    |
|             |    |           |           |           |           |           |                |     |   |        |       |        |

Fiat 12794  
Caged Nuts Style  
C (for Metric  
Screws)

Dimensions in mm

**STYLE C**  
(for metric screws)

Example of application



| Part Number | D  | b  | f  | c   | h<br>±0.3 | l   | n | R   | s <sub>1</sub> | D <sub>1</sub> | s        | g        | A  | B  | Mat'l | Finish |
|-------------|----|----|----|-----|-----------|-----|---|-----|----------------|----------------|----------|----------|----|----|-------|--------|
| 90423840    | M4 | 13 | 13 | 0.6 | 6.4       | 9.5 | 9 | 1.2 | 0.6            | 6              | 1 to 2.4 | 7 to 7.5 | 15 | 12 | STL   | PLN    |
|             |    |    |    |     |           |     |   |     |                |                |          |          |    |    |       |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

71 OF 201



CNH NUMBERS

**87354249**

**STPX100**

Fiat 12794  
Caged Nuts Style  
C/1 (for Metric  
Screws)

**STYLE C/1**  
**(for metric screws)**



| Part Number | D  | b<br>±0.3 | f<br>±0.3 | h<br>±0.3 | x   | c<br>Max. | s <sub>1</sub> | D <sub>1</sub> | s         | Mat'l | Finish |
|-------------|----|-----------|-----------|-----------|-----|-----------|----------------|----------------|-----------|-------|--------|
| 14193290    | M8 | 22.7      | 15.3      | 8.3       | 7.8 | 12.7      | 1.0            | 9              | 1.1 – 2.0 | STL   | BLO    |
| 14193390    | M8 | 22.6      | 15.3      | 8.3       | 7.8 | 11.8      | 1.0            | 9              | 3.1 – 4.0 | STL   | BLO    |
|             |    |           |           |           |     |           |                |                |           |       |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

72 OF 201


CNH NUMBERS

**87354249**


**STPX100**

| Fiat<br>13106/01<br>Tie-Rod<br>Ends for<br>Yokes Part 1<br>Type A<br>(Type B<br>listed below) | Material Fiat 52605/01 R50               | <p>Dimensions in mm</p> <p>Type A<br/>(with threaded thru hole)</p> <p>Std. 01505</p> <p>Rounded</p> <p>Thread to be protected by masking off before hardening</p> |     |              |    |    |         |        |
|-----------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------|----|----|---------|--------|
| Part Number                                                                                   | Description                              | D                                                                                                                                                                  | I   | D1           | b  | d1 | Matl    | Finish |
| 10007771                                                                                      | Tie Rod End Yoke Type A 6x12 R50IND ZNM  | 6                                                                                                                                                                  | 31  | M6           | 6  | 10 | R50 IND | ZNM    |
| 10001071                                                                                      | Tie Rod End Yoke Type A 6x16 R50 IND ZNM | 6                                                                                                                                                                  | 42  | M6           | 6  | 10 | R50 IND | ZNM    |
| 10007811                                                                                      | Tie Rod End Yoke Type A 8x16 R50 ZND     | 8                                                                                                                                                                  | 42  | M8           | 8  | 14 | R50     | ZND    |
| 10007871                                                                                      | Tie Rod End Yoke Type A 8x16 R50IND ZNM  | 8                                                                                                                                                                  | 42  | M8           | 8  | 14 | R50 IND | ZNM    |
| 10248271                                                                                      | Tie Rod End Yoke Type A 8x16 R50IND ZNM  | 8                                                                                                                                                                  | 52  | M8           | 8  | 14 | R50 IND | ZNM    |
| 11991971                                                                                      | Tie Rod End Yoke Type A 8x16 R50 ZNM     | 8                                                                                                                                                                  | 42  | M8 (LH)      | 8  | 14 | R50     | ZNM    |
| 10248471                                                                                      | Tie Rod End Yoke Type A 12 x 36 R50 ZNM  | 12                                                                                                                                                                 | 84  | M12x1.5      | 12 | 20 | R50     | ZNM    |
| 10248671                                                                                      | Tie Rod End Yoke Type A 16 x 48 R50 ZNM  | 16                                                                                                                                                                 | 109 | M16x1.5      | 16 | 26 | R50     | ZNM    |
| 11992671                                                                                      | Tie Rod End Yoke Type A 16 x 48 R50 ZNM  | 16                                                                                                                                                                 | 109 | M16x1.5 (LH) | 16 | 26 | R50     | ZNM    |

LH – Left Hand


| Fiat<br>13106/01<br>Tie-Rod<br>Ends for<br>Yokes Part 1<br>Type B<br>(Type A<br>listed above) | Material Fiat 52605/01 R50           |  |     |    |          |    |        |     |
|-----------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------|-----|----|----------|----|--------|-----|
| Part Number                                                                                   | Description                          | D                                                                                  | I   | I3 | d1       | g  | Mat    | Fin |
| 10008971                                                                                      | Tie Rod End Type B 8 X 16 R50IND ZNM | 8                                                                                  | 90  | 46 | M8       | 24 | R50IND | ZNM |
| 10008974                                                                                      | Tie Rod End Type B 8 X 16 R50IND DAC | 8                                                                                  | 90  | 46 | M8       | 24 | R50IND | DAC |
| 11990771                                                                                      | Tie Rod End Type B 8 X 16 R50IND ZNM | 8                                                                                  | 90  | 46 | M8 (LH)  | 24 | R50IND | ZNM |
| 11990774                                                                                      | Tie Rod End Type B 8 X 16 R50IND DAC | 8                                                                                  | 90  | 46 | M8 (LH)  | 24 | R50IND | DAC |
| 10008571                                                                                      | Tie Rod End Type B 10X30 R50IND ZNM  | 10                                                                                 | 107 | 52 | M10x1.25 | 30 | R50IND | ZNM |
| 10008574                                                                                      | Tie Rod End Type B 10X30 R50IND DAC  | 10                                                                                 | 107 | 52 | M10x1.25 | 30 | R50IND | DAC |



LH – Left Hand


| Fiat<br>13106/01<br>Tie-Rod<br>Ends for<br>Yokes Part 2<br>Type C | Material Fiat 52605/02 R50 IND                      |  |    |    |          |    |        |     |
|-------------------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------|----|----|----------|----|--------|-----|
| Part Number                                                       | Description                                         | D                                                                                   | I  | I1 | D1       | g  | Mat    | Fin |
| 10008371                                                          | Tie Rod End Type B 10 X 20 R50IND ZNM Left Hand Thd | 10                                                                                  | 62 | 50 | M10((LH) | 30 | R50IND | ZNM |
| 10248371                                                          | Tie Rod End Type B 10 X 20 R50IND ZNM               | 10                                                                                  | 62 | 50 | M10      | 24 | R50IND | ZNM |


LH – Left Hand

|                                               |      |           |                           |
|-----------------------------------------------|------|-----------|---------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 74 OF 201 | <b>87354249   STPX100</b> |

| Fiat 13106/02 R50 Material (Fiat 52605/01) |                                 |  |      |     |    |     |     |
|--------------------------------------------|---------------------------------|------------------------------------------------------------------------------------|------|-----|----|-----|-----|
| Part Number                                | Description                     | D                                                                                  | f    | l   | s  | Mat | Fin |
| 10091011                                   | NUT, TIE ROD ADJ, M6 X 70       | M6                                                                                 | 32.5 | 70  | 10 | R50 | ZND |
| 10092511                                   | NUT, TIE ROD ADJ, M8 X 80       | M8                                                                                 | 35   | 80  | 12 | R50 | ZND |
| 10090811                                   | NUT, TIE ROD ADJ, M10X1.25 X 90 | M10X1.25                                                                           | 40   | 90  | 14 | R50 | ZND |
| 10092611                                   | NUT, TIE ROD ADJ, M12X1.5 X 100 | M12X1.5                                                                            | 45   | 100 | 17 | R50 | ZND |
| 10092614                                   | NUT, TIE ROD ADJ, M12X1.5 X 100 | M12X1.5                                                                            | 45   | 100 | 17 | R50 | DAC |

| Fiat 13106/03 Tie Rod End Clevis Joint Pins |                                     |  |      |   |     |   |  |     |
|---------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------|------|---|-----|---|--------------------------------------------------------------------------------------|-----|
| Part Number                                 | Description                         | l                                                                                   | l1   | d | c   | h | Mat                                                                                  | Fin |
| 10040711                                    | PIN, HEADED 8 X 18Type A            | 18                                                                                  | 15   | 8 | 0.5 | 2 | R50 IND                                                                              | ZND |
| 10249270                                    | PIN, HEADLESS TYPE B 8 X 22 Style B | 22                                                                                  | 16.5 | 8 | 0.5 |   | 12NC3                                                                                | PLN |

| Fiat 13130/01<br>Tie Rod Ball and<br>Socket Joint<br>Heads Light Duty |                                             | Material Fiat R40IND or R50IND |          | Dimensions in mm<br> |    |               |        |
|-----------------------------------------------------------------------|---------------------------------------------|--------------------------------|----------|--------------------------------------------------------------------------------------------------------|----|---------------|--------|
| Part Number                                                           | Description                                 | Style                          | Dia<br>D | Length<br>h<br>l                                                                                       | d  | Matl          | Finish |
| 10124311                                                              | ROD END, M5X32 TYPE SOCKET<br>LITE STL ZND  | socket                         | 5        | 32                                                                                                     | 8  | R40IND/R50IND | ZND    |
| 10124410                                                              | ROD END, M10X37 TYPE SOCKET<br>LITE STL PLN | socket                         | 6        | 37                                                                                                     | 10 | R40IND/R50IND | PLN    |
| 10124411                                                              | ROD END, M10X37 TYPE SOCKET<br>LITE STL ZND | socket                         | 6        | 37                                                                                                     | 10 | R40IND/R50IND | ZND    |
| 10124511                                                              | ROD END, M13X45 TYPE SOCKET<br>LITE STL ZND | socket                         | 8        | 45                                                                                                     | 13 | R40IND/R50IND | ZND    |
| 10124514                                                              | ROD END, M13X45 TYPE SOCKET<br>LITE STL DAC | socket                         | 8        | 45                                                                                                     | 13 | R40IND/R50IND | DAC    |
| 10124517                                                              | ROD END, M13X45 TYPE SOCKET<br>LITE STL BZN | socket                         | 8        | 45                                                                                                     | 13 | R40IND/R50IND | BZN    |
| 10124611                                                              | ROD END, M15X59 TYPE SOCKET<br>LITE STL ZND | socket                         | 10       | 59                                                                                                     | 15 | R40IND/R50IND | ZND    |

|                                                                                   |                                           |                                                                                      |          |             |         |        |
|-----------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------|----------|-------------|---------|--------|
| Fiat 13130/02<br>Upsetting Ball<br>Studs for Tie Rod<br>Ball and Socket<br>Joints | Material Fiat R40                         |  |          |             |         |        |
| Part Number                                                                       | Description                               | TYPE                                                                                 | Dia<br>d | Length<br>l | Matl    | Finish |
| 10051510                                                                          | STUD, BALL, UPSETTING, SIZE 8<br>R50 PLN  | Upset                                                                                | 8        | 16.5        | R50 IND | PLN    |
| 10051600                                                                          | STUD, BALL, UPSETTING, SIZE 10<br>R40 PLN | Upset                                                                                | 10       | 20          | R40 IND | PLN    |
| 10051610                                                                          | STUD, BALL, UPSETTING, SIZE 10<br>R50 PLN | Upset                                                                                | 10       | 20          | R50 IND | PLN    |
| 10051611                                                                          | STUD, BALL, UPSETTING, SIZE 10<br>R50 ZND | Upset                                                                                | 10       | 20          | R50 IND | ZND    |
| Cont'd see next page                                                              |                                           |                                                                                      |          |             |         |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE

76 OF 201

CNH NUMBERS

**87354249**
**STPX100**

| Fiat 13130/02 Cont'd |                                          |       |    |      |         |     |
|----------------------|------------------------------------------|-------|----|------|---------|-----|
| 10051614             | STUD, BALL, UPSETTING, SIZE 10 R50 DAC   | Upset | 10 | 20   | R50 IND | DAC |
| 10051710             | STUD, BALL, UPSETTING, SIZE 13 R50 PLN   | Upset | 13 | 23.5 | R50 IND | PLN |
| 10051711             | STUD, BALL, UPSETTING, SIZE 13 R50 ZND   | Upset | 13 | 23.5 | R50 IND | ZND |
| 10051714             | STUD, BALL, UPSETTING, SIZE 13 R50 DAC   | Upset | 13 | 23.5 | R50 IND | DAC |
| 10051810             | STUD, BALL, UPSETTING, SIZE 15 R50 PLN   | Upset | 15 | 26.5 | R50 IND | PLN |
| 10051814             | STUD, BALL, UPSETTING, SIZE 15 R50 DAC   | Upset | 15 | 26.5 | R50 IND | DAC |
| 10063400             | STUD, BALL, UPSETTING SIZE 8 20L R40 PLN | Upset | 8  | 20   | R40 IND | PLN |
| 10063414             | STUD, BALL, UPSETTING SIZE 8 20L R50 DAC | Upset | 8  | 20   | R50 IND | DAC |
| 10063510             | STUD, BALL, UPSET SIZE 10 23.5L R50 PLN  | Upset | 10 | 23.5 | R50 IND | PLN |
| 10063514             | STUD, BALL, UPSET SIZE 10 23.5L R50 DAC  | Upset | 10 | 23.5 | R50 IND | DAC |
| 10063610             | STUD, BALL, UPSET SIZE 13 28.5L R50 PLN  | Upset | 13 | 28.5 | R50 IND | PLN |
| 10063611             | STUD, BALL, UPSET SIZE 13 28.5L R50 ZND  | Upset | 13 | 28.5 | R50 IND | ZND |
| 10063614             | STUD, BALL, UPSET SIZE 13 28.5L R50 DAC  | Upset | 13 | 28.5 | R50 IND | DAC |
| 10063710             | STUD, BALL, UPSET SIZE 15 33.5L R50 PLN  | Upset | 15 | 33.5 | R50 IND | PLN |
| 10063714             | STUD, BALL, UPSET SIZE 15 33.5L R50 DAC  | Upset | 15 | 33.5 | R50 IND | DAC |

| Fiat 13130/03 Spring Lock |                             | Material Fiat Steel C72 |          |  |  |  |      |        |
|---------------------------|-----------------------------|-------------------------|----------|--------------------------------------------------------------------------------------|--|--|------|--------|
| Part Number               | Description                 | TYPE                    | Ball dia | Length l                                                                             |  |  | Matl | Finish |
| 10124774                  | SPRING LOCK 8X15 STL DAC    | lock                    | 8        | 15                                                                                   |  |  | STL  | DAC    |
| 10124873                  | SPRING LOCK10X15 STL PHC    | lock                    | 10       | 15                                                                                   |  |  | STL  | PHC    |
| 10124874                  | SPRING LOCK10X15 STL DAC    | lock                    | 10       | 15                                                                                   |  |  | STL  | DAC    |
| 10124876                  | SPRING LOCK10X15 STL BLO    | lock                    | 10       | 15                                                                                   |  |  | STL  | BLO    |
| 10125574                  | SPRING LOCK 13X15 STL DAC   | lock                    | 13       | 15                                                                                   |  |  | STL  | DAC    |
| 10125674                  | SPRING LOCK 15 X 22 STL DAC | lock                    | 15       | 22                                                                                   |  |  | STL  | DAC    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE



77 OF 201

CNH NUMBERS

**87354249**
**STPX100**

Fiat 13140  
Tie-Rod Ball and  
Socket Joints  
Heavy Duty

Dimensions in mm



| Ball dia.<br>$d$ | Tie-rod diameter<br>$D$<br>6H |               | $d_1$<br>6H/6g | $d_2$<br>~ | $a$<br>~ | $b$ | $l$<br>~ | $h$<br>~ |
|------------------|-------------------------------|---------------|----------------|------------|----------|-----|----------|----------|
| 8                | M5                            | —             | M5             | 13         | 5        | 20  | 31       | 26.5     |
| 10               | M6                            | —             | M6             | 15         | 6        | 26  | 40       | 31.5     |
| 13               | M8                            | M8 Sin        | M8             | 19         | 8        | 32  | 50       | 38.5     |
| 15               | M10x 1.25                     | M10x 1.25 Sin | M10x 1.25      | 22         | 10       | 39  | 60       | 46       |
| 16               | M10x 1.25                     | —             | M10x 1.25      | 22         | 10       | 35  | 52       | 47       |

| Ball<br>dia.<br>$d$ | Components                                              |       |                              |                                   |                                    |              |            |
|---------------------|---------------------------------------------------------|-------|------------------------------|-----------------------------------|------------------------------------|--------------|------------|
|                     | 1                                                       |       | 2                            | 3                                 | 4                                  | 5            |            |
|                     | Socket with<br>R.H. L.H.<br>thread<br>Std. Sh. 13140/01 |       | Plug Std.<br>Sh.<br>13140/02 | Ball stud<br>Std. Sh.<br>13140/03 | Cotter<br>pin<br>Std. Sh.<br>10195 | nut Std. Sh. |            |
|                     |                                                         |       |                              |                                   |                                    | 10112        | 10114      |
| 8                   | 51499                                                   | —     | 51509                        | 51519                             | 07951                              | 1/58964/11   | —          |
| 10                  | 51500                                                   | —     | 51510                        | 51520                             | 07344                              | —            | 1/07259/11 |
| 13                  | 51501                                                   | 51504 | 51511                        | 51521                             | 07346                              | —            | 1/61023/11 |
| 15                  | 51502                                                   | 51503 | 51512                        | 51522                             | 07347                              | —            | 1/07910/11 |
| 16                  | 51507                                                   | —     | 51513                        | 51523                             | 07347                              | —            | 1/07910/11 |

| Part Number | Ball Dia $d$ | Threads           |  |  |  |  |  |
|-------------|--------------|-------------------|--|--|--|--|--|
| 15152690    | 13           | Right Hand (R.H.) |  |  |  |  |  |
|             |              |                   |  |  |  |  |  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE



78 OF 201

CNH NUMBERS


**87354249**


**STPX100**




|                                                                  |                                   |                                                                                    |             |      |    |         |     |
|------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------------------------------|-------------|------|----|---------|-----|
| Fiat 13140/03<br>Threaded Ball<br>Studs for Rod<br>Joint Sockets | Material Fiat R50 IND             |  |             |      |    |         |     |
| Part Number                                                      | Description                       | Stud<br>Dia.                                                                       | Ball<br>dia | L    | L1 | Matl    | Fin |
| 15151911                                                         | STUD, BALL, M5X11 8 MM BALL       | M5                                                                                 | 8           | 23.5 | 11 | R50 IND | ZND |
| 15152011                                                         | STUD, BALL, M6X13 10MM BALL       | M6                                                                                 | 10          | 28.5 | 13 | R50 IND | ZND |
| 15152017                                                         | STUD, BALL, M6X13 10MM BALL       | M6                                                                                 | 10          | 28.5 | 13 | R50 IND | BZN |
| 15152117                                                         | STUD, BALL, M8X16 13MM BALL       | M8                                                                                 | 13          | 35   | 16 | R50 IND | BZN |
| 15152211                                                         | STUD, BALL, M10X1.25X20 15MM BALL | M10X1.5                                                                            | 15          | 41.5 | 20 | R50 IND | ZND |

| <p>Fiat 14140/41<br/>Hexagonal-head<br/>screw hose<br/>clamps</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div> |       |               |                          |          |        |    |    |           |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------|--------------------------|----------|--------|----|----|-----------|--------|
| Part Number                                                                                                                                                                                                                                                                                                                        | D     | Supply<br>dia | Min.<br>Fitting<br>Dia * | g +/-0.5 | h +/-1 | d  | l  | s +/- 0.5 | Color  |
| 10175990                                                                                                                                                                                                                                                                                                                           | 9-11  | 11.1          | 8.8                      | 9        | 20     | M4 | 22 | 0.6       | Green  |
| 47747031                                                                                                                                                                                                                                                                                                                           | 10-12 | 12.2          | 9.7                      | 9        | 21     | M4 | 22 | 0.6       | Yellow |
| 47564925                                                                                                                                                                                                                                                                                                                           | 11-13 | 13.2          | 10.7                     | 9        | 22     | M4 | 22 | 0.6       | Green  |
| 47564927                                                                                                                                                                                                                                                                                                                           | 12-14 | 14.2          | 11.6                     | 9        | 23     | M4 | 22 | 0.6       | White  |

|                                               |      |           |                                  |
|-----------------------------------------------|------|-----------|----------------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS                      |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 79 OF 201 | <b>87354249</b>   <b>STPX100</b> |

| Fiat 14140/42 |  |       |            |                   |    |        |
|---------------|------------------------------------------------------------------------------------|-------|------------|-------------------|----|--------|
| Part Number   | Description                                                                        | D     | Supply Dia | Min Installed dia | h  | color  |
| 10186190      | CLAMP, M8-10X9 SQ NUT AND BOLT STL YLW                                             | 8-10  | 10.1       | 7.8               | 19 | yellow |
| 10186490      | CLAMP, M10-12X9 SQ NUT AND BOLT STL YL                                             | 10-12 | 12.2       | 9.7               | 21 | yellow |
| 10186590      | CLAMP, M11-13X9 SQ NUT AND BOLT STL GR                                             | 11-13 | 13.2       | 10.7              | 22 | green  |
| 47564888      | CLAMP, M12-14X9 SQ NUT AND BOLT STL WH                                             | 12-14 | 14.2       | 11.6              | 23 | white  |
| 10186790      | CLAMP, M13-15 X 9 SQ NUT AND BOLT STL YL                                           | 13-15 | 15.2       | 12.6              | 24 | yellow |
| 10186890      | CLAMP, M14-16X9 SQ NUT AND BOLT STL GR                                             | 14-16 | 16.2       | 13.6              | 25 | green  |
| 10186990      | CLAMP, M15-17X9 SQ NUT AND BOLT STL WH                                             | 15-17 | 17.2       | 14.6              | 26 | white  |
| 10187090      | CLAMP, M16-18 X 9 SQ NUT AND BOLT STL YL                                           | 16-18 | 18.2       | 15.5              | 27 | yellow |

| Fiat 14146  | Self-Tightening<br>Hose Clamps<br><br>Steel 52556 |  |      |        |      |  |  |  |
|-------------|---------------------------------------------------|--------------------------------------------------------------------------------------|------|--------|------|--|--|--|
| Part Number | Description                                       | Min                                                                                  | Max  | Color  | h    |  |  |  |
| 13422971    | Clamp, 9.9 – 11.1                                 | 9.9                                                                                  | 11.1 | Yellow | 6    |  |  |  |
| 13423177    | Clamp, 11.5 – 12.7                                | 11.5                                                                                 | 12.7 | Black  | 7    |  |  |  |
| 13423271    | Clamp, 12.1 – 13.5                                | 12.1                                                                                 | 13.5 | Yellow | 7    |  |  |  |
| 13423370    | Clamp, 13.6 – 15.1                                | 13.6                                                                                 | 15.1 | White  | 7    |  |  |  |
| 13423371    | Clamp, 13.6 – 15.1                                | 13.6                                                                                 | 15.1 | Yellow | 7    |  |  |  |
| 13423377    | Clamp, 13.6 – 15.1                                | 13.6                                                                                 | 15.1 | Black  | 7    |  |  |  |
| 13423470    | Clamp, 14.8 – 16.4                                | 14.8                                                                                 | 16.4 | White  | 8    |  |  |  |
| 13423577    | Clamp, 16.5 – 18.3                                | 16.5                                                                                 | 18.3 | Black  | 8    |  |  |  |
| 13423670    | Clamp, 17.7 – 19.3                                | 17.7                                                                                 | 19.3 | White  | 9.2  |  |  |  |
| 13423770    | Clamp, 20.6 – 22.9                                | 20.6                                                                                 | 22.9 | White  | 10.3 |  |  |  |
| 13423777    | Clamp, 20.6 – 22.9                                | 20.6                                                                                 | 22.9 | Black  | 10.3 |  |  |  |
| 13425577    | Clamp, 34.4 – 37.3                                | 34.4                                                                                 | 37.3 | Black  | 14   |  |  |  |


| Fiat 14150<br>Style B<br>Snap-on Hose<br>Band Clamps<br>Stainless steel<br>– 52770 or<br>UNI 6901<br>X5 CrNi 1810<br>(HRB<104)<br>or<br>X12 CrNi 1707<br>(HRB<104) | <div style="text-align: center;"> <p>Dimensions in mm</p> <p><b>DESIGN SOLUTION FOR NOM. DIA. 7 to 23.5</b><br/>           (intended for water, oil, fuel and air systems)</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p><b>a</b></p> </div> <div style="text-align: center;"> <p><u>CLAMP OPENED</u><br/>(Supply condition)</p>  <p><b>D</b>, <b>S</b></p> <p>Extra flexing feature</p> </div> <div style="text-align: center;"> <p><u>CLAMP CLOSED</u></p>  <p><b>f</b>, <b>h</b>, <b>D<sub>1</sub></b></p> </div> </div> </div> |                      |      |   |     |       |      |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------|---|-----|-------|------|--------|
| Part Number                                                                                                                                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Nominal Clamping Dia | D    | a | S   | f     | h    | Color  |
| 47731453                                                                                                                                                           | Clamp, Snap-on 10.0/12.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10                   | 12.5 | 6 | 0.6 | 12.3  | 17.5 | White  |
| 47729678                                                                                                                                                           | Clamp, Snap-on 10.5/13.0 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10.5                 | 13.0 | 6 | 0.6 | 12.5  | 18.0 | Yellow |
| 90460861                                                                                                                                                           | Clamp, Snap-on 11.5/14.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11.5                 | 14.5 | 9 | 0.6 | 13.35 | 20.8 | Purple |
| 90467946                                                                                                                                                           | Clamp, Snap-on 13/16.0 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 13.0                 | 16.0 | 9 | 0.6 | 14.1  | 22.3 | Yellow |
| 47534680                                                                                                                                                           | Clamp, Snap-on 14.5/17.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 14.5                 | 17.5 | 9 | 0.6 | 14.85 | 23.8 | Black  |
| 47534773                                                                                                                                                           | Clamp, Snap-on 15/18 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 15                   | 18   | 9 | 0.6 | 15.1  | 24.3 | White  |
| 47534775                                                                                                                                                           | Clamp, Snap-on 15.5/18.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 15.5                 | 18.5 | 9 | 0.6 | 15.35 | 24.8 | Yellow |
| 47935342                                                                                                                                                           | Clamp, Snap-on 16.5/19.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 16.5                 | 19.5 | 9 | 0.6 | 15.85 | 25.8 | Purple |
| 90489216                                                                                                                                                           | Clamp, Snap-on 21.5/24.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 21.5                 | 24.5 | 9 | 0.6 | 18.35 | 30.8 | Purple |
| 90489202                                                                                                                                                           | Clamp, Snap-on 22.5/25.5 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 22.5                 | 25.5 | 9 | 0.6 | 18.85 | 31.8 | White  |
| 90489190                                                                                                                                                           | Clamp, Snap-on 23/26 SST PLN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 23                   | 26   | 9 | 0.6 | 19.1  | 32.3 | Yellow |

|                                               |      |           |                           |
|-----------------------------------------------|------|-----------|---------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 81 OF 201 | <b>87354249   STPX100</b> |

Fiat 14150  
Style B  
Snap-on  
Hose Band  
Clamps

Dimensions in mm

### DESIGN SOLUTION FOR NOM. DIA. 24 to 101 (intended for air systems)



| Part Number | Description                    | Nominal Clamping Dia | D  | a | S   | f    | h    | Color  |
|-------------|--------------------------------|----------------------|----|---|-----|------|------|--------|
| 13127670    | Clamp, Snap-on 24/27 SST PLN   | 24                   | 27 | 9 | 0.6 | 19   | 31.6 | Purple |
| 90489219    | Clamp, Snap-on 27.5/31 SST PLN | 27.5                 | 31 | 9 | 0.6 | 20.6 | 35.1 | White  |
| 90489223    | Clamp, Snap-on 28.5/32 SST PLN | 28.5                 | 32 | 9 | 0.6 | 21.3 | 36.1 | Green  |
| 47717293    | Clamp, Snap-on 31.5/35 SST PLN | 31.5                 | 35 | 9 | 0.6 | 22.8 | 39.1 | Violet |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

82 OF 201

CNH NUMBERS

**87354249**


**STPX100**

|            |                                                                          |
|------------|--------------------------------------------------------------------------|
| Fiat 14151 | Double Ratchet<br>Lock Elastic Hose<br>Clamps<br>Fiat Spec<br>9.14620/02 |
|------------|--------------------------------------------------------------------------|


TYPE "A" with cap

(To be used in particular applications concerning installation/lay-out safety of engine well)

Dimensions in mm




TYPE "B" without cap




| Part Number | Description                   | Nom Dia | D    | d  | Clamping Range |
|-------------|-------------------------------|---------|------|----|----------------|
| 13097490    | Clamp, 43mmType B DBL Elastic | 43      | 46.5 | 37 | 45 to 39       |
| 13097770    | Clamp, 58mmType A DBL Elastic | 58      | 61.5 | 52 | 60 to 54       |
| 13097870    | Clamp, 65mmType A DBL Elastic | 65      | 66.5 | 57 | 65 to 59       |
| 13097970    | Clamp, 70mmType A DBL Elastic | 70      | 71.5 | 62 | 70 to 64       |
| 13098070    | Clamp, 75mmType A DBL Elastic | 75      | 76.5 | 67 | 75 to 69       |

|            |                          |
|------------|--------------------------|
| Fiat 14221 | Sleeve Tube Fitting Nuts |
|------------|--------------------------|

Type A




| Part Number | Description       | D       | D1   | a | c  | h  | p | D2   | s  | Mat/Fin |
|-------------|-------------------|---------|------|---|----|----|---|------|----|---------|
| 10191310    | Nut, M16x1.5 Tube | M16X1.5 | 10.2 | 3 | 12 | 15 | 3 | 16.5 | 22 | R50 PLN |
| 10191511    | Nut, M22x1.5 Tube | M22x1.5 | 14.2 | 4 | 14 | 18 | 3 | 22.5 | 27 | R50 ZND |

| Fiat 14222  | Sleeves - Tube Fitting<br>Sleeves | <div style="text-align: right;"><u>Type A</u></div>  |                |             |                |     |    |   |      |          |        |
|-------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------|----------------|-----|----|---|------|----------|--------|
| Part Number | D                                 |                                                                                                                                        | d <sub>1</sub> |             | d <sub>2</sub> | b   | l  | R | c    | Material | Finish |
| 10189719    | 6                                 | +0.145<br>+0.070                                                                                                                       | 8              | 0<br>-0.090 | 11             | 5.5 | 14 | 8 | 0.75 | R50      | ZND    |
| 10189800    | 8                                 | +0.170<br>+0.080                                                                                                                       | 10             | 0<br>-0.090 | 13             | 5.5 | 14 | 8 | 0.75 | R50      | PLN    |
| 10189819    | 8                                 | +0.170<br>+0.080                                                                                                                       | 10             | 0<br>-0.090 | 13             | 5.5 | 14 | 8 | 0.75 | R50      | ZND    |
| 10190015    | 12                                | +0.205<br>+0.090                                                                                                                       | 14             | 0<br>-0.110 | 17             | 5.5 | 14 | 8 | 0.75 | R50      | ZND    |

Fiat 14256  
One-Way  
Pipe Banjo  
Fittings  
Union  
Screws

Material Fiat  
52605/01

Steel



| Part Number | d        | d <sub>1</sub> | d <sub>2</sub> | l  | c | h   | b   | t  | R   | sm   | s  | e     | Matl | Fin |
|-------------|----------|----------------|----------------|----|---|-----|-----|----|-----|------|----|-------|------|-----|
| 11904011    | M8X1     | 4              | 2.5            | 16 | 5 | 4   | 7.5 | 14 | 0.2 | 1.25 | 13 | 14.38 | R50  | ZND |
| 11903711    | M8X1.25  | 4              | 2.5            | 16 | 5 | 4   | 7.5 | 14 | 0.2 | 1.25 | 13 | 14.38 | R50  | ZND |
| 11904111    | M10x1    | 5              | 3              | 19 | 5 | 4.5 | 9   | 16 | 0.2 | 1.25 | 13 | 14.38 | R50  | ZND |
| 11903814    | M10x1.25 | 5              | 3              | 19 | 5 | 4.5 | 9   | 16 | 0.2 | 1.25 | 13 | 14.38 | R50  | DAC |
| 10185011    | M12x1.5  | 6              | 4              | 23 | 6 | 6   | 11  | 19 | 0.2 | 1.5  | 17 | 18.90 | R50  | ZND |
| 10185014    | M12x1.5  | 6              | 4              | 23 | 6 | 6   | 11  | 19 | 0.2 | 1.5  | 17 | 18.90 | R50  | DAC |
| *10181711   | M12x1.5  | 6              | 4              | 23 | 6 | 6   | 11  | 19 | 0.2 | 1.5  | 17 | 18.90 | R50  | ZND |
| *10181714   | M12x1.5  | 6              | 4              | 23 | 6 | 6   | 11  | 19 | 0.2 | 1.5  | 17 | 18.90 | R50  | DAC |
| *10181717   | M12x1.5  | 6              | 4              | 23 | 6 | 6   | 11  | 19 | 0.2 | 1.5  | 17 | 18.90 | R50  | BZN |
| *10184314   | ^M14x1.5 | 8              | 5.5            | 27 | 7 | 8   | 12  | 22 | 0.2 | 1.5  | 19 | 21.10 | R50  | DAC |
| *10184311   | ^M14x1.5 | 8              | 5.5            | 27 | 7 | 8   | 12  | 22 | 0.2 | 1.5  | 19 | 21.10 | R50  | ZND |
| 10185111    | M14x1.5  | 8              | 5.5            | 27 | 7 | 8   | 12  | 22 | 0.2 | 1.5  | 19 | 21.10 | R50  | ZND |
| 10184411    | M16X1.5  | 10             | 7.5            | 31 | 8 | 9.5 | 13  | 26 | 0.2 | 1.5  | 22 | 24.49 | R50  | ZND |
| 10184414    | M16X1.5  | 10             | 7.5            | 31 | 8 | 9.5 | 13  | 26 | 0.2 | 1.5  | 22 | 24.49 | R50  | DAC |
| 10184417    | M16X1.5  | 10             | 7.5            | 31 | 8 | 9.5 | 13  | 26 | 0.2 | 1.5  | 22 | 24.49 | R50  | BZN |
| 10182614    | M20x1.5  | 13             | 9.5            | 36 | 9 | 12  | 14  | 30 | 0.2 | 1.5  | 27 | 30.14 | R50  | DAC |

\* With close geometric tolerances.

^When it is used in power steering system see P.S. 9.02138/04

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

85 OF 201

CNH NUMBERS


**87354249**

**STPX100**

Fiat  
14256/20  
One-Way  
Pipe Banjo  
Fittings  
Union  
Screws

Material Fiat  
52605/01

Dimensions in mm



| Part Number | D (6g)  | D  | D <sub>1</sub> | l  | c | h   | b  | z max. | t  | R   | sm  | s  | e     | Matl | Fin |
|-------------|---------|----|----------------|----|---|-----|----|--------|----|-----|-----|----|-------|------|-----|
| 10181911    | M18x1.5 | 10 | 6              | 40 | 8 | 9.5 | 16 | 3.8    | 30 | 0.2 | 1.5 | 22 | 24.69 | R50  | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

86 OF 201


CNH NUMBERS


**87354249**

**STPX100**

|                                              |                                        |                                                                                                                                                                                                                    |     |    |    |    |    |    |    |    |      |     |
|----------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|----|----|----|----|----|----|------|-----|
| Fiat 14261<br>Metal pipe<br>banjo<br>fitting | Material Fiat<br>52605/01<br><br>Steel | <div>Dimensions in mm</div> <div>Style A</div> <p>w/ D &lt; 8</p> <p>R<sub>1</sub> spherical</p> <p>1.6</p> <p>0.04 A</p> <p>R 0.5 min</p> <p>D = Pipe dia.</p> <p>w/ D ≥ 8</p> <p>R<sub>1</sub> R<sub>2</sub></p> |     |    |    |    |    |    |    |    |      |     |
| Part<br>Number                               | Description                            | D<br>Nom<br>Pipe                                                                                                                                                                                                   | D2  | m  | d1 | d2 | D1 | a  | b  | h  | Matl | Fin |
| 10072800                                     | Fitting, Banjo 4.76 Style A R40 PLN    | 4.76                                                                                                                                                                                                               | 3.5 | 8  | 11 | 14 | 8  | 8  | 5  | 16 | R40  | PLN |
| 10072801                                     | Fitting, Banjo 4.76 Style A R40 ZND    | 4.76                                                                                                                                                                                                               | 3.5 | 8  | 11 | 14 | 8  | 8  | 5  | 16 | R40  | ZND |
| 10071701                                     | Fitting, Banjo 6 STYLE A R40 ZND       | 6                                                                                                                                                                                                                  | 4   | 10 | 14 | 17 | 10 | 10 | 7  | 19 | R40  | ZND |
| 10072900                                     | Fitting, Banjo 6.35 STL A R40 PLN      | 6.35                                                                                                                                                                                                               | 5   | 10 | 14 | 17 | 10 | 10 | 7  | 19 | R40  | PLN |
| 10072901                                     | Fitting, Banjo 6.35 STL A R40 ZND      | 6.35                                                                                                                                                                                                               | 5   | 10 | 14 | 17 | 10 | 10 | 7  | 19 | R40  | ZND |
| 10072910                                     | Fitting, Banjo 6.35 STL A R50 PLN      | 6.35                                                                                                                                                                                                               | 5   | 10 | 14 | 17 | 10 | 10 | 7  | 19 | R50  | PLN |
| 10072940                                     | Fitting, Banjo 6.35 STYLE A BRASS      | 6.35                                                                                                                                                                                                               | 5   | 10 | 14 | 17 | 10 | 10 | 7  | 19 | Brs  |     |
| 10072100                                     | Fitting, Banjo 8 STYLE A R40 PLN       | 8                                                                                                                                                                                                                  | 6   | 12 | 17 | 20 | 12 | 12 | 9  | 22 | R40  | PLN |
| 10072101                                     | Fitting, Banjo 8 STYLE A R40 ZND       | 8                                                                                                                                                                                                                  | 6   | 12 | 17 | 20 | 12 | 12 | 9  | 22 | R40  | ZND |
| 10072111                                     | Fitting, Banjo 8 STYLE A R50 ZND       | 8                                                                                                                                                                                                                  | 6   | 12 | 17 | 20 | 12 | 12 | 9  | 22 | R50  | ZND |
| 10073600                                     | Fitting, Banjo 10 STYLE A R40 PLN      | 10                                                                                                                                                                                                                 | 8   | 14 | 20 | 24 | 14 | 15 | 12 | 25 | R40  | PLN |
| 10073611                                     | Fitting, Banjo 10 STYLE A R50 ZND      | 10                                                                                                                                                                                                                 | 8   | 14 | 20 | 24 | 14 | 15 | 12 | 25 | R50  | ZND |
| 10073601                                     | Fitting, Banjo 10 STYLE A R40 ZND      | 10                                                                                                                                                                                                                 | 8   | 14 | 20 | 24 | 14 | 15 | 12 | 25 | R40  | ZND |
| 10073700                                     | Fitting, Banjo 12 STYLE A R40 PLN      | 12                                                                                                                                                                                                                 | 10  | 15 | 24 | 28 | 16 | 18 | 15 | 28 | R40  | PLN |
| 10073701                                     | Fitting, Banjo 12 STYLE A R40 ZND      | 12                                                                                                                                                                                                                 | 10  | 15 | 24 | 28 | 16 | 18 | 15 | 28 | R40  | ZND |
| 10072301                                     | Fitting, Banjo 22 STYLE A R40 ZND      | 22                                                                                                                                                                                                                 | 20  | 18 | 42 | 50 | 28 | 32 | 26 | 40 | R40  | ZND |

| Fiat 14262<br>Two-way Pipe<br>Banjo Fittings<br>Caps | Fiat Material<br>R50 |    |    |      |   |    |         |
|------------------------------------------------------|----------------------|----|----|------|---|----|---------|
| Part Number                                          | Description          | h  | m  | g    | p | s  | Mat/Fin |
| 11902017                                             | CAP,BANJO M8         | 11 | 9  | 8.5  | 4 | 13 | R50 ZND |
| 10183217                                             | CAP,BANJO M12X1.5    | 14 | 11 | 12.5 | 5 | 17 | R50 ZND |
| 10182817                                             | CAP,BANJO M14X1.5    | 14 | 11 | 14.5 | 5 | 19 | R50 ZND |
| 10184117                                             | CAP,BANJO M20X1.5    | 16 | 13 | 20.5 | 5 | 27 | R50 ZND |
| 10183717                                             | CAP,BANJO M28X1.5    | 18 | 14 | 28.5 | 5 | 36 | R50 ZND |

| Fiat 14265/02<br>Straight End<br>Fittings Parallel<br>Threaded | Fiat Material<br>AB 40 PR           |  |      |      |        |     |
|----------------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------|------|------|--------|-----|
| Part Number                                                    | Description                         | s                                                                                  | e    | L    | Mat    | Fin |
| 11212611                                                       | Fitting, str end<br>M16x1.5XM18x1.5 | 22                                                                                 | 25.4 | 31.5 | AB40PR | ZND |
| 11212813                                                       | Fitting, str end<br>M18x1.5XM22x1.5 | 24                                                                                 | 27.7 | 32.5 | AB40PR | PHC |


|                                 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |      |      |     |     |
|---------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|------|-----|-----|
| Fiat 14267<br>Original DIN 3870 | Tube Nuts      | <div>Dimensions in mm</div> <div></div> <div>Detail A (optional with manufacturer)</div> <div><div>with undercut</div><div>with incomplete thread section</div><div>with incomplete thread section for series LL and L only</div></div> <div><div><math>r, f_2</math> : See Std. 01321</div><div><math>D_k</math> = Thread minor diameter</div></div> <div>Origine: DIN 3870</div> |    |      |      |     |     |
| Part Number                     | Description    | D2-Pipe OD                                                                                                                                                                                                                                                                                                                                                                                                                                                           | S  | h    | d    | Mat | Fin |
| 11260111                        | Nut, M10 X 1   | 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 12 | 11   | 11.8 | 8   | ZND |
| 11260211                        | Nut, M12 X 1.5 | 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 14 | 14.5 | 13.8 | 8   | ZND |
| 11260311                        | Nut, M14 X 1.5 | 8                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 17 | 14.5 | 16.8 | 8   | ZND |
| 11260511                        | Nut, M16 X 1.5 | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 19 | 15.5 | 18.8 | 8   | ZND |
| 11260611                        | Nut, M18 X 1.5 | 12                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 22 | 15.5 | 21.8 | 8   | ZND |
| 11260711                        | Nut, M22 X 1.5 | 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 27 | 17   | 26.8 | 8   | ZND |
| 11260713                        | Nut, M22 X 1.5 | 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 27 | 17   | 26.8 | 8   | PHC |
| 11260811                        | Nut, M26 X 1.5 | 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 32 | 18   | 31.8 | 8   | ZND |
| 11260911                        | Nut, M30 X 2   | 22                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 36 | 20   | 35.8 | 8   | ZND |
| 11261011                        | Nut, M36 X 2   | 28                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 41 | 21   | 40.8 | 8   | ZND |

|                                 |                               |                                                                                       |    |      |          |        |
|---------------------------------|-------------------------------|---------------------------------------------------------------------------------------|----|------|----------|--------|
| Fiat 14268<br>Original DIN 3861 | Ferrules for Fittings         | <div>Dimensions in mm</div> <div><div>Origin: DIN 3861<br/>with additions</div></div> |    |      |          |        |
| Part Number                     | Description                   | D1                                                                                    | d  | L1   | Material | Finish |
| 11266713                        | Ferrule for 12mm pipe style A | 12                                                                                    | 15 | 10   | 10S20IND | PHC    |
| 11266411                        | Ferrule for 6mm pipe style A  | 6                                                                                     | 9  | 9.5  | 10S20IND | ZND    |
| 11264111                        | Ferrule for 8mm pipe style A  | 8                                                                                     | 11 | 9.5  | 10S20IND | ZND    |
| 11264113                        | Ferrule for 8mm pipe style A  | 8                                                                                     | 11 | 9.5  | 10S20IND | PHC    |
| 11266611                        | Ferrule for 10mm pipe style A | 10                                                                                    | 13 | 10   | 10S20IND | ZND    |
| 11266711                        | Ferrule for 12mm pipe style A | 12                                                                                    | 15 | 10   | 10S20IND | ZND    |
| 11269211                        | Ferrule for 15mm pipe style B | 15                                                                                    | 18 | 10   | 10S20IND | ZND    |
| 11266811                        | Ferrule for 15mm pipe style A | 15                                                                                    | 18 | 10   | 10S20IND | ZND    |
| 11266813                        | Ferrule for 15mm pipe style A | 15                                                                                    | 18 | 10   | 10S20IND | PHC    |
| 11266911                        | Ferrule for 18mm pipe style A | 18                                                                                    | 21 | 10   | 10S20IND | ZND    |
| 11267011                        | Ferrule for 22mm pipe style A | 22                                                                                    | 25 | 10.5 | 10S20IND | ZND    |
| 11267111                        | Ferrule for 28mm pipe style A | 28                                                                                    | 31 | 10.5 | 10S20IND | ZND    |

| Fiat 14269<br>Rectangular Sealing Washers for pipe Fittings<br>Aluminum – Fiat 53207 P-ALP 99.5 LMTF RCT<br>HB ≤ 25<br>Copper – Fiat 53550 CU 99.5 LMT RCT HB<br>1/10/15 = 40 to 60<br>Copper – Fiat 53551 – CU DHP LMT RCT HB<br>1/10/15 = 40 to 60 (Alternative) |                   |                |                |                |          |        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------|----------------|----------------|----------|--------|
| Part Number                                                                                                                                                                                                                                                        | Description       | d<br>0<br>-0.2 | D<br>0<br>+0.3 | s<br>+0.2<br>0 | Material | Finish |
| 11270050                                                                                                                                                                                                                                                           | Washer, 10X 13.5  | 13.4           | 10.2           | 1              | Aluminum | PLN    |
| 11270060                                                                                                                                                                                                                                                           | Washer, 10X 13.5  | 13.4           | 10.2           | 1              | COPPER   | PLN    |
| 11270250                                                                                                                                                                                                                                                           | Washer, 14X 18    | 17.9           | 14.2           | 1.5            | Aluminum | PLN    |
| 11270260                                                                                                                                                                                                                                                           | Washer, 14X 18    | 17.9           | 14.2           | 1.5            | COPPER   | PLN    |
| 11270160                                                                                                                                                                                                                                                           | Washer, 12 x 15.5 | 15.4           | 12.2           | 1.5            | COPPER   | PLN    |
| 11270460                                                                                                                                                                                                                                                           | Washer, 17 x 21   | 20.9           | 17.2           | 1.5            | COPPER   | PLN    |
| 11270560                                                                                                                                                                                                                                                           | Washer, 18 x 22   | 21.9           | 18.2           | 1.5            | COPPER   | PLN    |
| 11270860                                                                                                                                                                                                                                                           | Washer, 22 x 27   | 26.9           | 22.2           | 2              | COPPER   | PLN    |
| 11270960                                                                                                                                                                                                                                                           | Washer, 26 x 31   | 30.9           | 26.3           | 2              | COPPER   | PLN    |

Fiat 14281  
Formed  
(dual-  
cone) tube  
end nuts

Dimensions in mm



| Tube dia.<br>$d_4$ | $d$<br>6g  | $d_1$<br>0<br>-0.1 | $d_2$<br>0<br>-0.3 | $d_3$<br>nom.<br>devtn.<br>limit | $L$  | $l$<br>+0.3<br>0 | $c$<br>+0.1<br>0 | $b$<br>+0.5<br>0 | $s$<br>h13<br>devtn.<br>limit | $e$<br>min. | Basic<br>Std. Part<br>number |
|--------------------|------------|--------------------|--------------------|----------------------------------|------|------------------|------------------|------------------|-------------------------------|-------------|------------------------------|
| 4.76               | M10 x 1.25 | 8.4                | 6.3                | 5<br>+0.18<br>0                  | 19   | 4.5              | 0.5              | 14               | 10<br>0<br>-0.220             | 11.05       | 46890                        |
| 6.35               | M12 x 1.25 | 10.4               | 8.3                | 6.6<br>+0.15<br>-0.05            | 19.5 | 5                | 1.4              | 15               | 13<br>0<br>-0.270             | 14.38       | 46891                        |
|                    | M14 x 1.5  | 12                 |                    |                                  | 20.5 |                  |                  |                  |                               | 18.90       | 46892                        |

| Part Number | Nominal Size | Description                    | Material | Finish |
|-------------|--------------|--------------------------------|----------|--------|
| 14689011    | M10X1.25     | NUT, TUBE END M10X1.25 R50 ZND | R50      | ZND    |
| 14689111    | M12X1.25     | NUT, TUBE END M12X1.25 R50 ZND | R50      | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

90 OF 201

CNH NUMBERS

**87354249**


**STPX100**

Fiat  
14281/01  
Male  
unions for  
pipes with  
swollen  
ends

### SOLUTION A

(For galvanized pipe plastic-coated with polyamide or epoxy or PVF, or aluminum-plated pipe coated with polyamide applied by powder process)

Source:  
ISO 4038 with additions



| (pipe Ø)<br>d 2 | d ①     | d <sub>1</sub> | D   | f   | l<br>min. | l <sub>1</sub> (js14) |                    | L (js14) |                    | s (h13) |                    | e<br>min. | Std. part<br>no. |
|-----------------|---------|----------------|-----|-----|-----------|-----------------------|--------------------|----------|--------------------|---------|--------------------|-----------|------------------|
|                 |         |                |     |     |           | nom.                  | limit<br>deviation | nom.     | limit<br>deviation | nom.    | limit<br>deviation |           |                  |
| 4.76            | M10x1   | 8.4            | 5   | 2.3 | 10        | 12.5                  | ±0.215             | 16.5     | ±0.215             | 11      | 0<br>-0.270        | 12.2      | 46957            |
| 4.76            | M12x1   | 8.4            | 5   | 2.3 | 12.5      | 15                    | ±0.215             | 20       | ±0.215             | 13      | 0<br>-0.270        | 14.38     | 01040            |
| 4.76            | M12x1   | 10.4           | 5   | 2.3 | 12.5      | 15                    | ±0.215             | 20       | ±0.215             | 11      | 0<br>-0.270        | 12.2      | 05565            |
| 6               | M12x1   | 10.4           | 6.3 | 2.3 | 12.5      | 15                    | ±0.215             | 20       | ±0.215             | 13      | 0<br>-0.270        | 14.38     | 46958            |
| 8               | M14x1.5 | 11.7           | 8.3 | 3.3 | 17        | 20.5                  | ±0.260             | 25.5     | ±0.260             | 14      | 0<br>-0.270        | 15.51     | 46959            |

| Part<br>Number | Fiat standard part<br>number |  |  |  |  | Finish      |
|----------------|------------------------------|--|--|--|--|-------------|
| 47551451       | 46957                        |  |  |  |  | FE/ZN NI    |
| 14695811       | 46958                        |  |  |  |  | FE/ZN NI    |
| 14695815       | 46958                        |  |  |  |  | FE/ZN12 III |
| 14695911       | 46959                        |  |  |  |  | FE/ZN NI    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

91 OF 201

CNH NUMBERS

**87354249**

**STPX100**


| Fiat 14293 Formed Tube End Fittings for Air Conditioning Systems – Welded Type | Dimensioni in mm |       |    |      |     |     |
|--------------------------------------------------------------------------------|------------------|-------|----|------|-----|-----|
|                                                                                |                  |       |    |      |     |     |
| Part Number                                                                    | Thread           | Tube  | S  | L    | Mat | Fin |
| 14700111                                                                       | 5/8-18 UNF-2A    | 9.52  | 17 | 12.2 | STL | ZND |
| 48152186                                                                       | 1-1/16-14 UNS-2A | 19.05 | 30 | 21.1 | STL | ZND |

| Fiat 14294  | Tube Nuts for Air Conditioning Systems |                    |    |      |     |     |
|-------------|----------------------------------------|--------------------|----|------|-----|-----|
| Part Number | Description                            | D                  | S  | L    | Mat | Fin |
| 14701211    | Nut, Tube end 5/8-18                   | 5/8-18 UNF – 2B    | 19 | 17.5 | STL | ZND |
| 48152158    | Nut, Tube end 1-1/16-14                | 1-1/16-14 UNS – 2B | 32 | 29.5 | STL | ZND |

| Fiat 14295  | Tube Nuts for Air Conditioning Systems |                 |    |      |     |     |
|-------------|----------------------------------------|-----------------|----|------|-----|-----|
| Part Number | Description                            | D               | S  | L    | Mat | Fin |
| 14702211    | Nut, Tube end 5/8-18                   | 5/8-18 UNF – 2B | 17 | 13.7 | STL | ZND |

Fiat 14517  
Rivet Plugs

Dimensions in mm



| Part Number | Description   | D  | d<br>+0.1/0 | d1<br>max | l<br>max | L<br>max | L1<br>max | L2<br>max | s   |
|-------------|---------------|----|-------------|-----------|----------|----------|-----------|-----------|-----|
| 14536290    | Rivet Plug 6  | 6  | 5.9         | 4.6       | 5.9      | 11.7     | 7.3       | 7.9       | 1.3 |
| 14536390    | Rivet Plug 7  | 7  | 6.9         | 4.6       | 6.9      | 13.7     | 8.3       | 8.9       | 1.3 |
| 14536490    | Rivet Plug 8  | 8  | 7.9         | 6.3       | 7.9      | 15.7     | 9.5       | 10.2      | 1.5 |
| 14536590    | Rivet Plug 10 | 10 | 9.9         | 6.3       | 9.9      | 19.8     | 11.5      | 12.2      | 1.5 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE

93 OF 201

CNH NUMBERS


**87354249**


**STPX100**

| Fiat 14530 Hex Head Threaded Plugs<br><br>Style A shown<br>Refer to Standard for Style B |                         |  |       |    |    |    |    |       |    |     |       |
|------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------|-------|----|----|----|----|-------|----|-----|-------|
| Part Number                                                                              | Description             | d                                                                                  | d2    | D  | L  | L1 | b  | e     | s  | Fin | Mat   |
| 11903011                                                                                 | Plug, M10 x 1           | M10 x 1                                                                            | 8.30  | 5  | 11 | 9  | 4  | 14.38 | 13 | ZND | 5.8   |
| 11903014                                                                                 | Plug, M10 x 1           | M10 x 1                                                                            | 8.30  | 5  | 11 | 9  | 4  | 14.38 | 13 | DAC | 5.8   |
| 11903040                                                                                 | Plug, M10 x 1           | M10 x 1                                                                            | 8.30  | 5  | 11 | 9  | 4  | 14.38 | 13 | PLN | BRS   |
| 10300211                                                                                 | Plug, M6 x 1            | M6 x 1                                                                             | 4.30  |    | 10 |    | 4  | 0.8   | 10 | ZND | 5.8   |
| 10300911                                                                                 | Plug, M8 x 1.25         | M8 x 1.25                                                                          | 5.90  |    | 11 |    | 4  | 14.38 | 13 | ZND | 5.8   |
| 11903111                                                                                 | Plug, M10 x 1.25        | M10 x 1.25                                                                         | 7.90  | 5  | 11 | 9  | 4  | 14.38 | 13 | ZND | 5.8   |
| 11903114                                                                                 | Plug, M10 x 1.25        | M10 x 1.25                                                                         | 7.90  | 5  | 11 | 9  | 4  | 14.38 | 13 | DAC | 5.8   |
| 11903211                                                                                 | Plug, M12 x 1.25        | M12 x 1.25                                                                         | 9.90  | 6  | 12 | 10 | 4  | 18.90 | 17 | ZND | 5.8   |
| 11903214                                                                                 | Plug, M12 x 1.25        | M12 x 1.25                                                                         | 9.90  | 6  | 12 | 10 | 4  | 18.90 | 17 | DAC | 5.8   |
| 10300511                                                                                 | Plug, M12 x 1.5         | M12 x 1.5                                                                          | 9.55  | 6  | 12 | 10 | 4  | 18.90 | 17 | ZND | 5.8   |
| 10300640                                                                                 | Plug, M14 x 1.5         | M14x1.5                                                                            | 11.55 | 8  | 14 | 12 | 5  | 21.10 | 19 | PLN | BRS   |
| 10300611                                                                                 | Plug, M14 x 1.5         | M14x1.5                                                                            | 11.55 | 8  | 14 | 12 | 5  | 21.10 | 19 | ZND | 5.8   |
| @90393137                                                                                | Plug, M14 x 1.5         | M14x1.5                                                                            | 11.55 | 8  | 14 | 12 | 5  | 21.10 | 19 | PLN | A2-70 |
| 10300711                                                                                 | Plug, M16 x 1.5         | M16x1.5                                                                            | 13.55 | 10 | 14 | 12 | 5  | 24.49 | 22 | ZND | 5.8   |
| 10300714                                                                                 | Plug, M16 x 1.5         | M16x1.5                                                                            | 13.55 | 10 | 14 | 12 | 5  | 24.49 | 22 | DAC | 5.8   |
| 10300740                                                                                 | Plug, M16 x 1.5         | M16x1.5                                                                            | 13.55 | 10 | 14 | 12 | 5  | 24.49 | 22 | PLN | BRS   |
| 10300811                                                                                 | Plug, M18 x 1.5         | M18x1.5                                                                            | 15.55 | 12 | 14 | 12 | 5  | 26.75 | 24 | ZND | 5.8   |
| 10300814                                                                                 | Plug, M18 x 1.5         | M18x1.5                                                                            | 15.55 | 12 | 14 | 12 | 5  | 26.75 | 24 | DAC | 5.8   |
| 10305811                                                                                 | Plug, M20 x 1.5 Style B | M20x1.5                                                                            | 17.55 | 10 | 19 | 15 | 9  | 18.90 | 17 | ZND | 5.8   |
| @90393142                                                                                | Plug, M20 x 1.5 Style B | M20x1.5                                                                            | 17.55 | 10 | 19 | 15 | 9  | 18.90 | 17 | PLN | A2-70 |
| 10305111                                                                                 | Plug, M22 x 1.5 Style B | M22x1.5                                                                            | 19.55 | 14 | 21 | 17 | 11 | 24.49 | 22 | ZND | 5.8   |
| 10305114                                                                                 | Plug, M22 x 1.5 Style B | M22x1.5                                                                            | 19.55 | 14 | 21 | 17 | 11 | 24.49 | 22 | DAC | 5.8   |
| 10305171                                                                                 | Plug, M22 x 1.5 Style B | M22x1.5                                                                            | 19.55 | 14 | 21 | 17 | 11 | 24.49 | 22 | ZND | 12.9  |
| 10305174                                                                                 | Plug, M22 x 1.5 Style B | M22x1.5                                                                            | 19.55 | 14 | 21 | 17 | 11 | 24.49 | 22 | DAC | 12.9  |
| 10305911                                                                                 | Plug, M22 x 1.5 Style B | M22x1.5                                                                            | 19.55 | 14 | 27 | 23 | 11 | 24.49 | 22 | ZND | 5.8   |
| 10305411                                                                                 | Plug, M28 x 1.5 Style B | M28x1.5                                                                            | 25.55 | 18 | 22 | 18 | 11 | 30.14 | 27 | ZND | 5.8   |

@ Part number not available in Fiat 14530. Dimension based on Fiat 14530 with Stainless Steel material A2-70.


|                                               |      |           |                           |
|-----------------------------------------------|------|-----------|---------------------------|
| NAME                                          | REV. | PAGE      | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 94 OF 201 | <b>87354249   STPX100</b> |

| Fiat 14534  | Round Head<br>Threaded<br>Plugs with<br>Hexagon<br>socket |  |    |    |     |     |    |   |       |    |       |         |
|-------------|-----------------------------------------------------------|------------------------------------------------------------------------------------|----|----|-----|-----|----|---|-------|----|-------|---------|
| Part Number | Description                                               | d                                                                                  | D  | L  | t   | w   | l  | h | d1    | s  | e     | Mat     |
| 10273140    | Plug                                                      | M18x1.5                                                                            | 24 | 13 | 7.5 | 3   | 10 | 3 | 15.55 | 10 | 11.45 | BRASS   |
| 10273111    | Plug                                                      | M18x1.5                                                                            | 24 | 13 | 7.5 | 3   | 10 | 3 | 15.55 | 10 | 11.45 | 5.8 ZND |
| 10275011    | Plug                                                      | M22x1.5                                                                            | 27 | 13 | 7.5 | 3   | 10 | 3 | 19.55 | 12 | 13.74 | 5.8 ZND |
| 10275014    | Plug                                                      | M22x1.5                                                                            | 27 | 13 | 7.5 | 3   | 10 | 3 | 19.55 | 12 | 13.74 | 5.8 DAC |
| 10275311    | Plug                                                      | M22x1.5                                                                            | 27 | 19 | 7.5 | 3   | 16 | 3 | 18.55 | 12 | 13.74 | 5.8 ZND |
| 10278340    | Plug                                                      | M28x1.5                                                                            | 34 | 15 | 9   | 3.5 | 11 | 4 | 25.55 | 17 | 19.44 | BRASS   |
| 10278311    | Plug                                                      | M28x1.5                                                                            | 34 | 15 | 9   | 3.5 | 11 | 4 | 25.55 | 17 | 19.44 | 5.8 ZND |
| 10276111    | Plug                                                      | M32X1.5                                                                            | 38 | 15 | 9   | 3.5 | 11 | 4 | 29.55 | 19 | 21.73 | 5.8 ZND |
| 10276140    | Plug                                                      | M32X1.5                                                                            | 38 | 15 | 9   | 3.5 | 11 | 4 | 29.55 | 19 | 21.73 | BRASS   |

| Fiat 14540  | O-Rings for<br>Threaded Plugs       |  |      |        |  |  |  |  |  |  |  |  |
|-------------|-------------------------------------|-------------------------------------------------------------------------------------|------|--------|--|--|--|--|--|--|--|--|
| Part Number | Description                         | D                                                                                   | d    | Mat    |  |  |  |  |  |  |  |  |
| 14437585    | O-Ring for threaded Plug 1.5 x 8    | 8                                                                                   | 1.50 | NBR 90 |  |  |  |  |  |  |  |  |
| 14437685    | O-Ring for threaded Plug 2.4 x 9.3  | 9.30                                                                                | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |
| 14437785    | O-Ring for threaded Plug 2.4 x 11.3 | 11.30                                                                               | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |
| 14437885    | O-Ring for threaded Plug 2.4 x 13.3 | 13.30                                                                               | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |
| 14437889    | O-Ring for threaded Plug 2.4 x 13.3 | 13.30                                                                               | 2.40 | FPM 90 |  |  |  |  |  |  |  |  |
| 14437985    | O-Ring for threaded Plug 2.4 x 15.3 | 15.30                                                                               | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |
| 14438085    | O-Ring for threaded Plug 2.4 x 19.3 | 19.30                                                                               | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |
| 14438185    | O-Ring for threaded Plug 3 x 24     | 24                                                                                  | 3.0  | NBR 90 |  |  |  |  |  |  |  |  |
| 14438285    | O-Ring for threaded Plug 3 x 29.5   | 29.50                                                                               | 3.0  | NBR 90 |  |  |  |  |  |  |  |  |
| 14438385    | O-Ring for threaded Plug 3 x 39     | 39                                                                                  | 3.0  | NBR 90 |  |  |  |  |  |  |  |  |
| 14438485    | O-Ring for threaded Plug 3 x 46     | 46                                                                                  | 3.0  | NBR 90 |  |  |  |  |  |  |  |  |
| 14438585    | O-Ring for threaded Plug 2.4 x 17.3 | 17.30                                                                               | 2.40 | NBR 90 |  |  |  |  |  |  |  |  |


Fiat 14545 Taper Thread Plugs  
Material  
STL: 4.8 steel Per 52605/01  
AL: Aluminum P-ALP 99.8 53209

\*\*Per DIN  
906



| Part Number | Description                     | Taper Thread d | b  | h | s  | e     | Mat'l | Finish |
|-------------|---------------------------------|----------------|----|---|----|-------|-------|--------|
| 14326101    | Plug, Pipe, M8X1.25X11 STL ZND  | 8 (x1.25)      | 11 | 6 | 4  | 4.59  | STL   | ZND    |
| 14326104    | Plug, Pipe, M8X1.25X11 STL DAC  | 8 (x1.25)      | 11 | 6 | 4  | 4.59  | STL   | DAC    |
| 14326150    | Plug, Pipe, M8X1.25X11 AL       | 8 (x1.25)      | 11 | 6 | 4  | 4.59  | AL    | PLN    |
| 47741913    | Plug, Pipe, M10X1X8 STL ZND     | 10 (x1)        | 8  | 6 | 5  | 5.73  | STL   | ZND    |
| 10266950    | Plug, Pipe, M10X1X8 AL          | 10 (x1)        | 8  | 6 | 5  | 5.73  | AL    | PLN    |
| 14325850    | Plug, Pipe, M10X1X11 AL         | 10 (x1)        | 11 | 6 | 5  | 5.73  | AL    | PLN    |
| 14326001    | Plug, Pipe, M10X1.25X11 STL ZND | 10 (x1.25)     | 11 | 6 | 5  | 5.73  | STL   | ZND    |
| 14326050    | Plug, Pipe, M10X1.25X11 AL      | 10 (x1.25)     | 11 | 6 | 5  | 5.73  | AL    | PLN    |
| 14326004    | Plug, Pipe, M10X1.25X11 STL DAC | 10 (x1.25)     | 11 | 6 | 5  | 5.73  | STL   | DAC    |
| 10275501    | Plug, Pipe, M12X1.25X11 STL ZND | 12 (x1.25)     | 11 | 6 | 6  | 6.87  | STL   | ZND    |
| 10275550    | Plug, Pipe, M12X1.25X11 ALUM    | 12 (X1.25)     | 11 | 6 | 6  | 6.87  | AL    | PLN    |
| 10275504    | Plug, Pipe, M12X1.25X11 STL DAC | 12 (x1.25)     | 11 | 6 | 6  | 6.87  | STL   | DAC    |
| 10269401    | Plug, Pipe, M12X1.5 X11 STL ZND | 12(x1.5)       | 11 | 6 | 6  | 6.87  | STL   | ZND    |
| 10269404    | Plug, Pipe, M12X1.5 X11 STL DAC | 12(x1.5)       | 11 | 6 | 6  | 6.87  | STL   | DAC    |
| 10269501    | Plug, Pipe, M14X1.5X11 STL ZND  | 14 (x1.5)      | 11 | 6 | 6  | 6.87  | STL   | ZND    |
| 10269504    | Plug, Pipe, M14X1.5X11 STL DAC  | 14 (x1.5)      | 11 | 6 | 6  | 6.87  | STL   | DAC    |
| 10269601    | Plug, Pipe, M16X1.5X11 STL ZND  | 16 (X1.5)      | 11 | 6 | 8  | 9.17  | STL   | ZND    |
| 10269704    | Plug, Pipe, M18X1.5X11 STL DAC  | 18 (x1.5)      | 11 | 6 | 10 | 11.45 | STL   | DAC    |
| 10268404    | Plug, Pipe, M20X1.5X11 STL DAC  | 20 (x1.5)      | 11 | 6 | 10 | 11.45 | STL   | DAC    |
| 10269801    | Plug, Pipe, M22X1.5X11 STL ZND  | 22 (x1.5)      | 11 | 6 | 12 | 13.74 | STL   | ZND    |
| 10269804    | Plug, Pipe, M22X1.5X11 STL DAC  | 22 (x1.5)      | 11 | 6 | 12 | 13.74 | STL   | DAC    |
| 92183987    | Plug, Pipe, M24X1.5X11 STL DAC  | 24 (x1.5)      | 11 | 6 | 12 | 13.74 | STL   | DAC    |
| **91893302  | Plug, Pipe, M30X1.5X12 STL ZND  | 30 (X1.5)      | 12 | 6 | 17 | 19.4  | STL   | ZND    |
| **84129711  | Plug, Pipe, M30X2X12 STL PLN    | 30 (X2)        | 12 | 6 | 17 | 19.4  | STL   | PLN    |

Fiat 14545 Threaded Rod Plugs  
Aluminum



| Part Number | Description                   | d  | e   | s |
|-------------|-------------------------------|----|-----|---|
| 10269150    | PLUG, THREADED M6 X 55 AL PLN | M6 | 5.3 | 4 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

96 OF 201

CNH NUMBERS

**87354249**

**STPX100**

| Fiat 14548  |                                 | Slotted Threaded Plugs |   |     |    |     |     |     |
|-------------|---------------------------------|------------------------|---|-----|----|-----|-----|-----|
| Part Number | Description                     | d                      | h | n   | D  | t   | Mat | Fin |
| 10151050    | Plug, Slotted Threaded M6       | M6                     | 6 | 1.5 | 50 | 1.5 | AL  | PLN |
| 10152111    | Plug, Slotted Threaded M8       | M8                     | 6 | 1.5 | 50 | 1.5 | 5.8 | ZND |
| 10152311    | Plug, Slotted Threaded M12x1.25 | M12x1.25               | 8 | 2.0 | 50 | 2   | 5.8 | ZND |
| 10152314    | Plug, Slotted Threaded M12x1.25 | M12x1.25               | 8 | 2.0 | 50 | 2   | 5.8 | DAC |
| 10150750    | Plug, Slotted Threaded M14x1.5  | M14x1.5                | 8 | 2.0 | 50 | 2   | AL  | PLN |

| Fiat 14551<br>Hexagon or square head taper pipe plug |                      | Material: ISO 898 |          | <p>Dimensions in mm</p> |                 |                |          |       |        |
|------------------------------------------------------|----------------------|-------------------|----------|-------------------------|-----------------|----------------|----------|-------|--------|
| Part Number                                          | Description          | Shape             | Thread   | Thread Length b         | Wrench Length h | Wrench Flats S | Length L | Mat'l | Finish |
| 14324011                                             | Plug, Taper M10X1    | A SQ-HD           | M10X1    | 9                       | 5               | 7              | 14       | 5.8   | ZND    |
| 14324014                                             | Plug, Taper M10X1    | A SQ-HD           | M10X1    | 9                       | 5               | 7              | 14       | 5.8   | DAC    |
| 14323911                                             | Plug, Taper M10X1.25 | A SQ-HD           | M10X1.25 | 9                       | 5               | 7              | 14       | 5.8   | ZND    |
| 14323914                                             | Plug, Taper M10X1.25 | A SQ-HD           | M10X1.25 | 9                       | 5               | 7              | 14       | 5.8   | DAC    |
| 14324111                                             | Plug, Taper M12X1.5  | A SQ-HD           | M12X1.5  | 13                      | 5               | 8              | 18       | 5.8   | ZND    |
| 14324114                                             | Plug, Taper M12X1.5  | A SQ-HD           | M12X1.5  | 13                      | 5               | 8              | 18       | 5.8   | DAC    |
| 14323611                                             | Plug, Taper M18X1.5  | A SQ-HD           | M18X1.5  | 13                      | 8               | 13             | 21       | 5.8   | ZND    |
| 14324411                                             | Plug, Taper M22X1.5  | B hex             | M22X1.5  | 13                      | 8               | 17             | 21       | 5.8   | ZND    |
| 14324414                                             | Plug, Taper M22X1.5  | B hex             | M22X1.5  | 13                      | 8               | 17             | 21       | 5.8   | DAC    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.


KM


PAGE

97 OF 201

CNH NUMBERS


**87354249**
**STPX100**


| Fiat 14552<br>Hexagon<br>Socket Head<br>taper Thread<br>plug | Material: Steel 52605/01 | <p>Dimensions in mm</p>  |    |    |   |   |   |     |        |
|--------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------|----|----|---|---|---|-----|--------|
| Part Number                                                  | Description              | d                                                                                                          | b  | f  | h | c | s | Mat | Finish |
| 14324911                                                     | Plug, Hex Soc M14x1.5    | M14x1.5                                                                                                    | 13 | 11 | 6 | 3 | 6 | 5.8 | ZND    |
|                                                              |                          |                                                                                                            |    |    |   |   |   |     |        |
|                                                              |                          |                                                                                                            |    |    |   |   |   |     |        |

| Fiat 14553<br>Hexagon<br>head<br>magnetic<br>threaded<br>plugs | Material: R50<br>Fiat 52605/01 |        | <p>Dimensions in mm</p>  |   |    |    |    |       |          |        |
|----------------------------------------------------------------|--------------------------------|--------|--------------------------------------------------------------------------------------------------------------|---|----|----|----|-------|----------|--------|
| Part Number                                                    | Desc                           | d      | D                                                                                                            | h | h1 | L  | s  | e     | Material | Finish |
| 14326211                                                       | Plug,<br>magnetic              | 22x1.5 | 9                                                                                                            | 8 | 5  | 21 | 17 | 18.90 | R50      | ZND    |


| Fiat 14553<br>Hexagon<br>head<br>magnetic<br>plugs | Material: Brass<br>Fiat 53436 |          | <p>Dimensions in mm</p> <p>Optional cavity</p> <p>Magnetic alloy</p> <p>Non-magnetic alloy</p> <p>C7/48</p> <p>10° max.</p> <p>Border turned in all around</p> <p>19 h13<br/>19,000<br/>18,670</p> |   |    |    |    |       |          |        |
|----------------------------------------------------|-------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----|----|----|-------|----------|--------|
| Part Number                                        | Desc                          | d        | D                                                                                                                                                                                                  | h | h1 | L  | s  | e     | Material | Finish |
| 14326540                                           | Plug,<br>magnetic             | 22 x 1.5 | 9                                                                                                                                                                                                  | 8 | 5  | 21 | 17 | 18.90 | Brass    | PLN    |

| Fiat 14561<br>Open and<br>Spring Clips | Material:<br>Steel FEP01-1 Fiat<br>52135<br><br>CR SHEET, CNH<br>MAT1010, GRADE A1 | <p style="text-align: center;"><u>OPEN METAL CLIPS</u></p> |    |     |     |          |        |
|----------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------|----|-----|-----|----------|--------|
|                                        |                                                                                    |                                                            |    |     |     |          |        |
| Part Number                            | Desc<br>d                                                                          | D                                                          | L  | h   | s   | Material | Finish |
| 10112904                               | Clamp, Open<br>1-6 STL DAC                                                         | 6                                                          | 23 | 1.5 | 1   | STL      | DAC    |
| 10113104                               | Clamp, Open<br>1-8 STL DAC                                                         | 8                                                          | 27 | 2   | 1   | STL      | DAC    |
| 10113201                               | Clamp, Open<br>1-10 STL ZND                                                        | 10                                                         | 31 | 3   | 1   | STL      | ZND    |
| 10113204                               | Clamp, Open<br>1-10 STL DAC                                                        | 10                                                         | 31 | 3   | 1   | STL      | DAC    |
| 10113301                               | Clamp, Open<br>1-12 STL ZND                                                        | 12                                                         | 36 | 4   | 1.5 | STL      | ZND    |
| 10113304                               | Clamp, Open<br>1-12 STL DAC                                                        | 12                                                         | 36 | 4   | 1.5 | STL      | DAC    |
| 10112504                               | Clamp, Open<br>1-16 STL DAC                                                        | 16                                                         | 46 | 5   | 1.5 | STL      | DAC    |

| Fiat 14562 cable and tubing spring clips<br>One Way<br><br>(Two way & Three way listed below) |             | Material: polyamide 55232 |                | <p>Supply position: pin fitted at 2 mm depth</p>  |      |      |     |      |    |           |        |
|-----------------------------------------------------------------------------------------------|-------------|---------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------|------|------|-----|------|----|-----------|--------|
| Part Number                                                                                   | Desc        | d<br>+0.05<br>-0.15       | D<br>+0.2<br>0 | a                                                                                                                                   | b    | h    | f   | l    | m  | Material  | Finish |
| 14571780                                                                                      | Clip, cable | 6.5                       | 5              | 6                                                                                                                                   | 10.5 | 16.2 | 7   | 18.5 | 12 | Polyimide | WHT    |
| 14571880                                                                                      | Clip, cable | 6.5                       | 6.3            | 6                                                                                                                                   | 12.2 | 18.2 | 8.5 | 20.2 | 12 | Polyimide | WHT    |
| 14571980                                                                                      | Clip, cable | 6.5                       | 8              | 6                                                                                                                                   | 16   | 22   | 9   | 22.7 | 12 | Polyimide | WHT    |
| 14571987                                                                                      | Clip, cable | 6.5                       | 8              | 6                                                                                                                                   | 16   | 22   | 9   | 22.7 | 12 | Polyimide | BLK    |

| Fiat 14562 cable and tubing spring clips<br>Style A |             | Material: polyamide 55232 |     |  |      |     |    |    |     |           |        |
|-----------------------------------------------------|-------------|---------------------------|-----|-------------------------------------------------------------------------------------|------|-----|----|----|-----|-----------|--------|
| Part Number                                         | Desc        | D                         | d   | a                                                                                   | b    | h   | l  | m  | D1  | Material  | Finish |
| 14574287                                            | Clip, cable | 12                        | 6.5 | 6                                                                                   | 18.5 | 9.5 | 16 | 12 | 6.5 | Polyimide | Black  |
| 14574180                                            | Clip, cable | 14                        | 8   | 6                                                                                   | 24   | 11  | 16 | 15 | 8   | Polyimide | White  |
| 14574187                                            | Clip, cable | 14                        | 8   | 6                                                                                   | 24   | 11  | 16 | 15 | 8   | Polyimide | Black  |


Fiat 14562  
cable and  
tubing spring  
clips  
Style C



| Part Number | D   | D1 | d | a | b  | c  | L  | l  | Material  | Color |
|-------------|-----|----|---|---|----|----|----|----|-----------|-------|
| 47603907    | 4.8 | 16 | 8 | 6 | 25 | 10 | 15 | 35 | PA 80.400 | Gray  |

Fiat 14562  
cable and  
tubing spring  
clips  
Two Way

Material:  
polyamide  
55232



| Part Number | Desc | d   | D   | D1  | a | b    | h    | c    | l  | l1 | l2 | m  | Mat       | Fin |
|-------------|------|-----|-----|-----|---|------|------|------|----|----|----|----|-----------|-----|
| 14575380    | Clip | 6.5 | 4.8 | 4.8 | 6 | 11   | 17   | 11   | 25 | 7  | 7  | 10 | Polyamide | wht |
| 14581080    | Clip | 6.5 | 4.8 | 6   | 6 | 11   | 20   | 13   | 27 | 7  | 8  | 9  | Polyamide | wht |
| 14575280    | Clip | 6.5 | 4.8 | 7.5 | 6 | 11   | 20   | 12.5 | 27 | 7  | 8  | 9  | Polyamide | wht |
| 14581180    | Clip | 6.5 | 6.3 | 6.3 | 6 | 12.5 | 18.5 | 12.5 | 28 | 8  | 8  | 9  | Polyamide | wht |
| 14575480    | Clip | 6.5 | 6   | 7.5 | 6 | 13.5 | 20   | 13.5 | 29 | 8  | 8  | 9  | Polyamide | wht |
| 14575580    | Clip | 6.5 | 7.5 | 7.5 | 6 | 13.5 | 20   | 13.5 | 29 | 8  | 8  | 9  | Polyamide | wht |
|             | Clip | 6.5 | 5.5 | 9   | 6 | 12.1 | 19   | 16.5 | 30 | 8  | 8  | 9  | Polyamide | wht |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM




PAGE



101 OF 201

CNH NUMBERS

**87354249**

**STPX100**

|                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |      |    |     |    |    |    |    |       |     |     |    |           |     |
|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|-----|----|----|----|----|-------|-----|-----|----|-----------|-----|
| Fiat 14562<br>cable and<br>tubing spring<br>clips<br>Two Way<br><br>Material:<br>polyamide<br>55232 | <div><div>Dimensions in mm</div><div>Supply position: pin fitted at 2 mm depth</div><div>8 Dia. leg</div><div>Example of application and seat</div><div></div><div></div><div></div></div> |      |    |     |    |    |    |    |       |     |     |    |           |     |
|                                                                                                     | Part Number                                                                                                                                                                                                                                                                                                                                                                                                                                     | Desc | d  | D   | D1 | a  | b  | h  | c     | l   | l1  | l2 | m         | Mat |
| 14503787                                                                                            | Clip                                                                                                                                                                                                                                                                                                                                                                                                                                            | 8    | 8  | 8   | 6  | 16 | 22 | 16 | 33.20 | 9.1 | 9.1 | 9  | Polyamide | blk |
| 51457783                                                                                            | Clip                                                                                                                                                                                                                                                                                                                                                                                                                                            | 8    | 14 | 4.8 | 6  | 24 | 18 | 11 | 40    | 15  | 9   | 15 | Polyamide | blk |

|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |
|----------------------------------------------------------------|------------------------------|-----|-----|-----|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|------|----|----|----|----|----------|-----|
| Fiat 14562<br>cable and<br>tubing spring<br>clips<br>Three Way | Material: polyamide<br>55232 |     |     |     |    | <div><div><p>Supply position: pin fitted at 2 mm depth</p></div><div><p>Example of application and seat</p></div></div> |      |    |      |    |    |    |    |          |     |
|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |
|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |
|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |
|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |
| Part Number                                                    | Desc                         | d   | D   | D1  | D2 | a                                                                                                                                                                                                                                                                                              | b    | h  | c    | l  | l1 | l2 | l3 | Mat      | Fin |
| 14504487                                                       | Clip                         | 8   | 6.3 | 8   | 8  | 6                                                                                                                                                                                                                                                                                              | 14.3 | 22 | 16   | 45 | 9  | 9  | 22 | Polymide | Blk |
| 14504387                                                       | Clip                         | 8   | 8   | 8   | 8  | 6                                                                                                                                                                                                                                                                                              | 15   | 21 | 15   | 47 | 9  | 9  | 23 | Polymide | Blk |
| 14579580                                                       | Clip                         | 6.5 | 8   | 6.3 | 8  | 6                                                                                                                                                                                                                                                                                              | 13.7 | 20 | 13.7 | 41 | 8  | 8  | 20 | Polymide | WHT |
|                                                                |                              |     |     |     |    |                                                                                                                                                                                                                                                                                                |      |    |      |    |    |    |    |          |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.


KM

PAGE

102 OF 201

CNH NUMBERS


**87354249**
**STPX100**

| Fiat 14562<br>cable and<br>tubing spring<br>clips | Material: polyamide<br>55232                 | Dimensions in mm<br> |
|---------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Part Number                                       | Description                                  |                                                                                                        |
| 14631387                                          | Cable and Tubing Spring Clip 15 X 15 Style Z |                                                                                                        |
| 14631587                                          | Cable and Tubing Spring Clip 28 X 16 Style Z |                                                                                                        |
| 14631887                                          | Cable and Tubing Spring Clip 45 X 28 Style Z |                                                                                                        |

Technical drawing of the Fiat 14564 cable and tubing snap-in clip. The drawing includes a side view, a top view, and a cross-section labeled "Sect. A-A". The side view shows a cylindrical body with a central hole of diameter  $d_1$  and a top flange of diameter  $c$ . The top view shows a circular base with a central hole of diameter  $d_1$  and a top flange of diameter  $c$ . The cross-section "Sect. A-A" shows the internal structure of the clip, including the top flange, the central hole, and the base. Dimensions are given in millimeters. The drawing also includes a note: "EXAMPLE OF APPLICATION" showing the clip being used to secure a cable or tubing to a surface.

at 14579  
Cages for  
Square Nuts

Material: Steel – Fiat 52806



| Part Number | Description                 | a   | s    | D | f   | l  | Material | Finish |
|-------------|-----------------------------|-----|------|---|-----|----|----------|--------|
| 12304100    | Cage, square nut 5.5 x 10.5 | 5.5 | 10.5 | 7 | 8.5 | 38 | STL      | PLN    |
|             |                             |     |      |   |     |    |          |        |

|            |                                    |  |
|------------|------------------------------------|--|
| Fiat 14607 | Rectangular Section Sealing Washer |  |
|------------|------------------------------------|--|

| Part Number | Description                         | d  | D    | Thickness | Material |
|-------------|-------------------------------------|----|------|-----------|----------|
| 10297860    | Seal, M6 x 12 copper rectangular    | 12 | 6.2  | 1.5       | Copper   |
| 14330260    | Seal, M8 x 12 copper rectangular    | 12 | 8.2  | 1         | Copper   |
| 10260060    | Seal, M8 x 14 copper rectangular    | 14 | 8.2  | 1         | Copper   |
| 10260860    | Seal, M8 x 14 copper rectangular    | 14 | 8.2  | 1.5       | Copper   |
| 10296360    | Seal, M10 x 14 copper rectangular   | 14 | 10.2 | 0.5       | Copper   |
| 10260160    | Seal, M10 x 14 copper rectangular   | 14 | 10.2 | 1         | Copper   |
| 10260150    | Seal, M10 x 14 aluminum rectangular | 14 | 10.2 | 1         | Aluminum |
| 10260960    | Seal, M10 x 14 copper rectangular   | 14 | 10.2 | 1.5       | Copper   |
| 10298360    | Seal, M10 x 16 copper rectangular   | 16 | 10.2 | 1         | Copper   |
| 10284460    | Seal, M10 x 16 copper rectangular   | 16 | 10.2 | 1.5       | Copper   |
| 10261060    | Seal, M12 x 16 copper rectangular   | 16 | 12.2 | 1.5       | Copper   |
| 10296160    | Seal, M12 x 18 copper rectangular   | 18 | 12.2 | 1         | Copper   |
| 10298460    | Seal, M12 x 18 copper rectangular   | 18 | 12.2 | 1.5       | Copper   |
| 10261160    | Seal, M14 x 18 copper rectangular   | 18 | 14.2 | 1.5       | Copper   |
| 10279760    | Seal, M14 x 20 copper rectangular   | 20 | 14.2 | 0.5       | Copper   |
| 10282460    | Seal, M14 x 20 copper rectangular   | 20 | 14.2 | 1         | Copper   |
| 10280060    | Seal, M14 x 20 copper rectangular   | 20 | 14.2 | 1.5       | Copper   |
| 10261360    | Seal, M16 x 20 copper rectangular   | 20 | 16.3 | 1.5       | Copper   |
| 10278650    | Seal, M16 x 22 aluminum rectangular | 22 | 16.3 | 1         | Aluminum |
| 10278660    | Seal, M16 x 22 copper rectangular   | 22 | 16.3 | 1         | Copper   |
| 10257060    | Seal, M16 x 22 copper rectangular   | 22 | 16.3 | 1.5       | Copper   |
| 10261460    | Seal, M16 x 24 copper rectangular   | 24 | 16.3 | 1.5       | Copper   |
| 10261560    | Seal, M18 x 22 copper rectangular   | 22 | 18.3 | 1.5       | Copper   |
| 10263160    | Seal, M18 x 24 copper rectangular   | 24 | 18.3 | 1         | Copper   |
| 10263150    | Seal, M18 x 24 aluminum rectangular | 24 | 18.3 | 1         | Aluminum |
| 10259960    | Seal, M18 x 24 copper rectangular   | 24 | 18.3 | 1.5       | Copper   |
| 10261660    | Seal, M18 x 26 copper rectangular   | 26 | 18.3 | 1.5       | Copper   |
| 10263360    | Seal, M20 x 26 copper rectangular   | 26 | 20.3 | 1         | Copper   |
| 91790342    | Seal, M20 x 26 aluminum rectangular | 26 | 20.3 | 1.5       | Aluminum |
| 10257460    | Seal, M20 x 26 copper rectangular   | 26 | 20.3 | 1.5       | Copper   |
| 10261760    | Seal, M20 x 28 copper rectangular   | 28 | 20.3 | 1.5       | Copper   |
| 10279560    | Seal, M22 x 28 copper rectangular   | 28 | 22.3 | 1         | Copper   |
| 10263450    | Seal, M22 x 28 aluminum rectangular | 28 | 22.3 | 1.5       | Aluminum |
| 10263460    | Seal, M22 x 28 copper rectangular   | 28 | 22.3 | 1.5       | Copper   |
| 10261850    | Seal, M22 x 30 aluminum rectangular | 30 | 22.3 | 1.5       | Aluminum |
| 10264560    | Seal, M24 x 32 copper rectangular   | 32 | 24.4 | 1.5       | Copper   |
| 10243760    | Seal, M26 x 34 copper rectangular   | 34 | 26.4 | 2         | Copper   |
| 10262160    | Seal, M28 x 34 copper rectangular   | 34 | 28.4 | 2         | Copper   |
| 10296260    | Seal, M28 x 36 copper rectangular   | 36 | 28.4 | 1.5       | Copper   |
| 10243860    | Seal, M28 x 36 copper rectangular   | 36 | 28.4 | 2         | Copper   |
| 10265060    | Seal, M32 x 38 copper rectangular   | 38 | 32.4 | 1.5       | Copper   |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

105 OF 201


CNH NUMBERS

**87354249**
**STPX100**

Fiat 14607

Rectangular Section Fiber Seals

Common Grade Color Black = General Application  
 Hard Grade Color Red = Sealing Application  
 Insulating Grade Color Grey = Electrical Application



| Part Number | Description                       | D    | d    | Thickness | Fiber Material Grade |
|-------------|-----------------------------------|------|------|-----------|----------------------|
| 10265160    | Seal, M35 x 41 copper rectangular | 41   | 35.4 | 1.5       | Copper               |
| 10287380    | WASHER, SEALING, M12X18X1.5       | 12.2 | 18.0 | 1.5       | Common               |
| 10287385    | WASHER, SEALING, M12X18X1.5       | 12.2 | 18.0 | 1.5       | Hard                 |
| 10296480    | WASHER, SEALING, M10X16X1.0       | 10.2 | 16   | 1.0       | Common               |
|             |                                   |      |      |           |                      |
|             |                                   |      |      |           |                      |
|             |                                   |      |      |           |                      |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


106 OF 201

CNH NUMBERS

**87354249**

**STPX100**


Fiat 14618 O-Rings  
 Procurement Spec: 9.14618  
 OR-R/150 - P.S. 9.14618 (HNBR)  
 OR-O/150 - P.S. 9.14618 (HNBR)  
 OR-GB/100 - P.S. 9.14618



| Part Number | Description                             | d<br>Nom<br>Section<br>mm | D<br>ID mm | Color           | Material  | Commercial Designation |
|-------------|-----------------------------------------|---------------------------|------------|-----------------|-----------|------------------------|
| 10318883    | O-RING, AIRCON 1.6X8.1X GREEN OR-R/150  | 1.6                       | 8.1        | Green           | OR-R/150  | --                     |
| 47963884    | O-RING, 1.6X8.1 OR-R/150                | 1.6                       | 8.1        | Yellow or Brown | OR-R/150  | --                     |
| 10319183    | O-RING, AIRCON 1.6X13.1 GREEN OR-R/150  | 1.6                       | 13.1       | Green           | OR-R/150  | --                     |
| 10319983    | O-RING, AIRCON 1.6X16.1 GREEN OR-R/150  | 1.6                       | 16.1       | Green           | OR-R/150  | --                     |
| 47963885    | O-RING, 1.6X16.1 OR-R/150               | 1.6                       | 16.1       | Yellow or Brown | OR-R/150  | --                     |
| 14452883    | O-RING, AIRCON 1.78X7.65 GREEN OR-R/150 | 1.78                      | 7.65       | Green           | OR-R/150  | 011                    |
| 47596010    | O-RING, 1.78x12.42 BLACK OR-O/150       | 1.78                      | 12.42      | BLK             | OR-O/150  | 014                    |
| 47596501    | O-RING, 1.78x18.77 BLACK OR-O/150       | 1.78                      | 18.77      | BLK             | OR-O/150  | 018                    |
| 92666242    | O-RING, 1.78x60.05 BLACK OR-O/150       | 1.78                      | 60.05      | BLK             | OR-O/150  | 036                    |
| 47595979    | O-RING, 1.78x75.92 BLACK OR-O/150       | 1.78                      | 75.92      | BLK             | OR-O/150  | 041                    |
| 14455986    | O-RING, 1.78x82.27 BLACK OR-O/150       | 1.78                      | 82.27      | BLK             | OR-O/150  | 042                    |
| 14450483    | O-RING, AIRCON 1.8X6.7 GREEN OR-R/150   | 1.8                       | 6.7        | Green           | OR-R/150  | --                     |
| 14450683    | O-RING, AIRCON 2.4X10.8 GREEN OR-R/150  | 2.4                       | 10.8       | Green           | OR-R/150  | --                     |
| 14450783    | O-RING, AIRCON 2.4X13.4 GREEN OR-R/150  | 2.4                       | 13.4       | Green           | OR-R/150  | --                     |
| 14450786    | O-RING, AIRCON 2.4X13.4 BLACK OR-O/150  | 2.4                       | 13.4       | BLK             | OR-O/150  | --                     |
| 14457389    | O-RING, 2.62X17.12 BLACK OR-GB/100      | 2.62                      | 17.12      | BLK             | OR-GB/100 | 115                    |
| 47632795    | O-RING, 2.62X21.89 BLACK OR-O/150       | 2.62                      | 21.89      | BLK             | OR-O/150  | 118                    |
| 47417679    | O-RING, 2.62X23.47 BLACK OR-O/150       | 2.62                      | 23.47      | BLK             | OR-O/150  | 119                    |
| 14458086    | O-RING, 2.62X28.24 BLACK OR-O/150       | 2.62                      | 28.24      | BLK             | OR-O/150  | 122                    |
| 47478179    | O-RING, 2.62X32.99 BLACK OR-O/150       | 2.62                      | 32.99      | BLK             | OR-O/150  | 125                    |
| 47995649    | O-RING, 2.62X36.17 BLACK OR-O/150       | 2.62                      | 36.17      | BLK             | OR-O/150  | 127                    |
| 48045772    | O-RING, 2.62X44.12 BLACK OR-O/150       | 2.62                      | 44.12      | BLK             | OR-O/150  | 132                    |
| 14465486    | O-RING, 3.53X82.14 BLACK OR-O/150       | 3.53                      | 82.14      | BLK             | OR-O/150  | 236                    |
| 47740126    | O-RING, 5.33X94.62 BLACK OR-O/150       | 5.33                      | 94.62      | BLK             | OR-O/150  | 343                    |

|                                               |      |            |                           |
|-----------------------------------------------|------|------------|---------------------------|
| NAME                                          | REV. | PAGE       | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 107 OF 201 | <b>87354249   STPX100</b> |

Fiat 14618/02 Washer, Sealing – Special seal rings type



| Designation | Ø A                                     | Ø B                                     | C<br>+0,07<br>-0,03 | E<br>±0:1 | Ø G<br>±0:12 | H    |
|-------------|-----------------------------------------|-----------------------------------------|---------------------|-----------|--------------|------|
| 3/8"        | 16.00 <sup>+0,13</sup> <sub>-0,12</sub> | 8.00 <sup>+0,26</sup> <sub>-0,00</sub>  | 1.25                | 2.03      | 10.67        | 0.41 |
| 1/2"        | 19.10 <sup>+0,13</sup> <sub>-0,12</sub> | 11.20 <sup>+0,11</sup> <sub>-0,15</sub> | 1.25                | 2.03      | 13.66        | 0.41 |
| 5/8"        | 23.60 <sup>+0,15</sup> <sub>-0,11</sub> | 15.50 <sup>+0,12</sup> <sub>-0,14</sub> | 1.25                | 2.13      | 18.03        | 0.51 |
| 3/4"        | 25.20 <sup>+0,20</sup> <sub>-0,08</sub> | 17.10 <sup>+0,19</sup> <sub>-0,07</sub> | 1.25                | 2.13      | 20.58        | 0.51 |

| STD. PART                 |               | Elastomeric part (EPDM)       | Washer                 |
|---------------------------|---------------|-------------------------------|------------------------|
| MATERIAL                  | Symbol        | 2AA712A13F17L14Z1 (75±5 IHRD) | DC 01                  |
|                           | Class - Table | Rubber – ASTM D 2000          | Steel – EN 10139       |
|                           | Treatment     | ---                           | Fe/Zn 7 IV S – 9.57405 |
| PROCUREMENT SPECIFICATION |               | 9.14618                       |                        |

| Part Number | Designation | Color |
|-------------|-------------|-------|
| 47624200    | 3/8"        | Black |
| 47624205    | 1/2"        | Black |
| 47624207    | 5/8"        | Black |
| 47624208    | 3/4"        | Black |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

108 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Fiat 14618/02 Washer, Sealing – Special seal rings type seal washer for 1234YF Gas Refrigerant

Dimensions in mm



| Designazione | Ø A                                     | Ø B                                     | C<br>+0,07<br>-0,03 | E<br>±0,1 | Ø G<br>±0,12 | H    |
|--------------|-----------------------------------------|-----------------------------------------|---------------------|-----------|--------------|------|
| 3/8"         | 18.00 <sup>+0,13</sup> <sub>-0,12</sub> | 8.00 <sup>+0,26</sup> <sub>-0,00</sub>  | 1.25                | 2.03      | 10.67        | 0.41 |
| 1/2"         | 19.10 <sup>+0,13</sup> <sub>-0,12</sub> | 11.20 <sup>+0,11</sup> <sub>-0,15</sub> | 1.25                | 2.03      | 13.66        | 0.41 |
| 5/8"         | 23.60 <sup>+0,15</sup> <sub>-0,11</sub> | 15.50 <sup>+0,12</sup> <sub>-0,14</sub> | 1.25                | 2.13      | 18.03        | 0.51 |
| 3/4"         | 25.20 <sup>+0,20</sup> <sub>-0,08</sub> | 17.10 <sup>+0,19</sup> <sub>-0,07</sub> | 1.25                | 2.13      | 20.58        | 0.51 |

| STD. PART                 |                           | Elastomeric part (HNBR) | Washer        |
|---------------------------|---------------------------|-------------------------|---------------|
| MATERIAL                  | Class                     | OR – R/150              | EN AW-6082-T6 |
|                           | PROCUREMENT SPECIFICATION | 9.14618                 | UNI EN 485-2  |
|                           | Treatment                 | ---                     | ---           |
| PROCUREMENT SPECIFICATION |                           | 9.14618                 |               |

| Part Number | Designation | Color |
|-------------|-------------|-------|
| 92318874    | 3/8"        | Brown |
| 92318875    | 1/2"        | Brown |
| 92318876    | 5/8"        | Brown |
| 92318877    | 3/4"        | Brown |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


109 OF 201


CNH NUMBERS

**87354249**

**STPX100**


| Fiat 14649  | Grease Relief Valves |  |     |      |     |   |    |          |        |
|-------------|----------------------|------------------------------------------------------------------------------------|-----|------|-----|---|----|----------|--------|
| Part Number | Description          | h                                                                                  | D   | L    | D1  | l | D2 | Material | Finish |
| 13411117    | Valve, Relief M10    | 2.5                                                                                | 6.5 | 12.5 | 3.5 | 7 | 2  | R50      | BLK    |
| 13410917    | Valve, Relief M10    | 2.5                                                                                | 6.5 | 12.5 | 3.5 | 7 | 2  | R50      | White  |

| Fiat<br>17309/05<br>Flexible fuel<br>lines | Material: E1-10<br>(9.02138/10) |  |      |    |     |     |                      |
|--------------------------------------------|---------------------------------|------------------------------------------------------------------------------------|------|----|-----|-----|----------------------|
| Part Number                                | Description                     | D1                                                                                 | De   | l1 | t   | l   | Material             |
| 19305980                                   | Hose, fuel 60mm                 | 7.5                                                                                | 14.5 | 21 | 0.7 | 60  | Fabric Reinfr Rubber |
| 19306080                                   | Hose, fuel 70mm                 | 7.5                                                                                | 14.5 | 21 | 0.7 | 70  | Fabric Reinfr Rubber |
| 92113570                                   | Hose, fuel 140mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 110 | Fabric Reinfr Rubber |
| 19306780                                   | Hose, fuel 140mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 140 | Fabric Reinfr Rubber |
| 47421619                                   | Hose, fuel 160mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 160 | Fabric Reinfr Rubber |
| 47421631                                   | Hose, fuel 170mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 170 | Fabric Reinfr Rubber |
| 47421643                                   | Hose, fuel 190mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 190 | Fabric Reinfr Rubber |
| 47738704                                   | Hose, fuel 210mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 210 | Fabric Reinfr Rubber |
| 51456403                                   | Hose, fuel 225mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 225 | Fabric Reinfr Rubber |
| 47738705                                   | Hose, fuel 280mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 280 | Fabric Reinfr Rubber |
| 47421652                                   | Hose, fuel 300mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 300 | Fabric Reinfr Rubber |
| 19308080                                   | Hose, fuel 340mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 340 | Fabric Reinfr Rubber |
| 47738706                                   | Hose, fuel 360mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 360 | Fabric Reinfr Rubber |
| 19308280                                   | Hose, fuel 380mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 380 | Fabric Reinfr Rubber |
| 47831652                                   | Hose, fuel 430mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 430 | Fabric Reinfr Rubber |
| 47778642                                   | Hose, fuel 450mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 450 | Fabric Reinfr Rubber |
| 19308780                                   | Hose, fuel 480mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 480 | Fabric Reinfr Rubber |
| 19308980                                   | Hose, fuel 525mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 525 | Fabric Reinfr Rubber |
| 19309180                                   | Hose, fuel 575mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 575 | Fabric Reinfr Rubber |
| 51456404                                   | Hose, fuel 610mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 610 | Fabric Reinfr Rubber |
| 51424762                                   | Hose, fuel 660mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 660 | Fabric Reinfr Rubber |
| 51424764                                   | Hose, fuel 700mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 700 | Fabric Reinfr Rubber |
| 51456405                                   | Hose, fuel 720mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 720 | Fabric Reinfr Rubber |
| 47880050                                   | Hose, fuel 735mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 735 | Fabric Reinfr Rubber |
| 48193594                                   | Hose, fuel 830mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 830 | Fabric Reinfr Rubber |
| 91807713                                   | Hose, fuel 865mm                | 7.5                                                                                | 14.5 | 21 | 0.7 | 865 | Fabric Reinfr Rubber |

|             |                                                                                      |    |     |    |  |  |  |          |        |
|-------------|--------------------------------------------------------------------------------------|----|-----|----|--|--|--|----------|--------|
| Fiat 19225  |  |    |     |    |  |  |  |          |        |
| DIN 911     |                                                                                      |    |     |    |  |  |  |          |        |
| Part Number | Description                                                                          | s  | l1  | l2 |  |  |  | Material | Finish |
| 87682399    | WRENCH, ALLEN M3                                                                     | 3  | 63  | 20 |  |  |  | AST      | ZN     |
| 14534579    | WRENCH, ALLEN M12                                                                    | 12 | 125 | 45 |  |  |  | AST      | ZN     |

Fiat  
91107/13  
Single  
Conductor  
Copper  
Cables  
w/Class  
T2  
insulation


Material:  
Electrolytic  
Copper and  
Synthetic  
resin  
thermal  
plastic



| Part Number | Description           | d    | s    | D   | Material         | Color  |
|-------------|-----------------------|------|------|-----|------------------|--------|
| 10630893    | Cable, CU 0.5 PR BLUE | 1    | 0.22 | 1.6 | Insulated Copper | Blue   |
| 10645593    | Cable, CU 1 PR GREY   | 1.35 | 0.24 | 2.1 | Insulated Copper | Grey   |
| 10647493    | Cable, CU 1 PR PINK   | 1.35 | 0.24 | 2.1 | Insulated Copper | Pink   |
| 10658093    | Cable, 1.5 CU PURPLE  | 1.7  | 0.24 | 2.4 | Insulated Copper | Purple |
| 10658193    | Cable, 1.5 CU PURPLE  | 1.7  | 0.24 | 2.4 | Insulated Copper | Purple |
| 10663493    | Cable, 2.5 CU GREY    | 2.2  | 0.28 | 3.0 | Insulated Copper | Grey   |
| 10648693    | Cable, 16 CU RED      | 5.6  | 1.6  | 9.0 | Insulated Copper | Red    |


Fiat  
91220  
fixing clip

Mat  
plstc  
blk




| Part Number | Desc | r1  | r2   | r3   | a    | b | c    | d     | e    | f    | g   | e    | i    | Mat   | Fin |
|-------------|------|-----|------|------|------|---|------|-------|------|------|-----|------|------|-------|-----|
| 10323387    |      | 8.9 | 10.9 | 12.9 | 4.45 | 7 | 13.7 | 13.25 | 25.4 | 13.7 | 2.9 | 38.3 | 28.8 | plstc | blk |

Fiat 91220 Protective Sheaths for Wiring



| Part Number | Description     | Supplier No | Matl | D        | a          | Finish |
|-------------|-----------------|-------------|------|----------|------------|--------|
| 10600387    | Tube Insulating | PLAS7NE070  | T3   | 7,10,121 | 132%63%35% | Black  |


| Fiat<br>91229<br>Sheet 5<br>Thin wall<br>Heat-shrink<br>sleeves<br>with<br>adhesive.<br>Style<br>TCC-125 | Material<br>Ritculated<br>polyolefin<br>plastic. | Dimensions in mm |         |  |                    |                   |                    |            |        |
|----------------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------|---------|------------------------------------------------------------------------------------|--------------------|-------------------|--------------------|------------|--------|
|                                                                                                          | Color<br>Black                                   |                  |         |                                                                                    |                    |                   |                    |            |        |
| Part Number                                                                                              | Description                                      | Designation      | Marking | L<br>Length                                                                        | D<br>ID<br>Initial | d<br>ID<br>Shrunk | w<br>Wall<br>Thick | Material   | Finish |
| 10815887                                                                                                 | Sleeve,<br>Heat Sink<br>TCC-5                    | TCC-5            | XXX-5   | 45                                                                                 | 19.5               | 2.5               | 2.35               | Polyolefin | Black  |
| 19108887                                                                                                 | Sleeve,<br>Heat Sink<br>6/2                      | 6/2              | XXX-6/2 |                                                                                    | 6                  | 2                 | 0.65               | Polyolefin | Black  |


|                      |                       |
|----------------------|-----------------------|
| Fiat 91310           | Material Fiat 53550   |
| Sheet 2              |                       |
| Tube tongue terminal | CU 99.5 TUBO TRF DURO |


Copper


## Type D/4


| Part Number | Description                       | Type | D<br>Screw<br>Hole | a  | b   | cd   | Material | Finish  |
|-------------|-----------------------------------|------|--------------------|----|-----|------|----------|---------|
| 10419264    | Terminal, Type D/4 90<br>Deg 6x16 | D/4  | 6.5                | 23 | 8.6 | 35.4 | Copper   | Cu/Sn/A |

| Fiat 91310<br>Sheet 2<br>Tube tongue<br>terminal | Material Fiat 53438<br>Brass | <p><i>Type A</i></p>  |    |    |    |    |    |    |    |   |          |         |
|--------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------|----|----|----|----|----|----|----|---|----------|---------|
| Part Number                                      | Description                  | D                                                                                                       | D1 | R  | a  | b  | c  | h  | l  | s | Material | Finish  |
| 10407344                                         | Terminal, Type A<br>8 x 25   | 8.4                                                                                                     | 8  | 19 | 16 | 31 | 11 | 15 | 40 | 1 | BRASS    | Cu/Sn/A |

| Fiat 91328<br>Cable ties | Polyamide Plastic<br>55232 | <p>Dimensions in mm</p>  |     |       |  |          |  |  |  |  |  |  |
|--------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------|-----|-------|--|----------|--|--|--|--|--|--|
| Part Number              | Description                | L2                                                                                                          | h   | Color |  | Material |  |  |  |  |  |  |
| 14560087                 | Tie, Cable 103mm           | 103                                                                                                         | 2.6 | Black |  | Plastic  |  |  |  |  |  |  |
| 14560187                 | Tie, Cable 199mm           | 199                                                                                                         | 3.7 | Black |  | Plastic  |  |  |  |  |  |  |
| 14560287                 | Tie, Cable 277mm           | 277                                                                                                         | 4.8 | Black |  | Plastic  |  |  |  |  |  |  |

| Fiat 91328<br>Cable ties | Polyamide Plastic<br>55232 | <p>STYLE D/1</p>  |    |    |       |  |          |  |  |  |  |  |
|--------------------------|----------------------------|-------------------------------------------------------------------------------------------------------|----|----|-------|--|----------|--|--|--|--|--|
| Part Number              | Description                | L1                                                                                                    | L2 | L3 | Color |  | Material |  |  |  |  |  |


| 14560387                 | Tie, cable 330mm           | 371                                                                                | 380   | 330   | Black | Plastic         |
|--------------------------|----------------------------|------------------------------------------------------------------------------------|-------|-------|-------|-----------------|
| Fiat 91328<br>Cable ties | Polyamide Plastic<br>55232 |  |       |       |       |                 |
| Part Number              | Description                | Designation                                                                        | A     | L     | Color | Number of Teeth |
| 14567787                 | STRAP, 126.5 black         | 126.5                                                                              | 77    | 126.5 | black | 22              |
| 14568387                 | STRAP, 200 black           | 200                                                                                | 150.5 | 200   | black | 43              |
| 14596187                 | STRAP, 270 black           | 270                                                                                | 220.5 | 270   | black | 63              |
| 14569387                 | STRAP, 385.5 black         | 385.5                                                                              | 336   | 385.5 | black | 96              |

|                          |                       |                                                                                     |       |       |
|--------------------------|-----------------------|-------------------------------------------------------------------------------------|-------|-------|
| Fiat 91328<br>Cable Ties | Amid Plastic<br>55232 |  |       |       |
| Part Number              | Description           | Designation                                                                         | Matl  | Color |
| 10900987                 | CABLE TIE, 185 BLACK  | 185                                                                                 | NYLON | BLACK |

Fiat 91332/48

WATER TIGHT CONNECTOR

SERIES 150 SUPER SEAL



| Part Number | Description | Style | Matl                | Finish |
|-------------|-------------|-------|---------------------|--------|
| 12453183    | CONNECTOR   | 2 WAY | AMIDE PLASTIC 55232 | GREEN  |
| 12453186    | CONNECTOR   | 2 WAY | AMIDE PLASTIC 55232 | GREY   |
| 12453187    | CONNECTOR   | 2 WAY | AMIDE PLASTIC 55232 | BLACK  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


115 OF 201

CNH NUMBERS


**87354249**

**STPX100**

| Fiat 91332/48 | Tab Terminal<br>Brass 53442 | <p>Dimensions in mm, with tolerance <math>\pm 0.2</math> (unless otherwise indicated)</p>  <p>Top view dimensions: 2.5, 2.5, 1.8 <math>\pm 0.1</math>, 2.5.</p> <p>Side view dimensions: 1.6, 2.6, 2, 10.4, 22.7 <math>\pm 0.3</math>, 0.8 <math>\pm 0.1</math>.</p> <p>Section A-A dimensions: 1.5 <math>\pm 0.1</math>, 1.5 <math>\pm 0.2</math>.</p> <p>Section B-B dimensions: 0.32 <math>\pm 0.02</math>, a, R 0.8, b, h.</p> |     |     |     |     |
|---------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|
| Part Number   | Description                 | Style                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | a   | b   | h   | h1  |
| 12451944      | Tab Terminal style B        | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 3.2 | 5.2 | 3.3 | 4.7 |


| Fiat 91351  | Wire Terminals and Plug<br>Seals<br>Material TC 200-50 |  <p>Dimensions: a, b, c, d, e, f, g, h.</p> |     |     |     |     |     |     |     |          |
|-------------|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|----------|
| Part Number | Description                                            | a                                                                                                                               | b   | c   | d   | e   | f   | g   | h   | Color    |
| 12308982    | TERMINAL, TC 200-50                                    | 0.7                                                                                                                             | 3.4 | 3.9 | 5.4 | 5.6 | 4.3 | 7.8 | 0.8 | LT. Blue |
| 12452181    | TERMINAL, TC 200-50                                    | 1.4                                                                                                                             |     |     | 5.9 | 6.1 |     |     |     | Yellow   |

Fiat 91815  
Blade Fuses for  
Electrical Systems  
w/insulating Body  
(picture to right  
show type c)



| Part Number | Description          | AMP | Color  | Type | Mat. Symblo |  |  |  |
|-------------|----------------------|-----|--------|------|-------------|--|--|--|
| 10404290    | FUSE, 80 AMP Type co | 80  | white  | co   | PET GF30    |  |  |  |
| 11056390    | FUSE, 150 AMP Type c | 150 | Orange | C    | PET GF30    |  |  |  |
| 11056490    | FUSE, 175 AMP Type c | 175 | WHITE  | C    | PET GF30    |  |  |  |

Fiat Hitachi  
2405/02  
Elbow, 45 37FL Metric  
Thread



| Part Number | Description                         | d         | d1      | L    | L1   | I    | I1 | S  | S1 |
|-------------|-------------------------------------|-----------|---------|------|------|------|----|----|----|
| 5167217     | ELBOW, 37FL -10<br>MALE M22X1.5 ORB | 7/8-14    | M22X1.5 | 28   | 38.5 | 19.3 | 14 | 30 | 22 |
| 87625215    | ELBOW, 37FL -12<br>MALE M22X1.5 ORB | 1-1/16-12 | M22X1.5 | 32.5 | 40.1 |      |    | 27 | 27 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

117 OF 201



CNH NUMBERS

**87354249**

**STPX100**

| Fiat Hitachi<br>2405/02 |                                     | Elbow, 90 37FL Metric<br>Thread<br>ISO 6149 ORB |         |      |      |      |      |    |    |
|-------------------------|-------------------------------------|-------------------------------------------------|---------|------|------|------|------|----|----|
| Part Number             | Description                         | d                                               | d1      | L    | L1   | I    | I1   | S  | S1 |
| 79067014                | ELBOW, 37FL -04<br>MALE M10X1 ORB   | 7/16-20                                         | M10X1   | 22.6 | 26   | 14   | 8    | 14 | 11 |
| 79067016                | ELBOW, 37FL -05<br>MALE M12X1.5 ORB | 1/2-20                                          | M12x1.5 | 26.9 | 31.5 | 14   | 12   | 17 | 13 |
| 79067018                | ELBOW, 37FL -06<br>MALE M14X1.5 ORB | 9/16-18                                         | M14X1.5 | 26,9 | 31.5 | 14.1 | 12   | 19 | 14 |
| 5158364                 | ELBOW, 37FL -10<br>MALE M22X1.5 ORB | 7/8-14                                          | M22x1.5 | 36.5 | 43   | 19.3 | 14   | 30 | 22 |
| 90403044                | ELBOW, 37FL -12<br>MALE M22X1.5 ORG | 1-1/16-12                                       | M22X1.5 | 42.2 | 45   | 21.9 | 12.8 | 27 | 27 |
| 79067025                | ELBOW, 37FL -05<br>MALE M27X2 ORB   | 1-1/16-12                                       | M27x2   | 42.2 | 49   | 21.9 | 16   | 36 | 27 |


| Fiat Hitachi<br>2405/02 |                                  | Straight Long |         |                   |    |      |    |    |  |
|-------------------------|----------------------------------|---------------|---------|-------------------|----|------|----|----|--|
| Part Number             | Description                      | d             | d1      | L                 | L1 | I    | I1 | S  |  |
| 79066970                | ADAPTER, ORB 9/16-<br>18 M14X1.5 | 9/16-18       | M14x1.5 | 39 opp<br>39.6 or | 59 | 13.7 | 12 | 19 |  |

|                               |                                                                                                                                                                                                                                                                         |                                                                                    |      |  |      |       |  |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------|--|------|-------|--|
| IFI 524<br>STPC510<br>STPA020 | <p>Prevailing Torque Screws<br/>Oval Countersunk Head Machine Screws<br/>CNH Materials and Finishes.</p> <p>Prevailing Torque Oval Head Machine Screw<br/>with Non-Mataltic Patch</p>  |  |      |  |      |       |  |
| Part No                       | Description                                                                                                                                                                                                                                                             | Dia.                                                                               | Len. |  | Mat. | Fin.. |  |
| 87645501                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 16 Full 5.8 PHC                                                                                                                                                                                                      | 6                                                                                  | 16   |  | 5.8  | PHC   |  |
| 84257555                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 16 Full 5.8 BGM                                                                                                                                                                                                      | 6                                                                                  | 16   |  | 5.8  | BGM   |  |
| 87645505                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 20 Full 5.8 PHC                                                                                                                                                                                                      | 6                                                                                  | 20   |  | 5.8  | PHC   |  |
| 84257556                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 20 Full 5.8 BGM                                                                                                                                                                                                      | 6                                                                                  | 20   |  | 5.8  | BGM   |  |
| 87645506                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 25 Full 5.8 PHC                                                                                                                                                                                                      | 6                                                                                  | 25   |  | 5.8  | PHC   |  |
| 84263391                      | Screw, Oval Countersunk C/R-H W-Chem Patch<br>M6 X 25 Full 5.8 BGM                                                                                                                                                                                                      | 6                                                                                  | 25   |  | 5.8  | BGM   |  |

ISO 1179 CONNECTOR, MALE ORFS BSPP O.R.

Port  
SAE J1453  
F42EDMLO

\*FOR  
Pn/SA502025  
-3842



| Std. O-Ring Fitting Part Number | Trapezoidal Seal Fitting Part No. | Description                             | BSPP T42 | UN/UNF-2A T | H  | HH   | L5   |
|---------------------------------|-----------------------------------|-----------------------------------------|----------|-------------|----|------|------|
| 47135740                        | 92834327                          | Conn, 9/16-18 ORFS 1/4-19 BSPP ORB      | 1/4-19   | 9/16-18     | 19 | 18.5 | 30.5 |
| 47368443                        |                                   | Conn, 11/16-16 ORFS 1/4-19 BSPP ORB     | 1/4-19   | 11/16-16    | 19 |      | 31.5 |
| 76041699                        |                                   | Conn, 13/16-16 ORFS 1/4-19 BSPP ORB     | 1/4-19   | 13/16-16    | 22 | 28   | 38   |
| 91873521                        |                                   | Conn, 9/16-18 ORFS 1/8-28 BSPP ORB      | 1/8-28   | 9/16-18     | 17 | 17.7 | 25.7 |
| 87549590                        |                                   | Conn, 11/16-16 ORFS 1/8-28 BSPP ORB     | 1/8-28   | 11/16-16    | 19 | 23   | 31   |
| 91873522                        |                                   | Conn, 9/16-18 ORFS 3/8-19 BSPP ORB      | 3/8-19   | 9/16-18     | 22 | 19.6 | 31.6 |
| 84600280                        | 92834351                          | Conn, 11/16-16 ORFS 3/8-19 BSPP ORB     | 3/8-19   | 11/16-16    | 22 | 21   | 33   |
| 92661331                        |                                   | Conn, 1-14 ORFS 3/8-19 BSPP ORB         | 3/8-19   | 1-14        | 27 | 31   | 43   |
| 47693301                        | 92834328                          | Conn, 11/16-16 ORFS 1/2-14 BSPP ORB     | 1/2-14   | 11/16-16    | 27 | 23   | 37   |
| 87312333                        | 92834219                          | Conn, 13/16-16 ORFS 3/8-19 BSPP ORB     | 3/8-19   | 13/16-16    | 22 | 23   | 35   |
| 76045654                        | 92834346                          | Conn, 13/16-16 ORFS 1/2-14 BSPP ORB     | 1/2-14   | 13/16-16    | 27 | 24   | 38   |
| 92677647                        |                                   | Conn, 11/16-16 ORFS 3/4-14 BSPP ORB     | 3/4-14   | 11/16-16    | 32 | 24   | 40   |
| 84188738                        | 92765929                          | Conn, 13/16-16 ORFS 3/4-14 BSPP ORB     | 3/4-14   | 13/16-16    | 32 | 26   | 42   |
| 48184022                        |                                   | Conn, 1-3/16-12 ORFS 3/4-14 BSPP ORB    | 3/4-14   | 1-3/16-12   | 32 | 30   | 46   |
| 92786715                        |                                   | Conn, 1-3/16-12 ORFS 1-11 BSPP ORB      | 1-11     | 1-3/16-12   | 41 | 31   | 49   |
| 48184021                        |                                   | Conn, 1-7/16-12 ORFS 3/4-14 BSPP ORB    | 3/4-14   | 1-7/16-12   | 41 | 36   | 50   |
| 91829128                        |                                   | Conn, 1-11/16-12 ORFS 3/4-14 BSPP ORB   | 3/4-14   | 1-11/16-12  | 46 | 35.5 | 49.5 |
| 84316432                        | 92834330                          | Conn, 1-14 ORFS 1/2-14 BSPP ORB         | 1/2-14   | 1-14        | 27 | 27   | 41   |
| 71484828                        |                                   | Conn, 1-14 ORFS 3/4-14 BSPP ORB         | 3/4-14   | 1-14        | 36 | 29.5 | 43.5 |
| 47831583                        | 92823857                          | Conn, 1-14 ORFS 1-11 BSPP ORB           | 1-11     | 1-14        | 41 | 30   | 48   |
| 79105687                        |                                   | Conn, 1-7/16-12 ORFS 1-11 BSPP ORB      | 1-11     | 1-7/16-12   | 41 | 32.5 | 48   |
| 91896395                        |                                   | Conn, 1-11/16-12 ORFS 1-11 BSPP ORB     | 1-11     | 1-11/16-12  | 46 | 39   | 57   |
| 47453070                        |                                   | Conn, 1-7/16-12 ORFS 1-1/4-11 BSPP ORB  | 1-1/4-11 | 1-7/16-12   | 50 | 34   | 51.5 |
| 84593502*                       |                                   | Conn, 2-12 ORFS 1-1/4-11 BSPP ORB       | 1-1/4-11 | 2-12        | 55 |      | 53   |
| 92733869                        |                                   | Conn, 1-11/16-12 ORFS 1-1/2-11 BSPP ORB | 1-1/2-11 | 1-11/16-12  | 55 | 35.6 | 57.6 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

120 OF 201


CNH NUMBERS

**87354249**

**STPX100**

ISO 1179  
Port  
  
FOR  
A503011


CONNECTOR, MALE BULKHEAD ORFS -  
MALE BSPP with O.R and Retaining Ring  
ISO 1179 Ports



| Part No. | F        | F1        | A  | B    | D  | CH | CH1 |
|----------|----------|-----------|----|------|----|----|-----|
| 92741739 | 13/16-16 | G3/4-14 A | 66 | 36.5 | 16 | 36 | 30  |
|          |          |           |    |      |    |    |     |

90 (ADJ)  
ELBOW  
MALE ORFS  
/ MALE  
BSPP O. R.  
and  
Retaining  
Ring ISO  
1179 Ports

FOR A507032



| T       |          | End Size   |                  | B    | C    | CH | Std. O-Ring<br>Fitting Part<br>Number | Trapezoidal<br>Seal Fitting<br>Part No. |
|---------|----------|------------|------------------|------|------|----|---------------------------------------|-----------------------------------------|
| MM.     | IN       | F – ORFS   | F1 – BSPP<br>GAS |      |      |    |                                       |                                         |
| 6       | 1/4      | 9/16-18    | G1/4-19A         | 23.5 | 35   | 19 | 91743679                              |                                         |
| 8 – 10  | 5/16-3/8 | 11/16-16   | G1/4-19A         | 25   | 36   | 19 | 71436868                              | 92823842                                |
| 8 – 10  | 5/16-3/8 | 11/16-16   | G1/2-14A         | 30   | 50   | 27 | 47695904                              |                                         |
| 14 - 16 | 5/8      | 1-14       | G3/8-19A         | 35   | 43   | 24 | 90403140                              |                                         |
| 14 - 16 | 5/8      | 1-14       | G1/2-14A         | 33   | 49   | 27 | 48125191                              |                                         |
| 14 - 16 | 5/8      | 1-14       | G3/4-14A         | 36   | 51.5 | 36 | 76054861                              | 92834361                                |
| 14 - 16 | 5/8      | 1-14       | G1-11A           | 40   | 58   | 41 | 47906503                              |                                         |
| 18 - 20 | 3/4      | 1-3/16-12  | G3/4-14A         | 37.5 | 51.5 | 36 | 76036879                              |                                         |
| 18 - 20 | 3/4      | 1-3/16-12  | G1-11 A          | 41.5 | 58   | 41 | 500408047                             |                                         |
| 22 - 25 | 7/8 - 1  | 1-7/16-12  | G3/4-14A         | 42   | 56   | 36 | 48184020                              |                                         |
| 22 - 25 | 7/8 - 1  | 1-7/16-12  | G1-11 A          | 42   | 58   | 41 | 85809014                              |                                         |
| 28 - 32 | 1-1/4    | 1-11/16-12 | G1-11 A          | 45   | 60   | 41 | 76069294                              |                                         |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

121 OF 201


CNH NUMBERS

**87354249**

**STPX100**


ORFS Tube  
end / Female  
BSPP thread  
(1179-1)

Adapter  
(Ref: G4MLOSMO)



| Tube OD |     | End Size |         | E  | H  | HH | Part Number |
|---------|-----|----------|---------|----|----|----|-------------|
| MM.     | IN  | T – ORFS | T4 BSPP |    |    |    |             |
| 8, 10   | 3/8 | 11/16-16 | 1/2-14  | 27 | 30 | 38 | 92673931    |
|         |     |          |         |    |    |    |             |
|         |     |          |         |    |    |    |             |

ISO 12151-2  
90D SWEPT ELBOW  
24D O-Ring Cone  
Light Duty  
DKOL90



| Part No. | Hose ID |      |       | Thread  | Tube mm | H   | L   | K   | S  | Mat'l | Finish |
|----------|---------|------|-------|---------|---------|-----|-----|-----|----|-------|--------|
|          | DN      | Size | Inch  |         |         |     |     |     |    |       |        |
|          | 5       | 03   | 3/16  | M12X1.5 | 6       | 27  | 52  | 28  | 14 |       |        |
|          | 5       | 03   | 3/16  | M14X1.5 | 8       | 27  | 52  | 28  | 17 |       |        |
|          | 6       | 04   | 1/4   | M12X1.5 | 6       | 26  | 53  | 26  | 17 |       |        |
|          | 6       | 04   | 1/4   | M14X1.5 | 8       | 29  | 57  | 29  | 17 |       |        |
|          | 6       | 04   | 1/4   | M16X1.5 | 10      | 29  | 57  | 30  | 19 |       |        |
|          | 6       | 04   | 1/4   | M18X1.5 | 12      | 29  | 57  | 32  | 22 |       |        |
|          | 8       | 05   | 5/16  | M16X1.5 | 10      | 31  | 59  | 33  | 19 |       |        |
|          | 8       | 05   | 5/16  | M18X1.5 | 12      | 28  | 56  | 32  | 22 |       |        |
|          | 10      | 06   | 3/8   | M16X1.5 | 10      | 31  | 61  | 31  | 19 |       |        |
| 84544709 | 10      | 06   | 3/8   | M18X1.5 | 12      | 31  | 61  | 33  | 22 | STL   | ZND    |
|          | 10      | 06   | 3/8   | M22X1.5 | 15      | 31  | 61  | 35  | 27 |       |        |
|          | 12      | 08   | 1/2   | M22X1.5 | 15      | 37  | 70  | 38  | 27 |       |        |
|          | 12      | 08   | 1/2   | M26X1.5 | 18      | 37  | 70  | 40  | 32 |       |        |
|          | 16      | 10   | 5/8   | M26X1.5 | 18      | 44  | 80  | 45  | 32 |       |        |
| 90367821 | 16      | 10   | 5/8   | M30X2   | 22      | 44  | 80  | 47  | 36 | STL   | ZND    |
|          | 20      | 12   | 3/4   | M26X1.5 | 18      | 54  | 94  | 57  | 32 |       |        |
| 90367822 | 20      | 12   | 3/4   | M30X2   | 22      | 54  | 94  | 52  | 36 | STL   | ZND    |
|          | 25      | 16   | 1     | M36X2   | 28      | 70  | 121 | 66  | 41 |       |        |
|          | 32      | 20   | 1 1/4 | M45X2   | 35      | 84  | 141 | 83  | 50 |       |        |
|          | 40      | 24   | 1 1/4 | M52X2   | 42      | 100 | 164 | 100 | 60 |       |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


122 OF 201

CNH NUMBERS

**87354249**


**STPX100**

| PARKER<br>30682-10-10 FEMALE 37 D CONNECTOR<br>MALE BARB |                    |  |          |          |         |
|----------------------------------------------------------|--------------------|------------------------------------------------------------------------------------|----------|----------|---------|
| Part Number                                              | Description        | LENGTH-A                                                                           | LENGTH-B | SWIVEL-W | HOSE ID |
| 87610700                                                 | 5/8 HOSE X 5/8 ORB | 2.54                                                                               | 1.09     | 7/8-14   | 5/8     |
| 920019329                                                | 32MM HOSE X 1-5/8  |                                                                                    |          | 1-5/8-12 |         |

| Parker 14FSV<br><br>45 Degree Flare<br>Swivel Nut Valve Connector<br>SAE J513 Fig 010108 |                                  |  |                |       |              |
|------------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------------------------|----------------|-------|--------------|
| Part Number                                                                              | Description                      | Tube Size                                                                           | StraightThread | C Hex | L length Min |
| 87733375                                                                                 | Connector, 45D 3/8 Female Swivel | 3/8                                                                                 | 5/8-18         | 13/16 | 1.50         |

ISO 7380-2

Hex Socket Flange  
(Collar) Button Head  
Screws



| Part Number | Description             | d  | da max | l  | A max | S   | k max | t min | Q max | Mat  | Fin |
|-------------|-------------------------|----|--------|----|-------|-----|-------|-------|-------|------|-----|
|             | Screw, M3               | M3 | 3.6    |    | 6.9   | 2   | 1.65  | 1.04  | 0.7   |      |     |
| 91804800    | Screw, M4 x 10 10.9 BZN | M4 | 4.7    | 10 | 9.4   | 2.5 | 2.2   | 1.30  | 0.8   | 10.9 | BZN |
| 90359398    | Screw, M4 x 16 SST BLO  | M4 | 4.7    | 16 | 9.4   | 2.5 | 2.2   | 1.30  | 0.8   | SST  | BLO |
| 51438606    | Screw, M4 x 16 10.9 BZN | M4 | 4.7    | 16 | 9.4   | 2.5 | 2.2   | 1.30  | 0.8   | 10.9 | BZN |
| 92718063    | Screw, M5 x 8 10.9 BZN  | M5 | 5.7    | 8  | 11.8  | 3   | 2.75  | 1.56  | 1.0   | 10.9 | BZN |
| 91729880    | Screw, M5 x 10 10.9 BZN | M5 | 5.7    | 10 | 11.8  | 3   | 2.75  | 1.56  | 1.0   | 10.9 | BZN |
| 1983571     | Screw, M5 x 12 10.9 BZN | M5 | 5.7    | 12 | 11.8  | 3   | 2.75  | 1.56  | 1.0   | 10.9 | BZN |
| 51654431    | Screw, M6 x 8 10.9 BZN  | M6 | 6.8    | 8  | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 2700886     | Screw, M6 x 10 10.9 BZN | M6 | 6.8    | 10 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 2929630     | Screw, M6 x 12 8.8 ZN   | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 8.8  | ZN  |
| 920019745   | Screw, M6 x 12 8.8 BZN  | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 8.8  | BZN |
| 91902900    | Screw, M6 x 12 8.8 BGM  | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 8.8  | BGM |
| 87698795    | Screw, M6 x 12 10.9 BZN | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 90391787    | Screw, M6 x 12 10.9 DAC | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | DAC |
| 47980870    | Screw, M6 x 12 SST PLN  | M6 | 6.8    | 12 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | SST  | PLN |
| 48032018    | Screw, M6 x 16 SST BLO  | M6 | 6.8    | 16 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | SST  | BLO |
| 1983037     | Screw, M6 x 16 10.9 BZN | M6 | 6.8    | 16 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 90399799    | Screw, M6 x 16 10.9 BGM | M6 | 6.8    | 16 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BGM |
| 90391788    | Screw, M6 x 16 10.9 DAC | M6 | 6.8    | 16 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | DAC |
| 91748316    | Screw, M6 x 20 8.8 BGM  | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 8.8  | BGM |
| 92088187    | Screw, M6 x 20 10.9 BGM | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BGM |
| 87698793    | Screw, M6 x 20 10.9 BZN | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 90391789    | Screw, M6 x 20 10.9 DAC | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | 10.9 | DAC |
| 47980873    | Screw, M6 x 20 SST PLN  | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | SST  | PLN |
| 90329586    | Screw, M6 x 20 SST BLO  | M6 | 6.8    | 20 | 13.6  | 4   | 3.3   | 2.08  | 1.2   | SST  | BLO |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

124 OF 201


CNH NUMBERS

**87354249**

**STPX100**

ISO 7380-2  
(Cont'd)

Hex Socket Flange  
(Collar) Button Head  
Screws



| Part Number | Description             | d  | da max | l  | A max | S | k max | t min | Q max | Mat  | Fin |
|-------------|-------------------------|----|--------|----|-------|---|-------|-------|-------|------|-----|
| 90333080    | Screw, M6 x 25 SST PLN  | M6 | 6.8    | 25 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | SST  | PLN |
| 90333082    | Screw, M6 x 25 SST BLO  | M6 | 6.8    | 25 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | SST  | BLO |
| 92126221    | Screw, M6 x 25 8.8 BGM  | M6 | 6.8    | 25 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 8.8  | BGM |
| 91796025    | Screw, M6 x 25 12.9 BLO | M6 | 6.8    | 25 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 12.9 | BLO |
| 47692048    | Screw, M6 x 26 8.8 ZND  | M6 | 6.8    | 26 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 8.8  | ZND |
| 1983528     | Screw, M6 x 30 10.9 BZN | M6 | 6.8    | 30 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| ^90337256   | Screw, M6 x 30 10.9 BZN | M6 | 6.8    | 30 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| ^92171457   | Screw, M6 x 30 10.9 BGM | M6 | 6.8    | 30 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 10.9 | BGM |
| 92115298    | Screw, M6 x 35 8.8 BGM  | M6 | 6.8    | 35 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 8.8  | BGM |
| 2247675     | Screw, M6 x 40 10.9 BZN | M6 | 6.8    | 40 | 13.6  | 4 | 3.3   | 2.08  | 1.2   | 10.9 | BZN |
| 51451688    | Screw, M8 x 10 8.8 ZND  | M8 | 9.2    | 10 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 8.8  | ZND |
| 90423995    | Screw, M8 x 12 8.8 BGM  | M8 | 9.2    | 12 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 8.8  | BGM |
| 920019109   | Screw, M8 x 12 8.8 ZND  | M8 | 9.2    | 12 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 8.8  | ZND |
| 48113389    | Screw, M8 x 12 10.9 BLO | M8 | 9.2    | 12 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | BLO |
| 47915385    | Screw, M8 x 12 SST      | M8 | 9.2    | 12 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | SST  | PLN |
| 84213875    | Screw, M8 x 16 SST      | M8 | 9.2    | 16 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | SST  | PLN |
| 90420793    | Screw, M8 x 20 10.9 BGM | M8 | 9.2    | 20 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | BGM |
| 2929702     | Screw, M8 x 20 10.9 ZN  | M8 | 9.2    | 20 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | ZN  |
| 90391790    | Screw, M8 x 20 10.9 DAC | M8 | 9.2    | 20 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | DAC |
| 90393120    | Screw, M8 x 20 SST BLO  | M8 | 9.2    | 20 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | SST  | BLO |
| 920019731   | Screw, M8 x 20 SST PLN  | M8 | 9.2    | 20 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | SST  | PLN |
| 920019499   | Screw, M8 x 25 10.9 BZN | M8 | 9.2    | 25 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | BZN |
| 92167906    | Screw, M8 x 25 10.9 ZND | M8 | 9.2    | 25 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | 10.9 | ZND |
| 84213876    | Screw, M8 x 25 SST      | M8 | 9.2    | 25 | 17.8  | 5 | 4.4   | 2.60  | 1.5   | SST  | PLN |

^With non-metallic patch per IFI 524; patch to be applied to minimum of 5 pitches, min 90° of circumference starting 2 pitches from end.

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE

125 OF 201


CNH NUMBERS

**87354249**

**STPX100**

| ISO 7380-2<br>(Cont'd) | Hex Socket Flange<br>(Collar) Button Head<br>Screws |  |           |    |          |   |          |          |          |       |     |
|------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------|-----------|----|----------|---|----------|----------|----------|-------|-----|
| Part<br>Number         | Description                                         | d                                                                                  | da<br>max | l  | A<br>max | S | k<br>max | t<br>min | Q<br>max | Mat   | Fin |
| 920019472              | Screw, M8 x 30 SST                                  | M8                                                                                 | 9.2       | 30 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | SST   | PLN |
| 47809053               | Screw, M8 x 40 SST                                  | M8                                                                                 | 9.2       | 40 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | SST   | PLN |
| 51468646               | Screw, M8 x 40 10.9 BZN                             | M8                                                                                 | 9.2       | 40 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BZN |
| 51554903               | Screw, M8 x 45 10.9 BZN                             | M8                                                                                 | 9.2       | 45 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BZN |
| 84324530               | Screw, M8 x 50 SST                                  | M8                                                                                 | 9.2       | 50 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | SST   | PLN |
| 51554905               | Screw, M8 x 50 10.9 BZN                             | M8                                                                                 | 9.2       | 50 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BZN |
| 51682733               | Screw, M8 x 50 10.9 BGM                             | M8                                                                                 | 9.2       | 50 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BGM |
| 92736866               | Screw, M8 x 60 10.9 BGM                             | M8                                                                                 | 9.2       | 60 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BGM |
| 92736868               | Screw, M8 x 65 10.9 BGM                             | M8                                                                                 | 9.2       | 65 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | 10.9  | BGM |
| 90355048               | Screw, M8 x 75 A2-70<br>BLO                         | M8                                                                                 | 9.2       | 75 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | A2-70 | BLO |
| 90326635               | Screw, M8 x 80 A2-70<br>BLO                         | M8                                                                                 | 9.2       | 80 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | A2-70 | BLO |
| 90355049               | Screw, M8 x 75 A2-70<br>PLN                         | M8                                                                                 | 9.2       | 75 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | A2-70 | PLN |
| 90326648               | Screw, M8 x 80 A2-70<br>PLN                         | M8                                                                                 | 9.2       | 80 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | A2-70 | PLN |
| 48056828               | Screw, M8 x 85 SST                                  | M8                                                                                 | 9.2       | 85 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | SST   | PLN |
| 48069468               | Screw, M8 x 90 SST                                  | M8                                                                                 | 9.2       | 90 | 17.8     | 5 | 4.4      | 2.60     | 1.5      | SST   | PLN |
| 51512434               | Screw, M10x30 10.9 BZN                              | M10                                                                                | 11.2      | 30 | 21.9     | 6 | 5.5      | 3.12     | 2.0      | 10.9  | BZN |
| 90513023               | Screw, M10x55 10.9 ZND                              | M10                                                                                | 11.2      | 55 | 21.9     | 6 | 5.5      | 3.12     | 2.0      | 10.9  | ZND |



|                                               |      |            |                           |
|-----------------------------------------------|------|------------|---------------------------|
| NAME                                          | REV. | PAGE       | CNH NUMBERS               |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 126 OF 201 | <b>87354249   STPX100</b> |

| Pipe Plugs with<br>BSPT,<br>BSPP/BSP<br>F threads<br><br>86557412<br>is not<br>pictured |                                    |  |      |      |     |
|-----------------------------------------------------------------------------------------|------------------------------------|------------------------------------------------------------------------------------|------|------|-----|
| Part Number                                                                             | Description                        | S                                                                                  | D    | L    | MTL |
| 84378596                                                                                | Plug, 1/8-28 BSPT Pipe             | 5                                                                                  | R1/8 | 8    | CST |
| 84378597                                                                                | Plug, 1/4-19 BSPT Pipe             | 7                                                                                  | R1/4 | 10   | CST |
| 84378598                                                                                | Plug, 1/2-14 BSPT Pipe             | 10                                                                                 | R1/2 | 10   | CST |
| 86539149                                                                                | Plug, G3/8 BSPP/BSPF Pipe          | 5/16                                                                               | 3/8  | 14.5 | STL |
| 71404856                                                                                | Plug, G3/8 BSPP/BSPF Pipe          | 8MM                                                                                | 3/8  | 10.1 | CST |
| 86557412                                                                                | Plug, G3/8 BSPP/BSPF Pipe w/HEX-HD | 12.7MM                                                                             | 3/8  | 20   | STL |
| 84378600                                                                                | Plug, 3/4-14 BSPT Pipe             | 12                                                                                 | R3/4 | 12   | CST |

Banjo Sealing  
Washer (Dowty)

Iveco 98474302  
Drawing 87665411

Material:  
R50 Per Iveco 15-2605,  
Finish Fe/ZnNi 7 per  
9.57409, Treatment #45  
per GB/T699-2015.  
Rubber side NBR per  
Iveco 18-0484



| Part Number | Description           | dn | d1    | d2    | d3    | d4    | h    | h1  | h2  |
|-------------|-----------------------|----|-------|-------|-------|-------|------|-----|-----|
| 87316678    | Washer, M10           | 10 |       | 10.7  | 12.4  | 16    | 1.5  | 0.4 | -   |
| 5183780     | Washer, M12           | 12 | 9.73  | 12.7  | 14.4  | 18    | 1.5  | 0.4 | -   |
| 87356828    | Washer, M12           | 12 | 12    | 14    | 15.4  | 20    | 1.5  | 0.4 | -   |
| 5169544     | Washer, M14           | 14 | 11.38 | 14.7  | 16.4  | 22    | 1.5  | -   | -   |
| 44906168    | Washer, M14           | 14 | -     | 14.86 | -     | 22.23 | 2.03 | -   | -   |
| 5167639     | Washer, M16           | 16 | 13.4  | 16.7  | 18.4  | 24    | 1.5  | -   | -   |
| 5167640     | Washer, M18           | 18 | 14.75 | 18.7  | 20.45 | 26    | 1.5  | -   | -   |
| 5186176     | Washer, M18           | 18 | 15.8  | 19.69 | 21.21 | 26.92 | 1.5  | 0.4 | -   |
| 5188717     | Washer, M20           | 20 | 16.76 | 20.7  | 22.5  | 28    | 1.5  | 0.4 | -   |
| 5165897     | Washer, M22           | 22 | 18.74 | 22.7  | 24.4  | 30    | 2    | -   | -   |
| 5177224     | Washer, M24           | 24 | 20.11 | 24.7  | 26.4  | 32    | 2    | 0.4 | -   |
| 47124968    | Washer, M27 (7/8 BSP) | 27 | 27.51 | 30.81 | 32.29 | 38.1  | 2.47 | -   | -   |
| 5188035     | Washer, M33           | 33 | 30.3  | 33.88 | 36.88 | 42.8  | 2.5  | 0.5 | -   |
| 87665411    | Washer, M6            | 6  | 5.1   | 8.2   | 9.7   | 12    | 1.5  | 0.4 | 0.5 |
| 87667800    | Washer, M8            | 8  | 8     | 9.3   | 10.4  | 14    | 1.5  | 0.4 | 0.5 |
| 87665412    | Washer, M8            | 8  | 7     | 10.2  | 11.7  | 14    | 1.5  | 0.5 | 0.5 |
| 87667802    | Washer, M10           | 10 | 10    | 12    | 13.5  | 17    | 1.5  | 0.4 | 0.5 |
| 87665413    | Washer, M10           | 10 | 7.9   | 11.5  | 13    | 17    | 1.5  | 0.5 | 0.5 |
| 87667803    | Washer, M12           | 12 | 12    | 14    | 15.4  | 20    | 1.5  | 0.4 | 0.7 |
| 87665414    | Washer, M12           | 12 | 9.9   | 13.5  | 15    | 20    | 1.5  | 0.5 | 0.7 |
| 87667804    | Washer, M14           | 14 | 14    | 16    | 17.5  | 22    | 1.5  | 0.4 | 0.7 |
| 87665415    | Washer, M14           | 14 | 11.9  | 15.5  | 17    | 22    | 1.5  | 0.5 | 0.7 |
| 87667805    | Washer, M16           | 16 | 16    | 18    | 19.5  | 24    | 1.5  | 0.4 | 0.7 |
| 87665416    | Washer, M16           | 16 | 13.9  | 17.5  | 19    | 24    | 1.5  | 0.5 | 0.7 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

128 OF 201

CNH NUMBERS



**87354249**

**STPX100**

Banjo Sealing  
Washer (Dowty)

Iveco 98474302  
Drawing 87665411

Material:  
R50 Per Iveco 15-2605,  
Finish Fe/ZnNi 7 per  
9.57409, Treatment #45  
per GB/T699-2015.  
Rubber side NBR (38%  
ACN) per Iveco 18-0484



| Part Number | Description              | dn   | d1    | d2    | d3    | d4    | h    | h1   | h2  |
|-------------|--------------------------|------|-------|-------|-------|-------|------|------|-----|
| 87667806    | Washer, M18              | 18   | 18    | 20.5  | 22    | 26    | 1.5  | 0.4  | 0.7 |
| 87495058    | Washer, M18              | 18   | 15.4  | 19.4  | 21.3  | 26    | 1.5  | 0.5  | 0.7 |
| *92184990   | Washer, M18 BGM          | 18   | 15.4  | 19.4  | 21.3  | 26    | 1.5  | 0.5  | 0.7 |
| 87667807    | Washer, M20              | 20   | 20    | 22.5  | 24    | 28    | 1.5  | 0.4  | 0.7 |
| 87665417    | Washer, M20              | 20   | 18.1  | 22.5  | 24    | 28    | 1.5  | 0.5  | 0.7 |
| 87667808    | Washer, M22              | 22   | 22    | 24.5  | 26    | 30    | 1.5  | 0.4  | 0.7 |
| 87665418    | Washer, M22              | 22   | 19.4  | 23.5  | 25    | 30    | 1.5  | 0.5  | 0.7 |
| 87332142    | Washer, M22 (San Matteo) | 22   | 19.4  | 23.5  | 25    | 30    | 1.5  | 0.5  | 0.7 |
| 87667809    | Washer, M24              | 24   | 24    | 26.5  | 28    | 33    | 1.5  | 0.4  | 0.7 |
| 87665419    | Washer, M24              | 24   | 21.4  | 25.5  | 27    | 33    | 1.5  | 0.5  | 0.7 |
| 87667810    | Washer, M26              | 26   | 26    | 28.5  | 30    | 36    | 1.5  | 0.4  | 0.7 |
| 87665420    | Washer, M26              | 26   | 23.4  | 27.5  | 29    | 36    | 1.5  | 0.5  | 0.7 |
| 47951864    | Washer, M27              | 27   | 23.3  | 27.2  | 29    | 36    | 2    | 0.4  | 0.7 |
| 87380329    | Washer, M28              | 28   | 26    | 30.5  | 32    | 38    | 1.5  | 0.4  | 0.7 |
| 87665422    | Washer, M30              | 30   | 28    | 32.5  | 34    | 40    | 1.5  | 0.4  | 0.7 |
| 87665423    | Washer, M32              | 32   | 30    | 34.5  | 36    | 42    | 2    | 0.4  | 0.7 |
| 87665424    | Washer, M35              | 35   | 33    | 37.5  | 39    | 45    | 2    | 0.4  | 0.7 |
| 87665425    | Washer, M40              | 40   | 38    | 42.5  | 44    | 50    | 2    | 0.4  | 0.7 |
| 87665426    | Washer, M42              | 42   | 40    | 44.5  | 46    | 52    | 2    | 0.4  | 0.7 |
| 87665427    | Washer, M52              | 52   | 50.4  | 54.9  | 58.3  | 69.8  | 3.4  | 0.4  | 0.7 |
| 5170555     | Washer, 1/2 INCH         | 1/2  | 18.64 | 21.54 | 23.01 | 28.58 | 2.5  | -    | -   |
| 47547575    | Washer, 3/8 INCH         | 3/8  | 10.37 | -     | 11.84 | 15.88 | 2.0  | 0.38 | -   |
| 47547480    | Washer, 7/16 INCH        | 7/16 | 11.69 | -     | 13.08 | 19.05 | 2.0  | 0.38 | -   |
| 81802146    | Washer, 3/4 INCH         | 3/4  | 19.65 | -     | 21.2  | 27    | 2.46 | 0.38 | -   |

\*BGM Finish per STPA020

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


129 OF 201


CNH NUMBERS

**87354249**

**STPX100**

| Composite Sealing Washer<br>Parker WZ Series |       | Material STL 1.0330, Heavy build<br>Passivated.<br>Elastomer Sealing Lip NBR. |         |  |          |          |
|----------------------------------------------|-------|-------------------------------------------------------------------------------|---------|------------------------------------------------------------------------------------|----------|----------|
| Part Number                                  | BSP   | Bolt                                                                          | D(inch) | d (inch)                                                                           | H (inch) | h (inch) |
| 7000600977                                   | 1/8   | 3/8                                                                           | 0.625   | 0.408                                                                              | 0.080    | 0.010    |
| 47490068                                     | 1/4   | 1/2                                                                           | 0.810   | 0.541                                                                              | 0.080    | 0.010    |
| 47490084                                     | 3/8   | -                                                                             | 0.937   | 0.680                                                                              | 0.080    | 0.010    |
| 47490086                                     | 1/2   | 13/16                                                                         | 1.125   | 0.848                                                                              | 0.098    | 0.010    |
| 47490126                                     | 3/4   | 1                                                                             | 1.375   | 1.065                                                                              | 0.098    | 0.010    |
| 47552612                                     | 1     | 1-5/16                                                                        | 1.685   | 1.334                                                                              | 0.098    | 0.010    |
| 92726545                                     | 1-1/4 | 1-5/8                                                                         | 2.062   | 1.690                                                                              | 0.098    | 0.010    |
| 92726546                                     | 1-1/2 | 1-7/8                                                                         | 2.307   | 1.907                                                                              | 0.098    | 0.010    |


| Hex Head Pipe Plugs with BSPT threads |          |         |        |  |          |        |
|---------------------------------------|----------|---------|--------|---------------------------------------------------------------------------------------|----------|--------|
| Part #                                | 1 (BSPT) | C (HEX) | L (mm) | LL(mm)                                                                                | Material | Finish |
| 47828978                              | 1/4-19   | 14      | 19.1   | 10.5                                                                                  | STL      | ZND    |

| Tapping Screw – Hex Head and<br>Conical Washer assembly – Light<br>Regular Washer<br>Material ES-21004-S100<br>Finish: ZND |             |              |  |                                  |                                    |           |                      |                             |                                   |
|----------------------------------------------------------------------------------------------------------------------------|-------------|--------------|------------------------------------------------------------------------------------|----------------------------------|------------------------------------|-----------|----------------------|-----------------------------|-----------------------------------|
| Part<br>Number                                                                                                             | Dia         | Length<br>mm | Head<br>Height<br>mm                                                               | Width<br>Across<br>Flats<br>(mm) | Width<br>Across<br>Corners<br>(mm) | Point     | Washer<br>OD<br>(mm) | Washer<br>Thickness<br>(mm) | Washer<br>Crown<br>Height<br>(mm) |
| 83929012                                                                                                                   | M6.3 x 1.81 | 20           | 4.83<br>4.37                                                                       | 10.00<br>9.78                    | 10.89<br>(Min.)                    | Type<br>B | 19.43<br>18.87       | 1.42<br>1.19                | 0.84<br>0.58                      |

Banjo  
Bolts  
(Ref:  
Iveco  
4864076)  
Material:  
5.8  
Finish:  
DAC

| Part Number | Pipe   | d <sub>1</sub> | C 1 | l13 | d25 | d27  | d28 | d29 | d30 | m    | p1  | p2   | p3  | s  | u   |
|-------------|--------|----------------|-----|-----|-----|------|-----|-----|-----|------|-----|------|-----|----|-----|
| 87736832    | 4/4.76 | M8X1           | 10  | 18  | 13  | -    | 2.5 | 8   | 4   | 6    | -   | -    | 5.5 | 10 | 1.1 |
| 87736833    | 4/4.76 | M8X1.25        | 10  | 18  | 13  | -    | 2.5 | 8   | 4   | 6    | -   | -    | 5.5 | 10 | 1.1 |
| 87736834    | 6      | M8X1.25        | 12  | 22  | 13  | -    | 2.5 | 8   | 4   | 6    | -   | -    | 5.5 | 10 | 1.1 |
| 87736835    | 6      | M10X1          | 9.5 | 20  | 16  | 2.8  |     | 10  | 5   | 6.5  | 4.7 | 7.2  |     | 13 | 1.2 |
| 87736836    | 6      | M10X1.25       | 11  | 21  | 16  | 2.8  |     | 10  | 5   | 6.5  | 4.7 | 7.2  |     | 13 | 1.2 |
| 87736837    | 6      | M10X1.5        | 11  | 21  | 16  | 2.8  |     | 10  | 5   | 6.5  | 4.7 | 7.2  |     | 13 | 1.2 |
| 87736838    | 6      | M10X1.5        | 12  | 30  | 16  | 2.8  |     | 10  | 5   | 6.5  | 5.2 | 7.7  |     | 13 | 1.2 |
| 87736839    | 8      | M12X1.5        | 12  | 25  | 18  | 3.5  |     | 12  | 6   | 7.8  | 6   | 9    |     | 15 | 1.5 |
| 87736840    | 10     | M14X1.5        | 14  | 30  | 21  | 4.5  |     | 14  | 8   | 8.3  | 6.8 | 10.8 |     | 15 | 1.6 |
| 87736841    | 12     | M16X1.5        | 15  | 34  | 23  | 5.5  |     | 16  | 10  | 9.3  | 7.5 | 13   |     | 17 | 1.8 |
| 87736842    | 12     | M16X1.5        | 15  | 37  | 23  | 5.5  |     | 16  | 10  | 9.3  | 7.5 | 13   |     | 17 | 1.8 |
| 87736843    | 15     | M18X1.5        | 17  | 40  | 25  | 7    |     | 18  | 13  | 10.5 | 8.5 | 15.5 |     | 19 | 2.1 |
| 87736844    | 15     | M20X1.5        | 19  | 42  | 27  | 7    |     | 20  | 14  | 11.3 | 8.5 | 15.5 |     | 21 | 2.2 |
| 87736845    | 18     | M24X1.5        | 23  | 50  | 32  | 8.5  |     | 24  | 16  | 13   | 9.5 | 18.5 |     | 24 | 2.5 |
| 87736846    | 22     | M26X1.5        | 25  | 56  | 35  | 10.5 |     | 26  | 20  | 14   | 11  | 23   |     | 27 | 2.8 |

|                                               |      |            |                                  |
|-----------------------------------------------|------|------------|----------------------------------|
| NAME                                          | REV. | PAGE       | CNH NUMBERS                      |
| <b>NATIONAL &amp; INTERNATIONAL STD PARTS</b> | KM   | 131 OF 201 | <b>87354249</b>   <b>STPX100</b> |


| Banjo Bolts |            |    |     | Non-Standard                                                                       |      |      |     |      |      |    |      |    |
|-------------|------------|----|-----|------------------------------------------------------------------------------------|------|------|-----|------|------|----|------|----|
|             |            |    |     |  |      |      |     |      |      |    |      |    |
| Part Number | d          | l  | c   | D3                                                                                 | D2   | D1   | r   | t    | h    | b  | sm   | ch |
| 5176180     | M10 x 1    | 21 | 5   | 13                                                                                 | 3    | 5    | -   | 17.5 | 6    | 11 | 1    | 13 |
| 5155703     | M12 x 1.25 | 22 | 6   | 17                                                                                 | 4    | 6    | 0.2 | 18   | 7    | 10 | 1.25 | 17 |
| 5105699     | M18 x 1.5  | 28 | 6   | 24                                                                                 | 7    | 10   | 0.2 | 24   | -    | 13 | 1.5  | 24 |
| 5170235     | M18 x 1.5  | 35 | 6   | 24                                                                                 | 8.5  | 10   | 0.2 | 29   | 12.5 | 13 | 1.5  | 24 |
| 92184029    | M18 x 1.5  | 35 | 6   | 24                                                                                 | 8.5  | 10   | 0.2 | 29   | 12.5 | 13 | 1.5  | 24 |
| 5174642     | M18 x 1.5  | 51 | 6.5 | 24                                                                                 | 8.5  | 10.5 | -   | 40   | 16   | 16 | -    | 24 |
| 84474995    | M22 x 1.5  |    |     |                                                                                    |      |      |     |      |      |    |      |    |
| 5154558     | M22 x 1.5  | 46 | 7   | 32                                                                                 | 10.5 | 14   | -   | 38.5 | 14   | 19 | -    | 30 |
| 5194391     | M22 x 1.5  | 56 | 8   | 30                                                                                 | 8.5  | 14   | 0.2 | 42   | 21   | 17 | 1    | 30 |

| Part Number | Material                                                        | Finish |
|-------------|-----------------------------------------------------------------|--------|
| 5176180     | Fiat 52606 - 9 SMn Pb 28, 9 SMn Pb 36, 35 SMn Pb10;<br>SAE 1212 | ZND    |
| 5155703     | Fiat 52606 - 9 SMn Pb 28                                        | ZND    |
| 5105699     | Fiat 52605 - R 50                                               | ZND    |
| 5170235     | Fiat 52605/01 - R 50                                            | ZND    |
| 92184029    | Fiat 52605/01 - R 50                                            | BGM    |
| 5174642     | Fiat 52606 - 9 SMn Pb 28                                        | ZND    |
| 84474995    | Fiat 52606 - 9 SMn Pb 28                                        | ZND    |
| 5154558     | Fiat 52605/01 - R 50                                            | ZND    |
| 5194391     | Fiat 52606 - 9 SMn Pb 28                                        | ZND    |

### Banjo Bolts Non-Standard

Dimensions in mm

$$d_3 = s$$



| Part Number | d       | D  | D <sub>1</sub> | l  | c | h   | b  | t  | R   | sm  | s  | e    |
|-------------|---------|----|----------------|----|---|-----|----|----|-----|-----|----|------|
| 82824891    | M18x1.5 | 10 | 6              | 45 | 8 | 9.5 | 21 | 35 | 0.2 | 1.5 | 24 | 27.7 |

| Part Number | Material             | Finish |
|-------------|----------------------|--------|
| 82824891    | Fiat 52605/01 - R 50 | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


133 OF 201

CNH NUMBERS

**87354249**

**STPX100**

Coupling,  
Banjo  
Iveco  
4864061



| Part Number | Pipe Dia | b1<br>+0.3<br>0 | d10<br>+0.3<br>0 | d15  | d16<br>h11 | d22  | d24<br>D11 | d26<br>0<br>-0.3 | k1<br>0<br>-0.2 | l12<br>±0.3 | n1<br>±0.1 | r4  | r5  | t13<br>+0.2<br>0 |
|-------------|----------|-----------------|------------------|------|------------|------|------------|------------------|-----------------|-------------|------------|-----|-----|------------------|
| 87738975    | 4        | 8               | 3                | 4    | 8          | 13.7 | 8          | 11               | 16              | 17          | 2          | 1   | 2   | 8                |
| 87738980    | 4        | 10              | 3                | 4    | 8          | 16   | 10         | 13.5             | 19              | 18          | 2.25       | 1   | 2   | 8                |
| 87738992    | 4        | 11.5            | 3                | 4    | 8          | 15   | 10         | 13.5             | 19              | 18          | 2.25       | 1   | 2   | 8                |
| 87738993    | 4.76     | 8               | 3.5              | 4.76 | 8          | 13.7 | 8          | 11               | 16              | 17          | 2          | 1   | 2   | 8                |
| 87738994    | 6        | 10              | 4                | 6    | 9          | 16   | 10         | 13.5             | 19              | 18          | 2.25       | 1   | 2   | 8                |
| 87738995    | 6        | 10              | 4                | 6    | 9          | 13.7 | 8          | 11               | 16              | 17          | 2          | 1   | 2   | 8                |
| 87738996    | 6        | 12              | 4                | 6    | 9          | 19.5 | 12         | 17               | 23              | 22          | 2.5        | 1.5 | 2.5 | 8                |
| 87738997    | 6        | 17.5            | 4                | 6    | 11         | 20.5 | 14         | 19.5             | 27              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87738998    | 8        | 12              | 6                | 8    | 11         | 19.5 | 12         | 17               | 23              | 22          | 2.5        | 1.5 | 2.5 | 8                |
| 87739780    | 8        | 14              | 6                | 8    | 11         | 18   | 12         | 17               | 23              | 22          | 2.5        | 1.5 | 2.5 | 8                |
| 87738999    | 8        | 15              | 6                | 8    | 11         | 21   | 14         | 19.5             | 26              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87739000    | 8        | 17.5            | 6                | 8    | 11         | 20.5 | 14         | 19.5             | 27              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87739001    | 10       | 15              | 8                | 10   | 13         | 21   | 14         | 19.5             | 26              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87739013    | 10       | 15              | 8                | 10   | 13         | 21   | 12         | 19.5             | 26              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87739014    | 10       | 18              | 8                | 10   | 13         | 20   | 14         | 19.5             | 27              | 26          | 2.75       | 1.5 | 2.5 | 8                |
| 87739015    | 10       | 18              | 8                | 10   | 13         | 23.7 | 16         | 23               | 31              | 30          | 3          | 1.5 | 2.5 | 10               |
| 87739016    | 12       | 18              | 10               | 12   | 15         | 23.7 | 16         | 23               | 30              | 30          | 3          | 1.5 | 2.5 | 10               |
| 84312242    | 12       | 18              |                  |      |            |      |            |                  |                 | 30          |            |     |     |                  |
| 87739017    | 12       | 20              | 10               | 12   | 15         | 23.7 | 16         | 23               | 31              | 30          | 3          | 1.5 | 2.5 | 10               |
| 87739018    | 12       | 22              | 10               | 12   | 15         | 27   | 18         | 27.5             | 35              | 35          | 3.25       | 1.5 | 3   | 10               |
| 87739019    | 13.3     | 18              | 11.5             | 13.3 | 17         | 23.7 | 16         | 23               | 30              | 25          | 3          | 1.5 | 2.5 | 10               |
| 87739020    | 13.3     | 26              | 11.5             | 13.3 | 17         | 27   | 18         | 27.5             | 37              | 30          | 3.25       | 1.5 | 3   | 10               |
| 87739021    | 15       | 22              | 13               | 15   | 19         | 27   | 16         | 26.5             | 35              | 35          | 3.25       | 1.5 | 3   | 10               |
| 87739022    | 15       | 22              | 13               | 15   | 19         | 27   | 18         | 27.5             | 35              | 35          | 3.25       | 1.5 | 3   | 10               |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


134 OF 201

CNH NUMBERS

**87354249**

**STPX100**


Coupling,  
Banjo  
Iveco  
4864061



| Part Number | Pipe Dia | b1<br>+0.3<br>0 | d10<br>+0.3<br>0 | d15   | d16<br>h11 | d22  | d24<br>D11 | d26<br>0<br>-0.3 | k1<br>0<br>-0.2 | l12<br>±0.3 | n1<br>±0.1 | r4  | r5  | t13<br>+0.2<br>0 |
|-------------|----------|-----------------|------------------|-------|------------|------|------------|------------------|-----------------|-------------|------------|-----|-----|------------------|
| 87739023    | 15       | 22              | 13               | 15    | 19         | 30   | 20         | 29.5             | 40              | 35          | 3.25       | 1.5 | 3   | 10               |
| 87739024    | 16       | 22              | 13               | 15    | 19         | 30   | 20         | 29.5             | 40              | 35          | 3.25       | 1.5 | 3   | 10               |
| 5121759     | 16       | 22              | 13               | 16.2  | 19         | 28.3 | 22.3       | 29               | 36              | 32          | 2.15       | 2   | 0.5 | 16               |
| 82031545    | 16       | 28              |                  |       |            |      |            |                  |                 | 32          |            |     |     |                  |
| 87739025    | 18       | 26              | 16               | 18    | 22         | 34.4 | 24         | 36               | 47              | 37          | 3.5        | 1.5 | 3   | 10               |
| 47962536    | 18       | 25              | 16               | 18.15 | 21         |      | 22         |                  | 39              | 27          |            | 2.5 |     |                  |
| 87739026    | 22       | 30              | 20               | 22    | 27         | 46   | 26         | 41.5             | 55              | 41          | 3.75       | 1.5 | 3   | 10               |

Mounting Trim  
Fasteners

Material: Plastic  
Refer to Dwg 83998841



| Part Number | Color         |  |  |  |  |
|-------------|---------------|--|--|--|--|
| 87648059    | NH Grey       |  |  |  |  |
| 82023460    | Wheat Grey    |  |  |  |  |
| 81870039    | Black         |  |  |  |  |
| 82003599    | Brown         |  |  |  |  |
| 83998841    | Grey RAL 7015 |  |  |  |  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


135 OF 201

CNH NUMBERS

**87354249** | **STPX100**

24 Degree  
Cone End  
EO 24 Degree  
DKO Swivel

Parker EL Swivel run tee  
(Light Series L)



| Part Number | Threads | D1 | D3 | L1 | L2   | L3   | L4 | S1 | S2 | Mat/Fin |
|-------------|---------|----|----|----|------|------|----|----|----|---------|
| 85826461    | M14X1.5 | 8  | 6  | 21 | 14   | 27.5 | 29 | 12 | 17 | STL ZND |
| 1983889     | M16X1.5 | 10 | 8  | 22 | 15   | 29   | 30 | 14 | 19 | STL ZND |
| 84151577    | M18X1.5 | 12 | 10 | 24 | 17   | 29.5 | 32 | 17 | 22 | STL ZND |
| 84151578    | M22X1.5 | 15 | 12 | 28 | 21   | 32.5 | 36 | 19 | 27 | STL ZND |
| 84145998    | M26X1.5 | 18 | 15 | 31 | 23.5 | 35.5 | 40 | 24 | 32 | STL ZND |
| 92661327    | M30X2   | 22 | 19 | 35 | 27.5 | 38.5 | 44 | 27 | 36 | STL ZND |
| 51487167    | M45X2   | 35 | 30 | 45 | 34.5 | 51   | 56 | 41 | 50 | STL ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.  
KM


PAGE  
136 OF 201

CNH NUMBERS

**87354249 | STPX100**

24 Degree  
Cone End  
EO 24 Degree  
DKO Swivel

Parker EL Swivel run tee  
FOR A713553  
(Heavy Series S)




| Part Number | Threads | D1 | D3 | L1 | L2   | L3   | L4 | S1 | S2 | Mat/Fin |
|-------------|---------|----|----|----|------|------|----|----|----|---------|
| 47652914    | M16X1.5 | 08 | 5  | 24 | 17   | 27.5 | 32 | 14 | 19 | STL ZND |
| 1307813     | M18X1.5 | 10 | 6  | 25 | 17.5 | 30.0 | 34 | 17 | 22 | STL ZND |
| 85807676    | M20X1.5 | 12 | 8  | 29 | 21.5 | 31.0 | 38 | 17 | 24 | STL ZND |
| 85814697    | M24X1.5 | 16 | 12 | 33 | 24.5 | 36.5 | 43 | 24 | 30 | STL ZND |
| 92728082    | M30X2   | 20 | 16 | 37 | 26.5 | 46   | 48 | 27 | 36 | STL ZND |

24 Degree  
Cone End  
EO 24 Degree  
DKO Swivel  
(Hvy Series S)

Parker ET Swivel Nut  
Branch Tee

DIN 3861  
ISO 8434-1



| Part Number | Threads | D1 | D3 | L1 | L2   | L3   | L4 | S1 | S2 | Mat/Fin |
|-------------|---------|----|----|----|------|------|----|----|----|---------|
| 85807616    | M16X1.5 | 8  | 5  | 24 | 17.0 | 27.5 | 32 | 14 | 19 | STL/ZND |
| 85811853    | M20X1.5 | 12 | 8  | 29 | 21.5 | 33   | 38 | 17 | 24 | STL/ZND |
| 85812608    | M24X1.5 | 16 | 12 | 33 | 24.5 | 36.5 | 43 | 24 | 30 | STL/ZND |
| 84515559    | M30X2.0 | 20 | 16 | 37 | 26.5 | 44.5 | 48 | 27 | 36 | STL/ZND |
|             |         |    |    |    |      |      |    |    |    |         |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


137 OF 201

CNH NUMBERS

**87354249**

**STPX100**

Parker ET Swivel Nut Branch Tee  
(Light Series L)  
24 Degree / 24 Degree Swivel  
DIN 3861  
ISO 8434-1




| Part Number | 1, 2 & 3(mm) | 3 Metric | L1   | L2   | S3 | Series | MAT | FIN |
|-------------|--------------|----------|------|------|----|--------|-----|-----|
| 47422572    | 8            | M14X1.5  | 14   | 27.5 | 12 | L      | STL | ZND |
| 47498133    | 10           | M16X1.5  | 15   | 29   | 14 | L      | STL | ZND |
| 84090114    | 15           | M22X1.5  | 21   | 32.5 | 19 | L      | STL | ZND |
| 48033410    | 18           | M26X1.5  | 23.5 | 35.5 | 24 | L      | STL | ZND |
| 51457236    | 22           | M30X2.0  | 27.5 | 38.5 | 27 | L      | STL | ZND |

24D bite Type Parker S6BU

Swivel Nut  
Branch Tee  
Flareless/  
Flareless  
Swivel


SAE J514  
080433



| Part Number | Description                               | 1    | 2    | 3    | M    | M5   | Y    | Mat/Fin |
|-------------|-------------------------------------------|------|------|------|------|------|------|---------|
| 87022794    | Tee, Branch Swvl 3/8 tube<br>Parker 6S6BU | 9/16 | 9/16 | 9/16 | 1.05 | 1.25 | 9/16 | STL/ZND |


24D Adjustable Run Tee

24D Cone end / Stand Pipe Adjustable



| Part Number | Description         | D1 | D3 | L1 | L2 | L3 | S1 | S2 | Mat/Fin |
|-------------|---------------------|----|----|----|----|----|----|----|---------|
| 51400075    | TEE, RUN ADJUSTABLE | 08 | 6  | 21 | 14 | 27 | 12 | 17 | STL/ZND |

24 Degree Union Tee (ISO 8434-1)



| Part Number | Threads | Series | D1 | D3 | L1 | L2   | S1 | Mat'l | Finish |
|-------------|---------|--------|----|----|----|------|----|-------|--------|
| 51400203    | M14x1.5 | L      | 08 | 6  | 21 | 14   | 12 | STL   | ZND    |
| 984987      | M26X1.5 | L      | 18 | 15 | 31 | 23.5 | 24 | STL   | ZND    |
| 85807661    | M16x1.5 | S      | 08 | 5  | 24 | 17   | 14 | STL   | ZND    |
| 85814129    | M20x1.5 | S      | 12 | 8  | 29 | 21.5 | 17 | STL   | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


139 OF 201

CNH NUMBERS

**87354249**


**STPX100**

Male UNF/UN Thread O-ring  
(ISO 11926) SAE J1926 /  
EO 24 Degree Cone End (ISO 8434-1)  
Parker GE-UNF/UN



| Part Number | Series | D1 |         | D3 | T         | D4   | L1 | L2   | L3 | L4 | S1 | S2 | Mat/Fin |
|-------------|--------|----|---------|----|-----------|------|----|------|----|----|----|----|---------|
| 913528      | L      | 08 | M14X1.5 | 5  | 7/16-20   | -    | 26 | 10   | 9  | 25 | 17 | 17 | STL ZND |
| 84151579    | L      | 10 | M16X1.5 | 5  | 7/16-20   |      | 27 | 11   | 9  | 26 | 17 | 19 | STL ZND |
| 84151580    | L      | 12 | M18X1.5 | 10 | 3/4-16    |      | 31 | 13   | 11 | 28 | 24 | 22 | STL ZND |
| 47509954    | L      | 22 | M30X2   |    | 3/4-16    |      | 40 | 19   | 13 |    | 32 |    | STL ZND |
| 48149871    | L      | 35 | M45X2   | 23 | 1 5/16-12 | 39.6 | 43 | 17.5 | 15 | 39 | 46 | 50 | STL ZND |
| 51606655    | S      | 16 | M24X1.5 | 12 | 7/8-14    | -    | 40 | 15.5 | 16 | 37 | 27 | 30 | STL ZND |

EO 24 Degree Cone End /  
Male NPT thread (SAE J476)  
Parker GE-NPT



| Part Number | Series | D1 | T1         | D3  | L1   | L2   | L3   | L4 | S1 | Mat'l | Finish |
|-------------|--------|----|------------|-----|------|------|------|----|----|-------|--------|
| 48030372    | L      | 08 | 1/8-27 NPT | 4.0 | 25.0 | 18.0 | 10.0 | 33 | 14 | STL   | ZND    |
|             |        |    |            |     |      |      |      |    |    |       |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

140 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Male Metric Thread – O-Ring ( ISO 6149) / 24 Degree Cone End ( ISO 8434-1)


Parker GEO



| Part Number | Series | D1 | T       | D3 | D4 | L1   | L2   | L3   | S1 | MAT/FIN |
|-------------|--------|----|---------|----|----|------|------|------|----|---------|
| 2928646     | L      | 08 | M12X1.5 | 6  | 17 | 28   | 10   | 11   | 17 | STL/ZND |
| 85826494    | L      | 08 | M18X1.5 | 6  | 24 | 31.5 | 12   | 12.5 | 24 | STL/ZND |
| 2928820     | S      | 08 | M14X1.5 | 6  | 19 | 33   | 15   | 11   | 19 | STL/ZND |
| 92725510    | L      | 12 | M16X1.5 | 9  | 22 | 31   | 12.5 | 11.5 | 22 | STL/ZND |
| 51530735    | L      | 12 | M27X2   | 10 | 32 | 38.5 | 15.5 | 16   | 32 | STL/ZND |
| 85806493    | S      | 12 | M16X1.5 | 9  | 22 | 35   | 15   | 12.5 | 22 | STL/ZND |
| 2929641     | S      | 12 | M18X1.5 | 9  | 24 | 38.5 | 17   | 14   | 24 | STL/ZND |
| 2928383     | L      | 15 | M18X1.5 | 11 | 24 | 33   | 13.5 | 12.5 | 24 | STL/ZND |
| 2928616     | L      | 15 | M22X1.5 | 11 | 27 | 33   | 13.5 | 12.5 | 27 | STL/ZND |
| 85812517    | S      | 16 | M18X1.5 | 12 | 24 | 42   | 18.5 | 15   | 27 | STL/ZND |
| 48033417    | L      | 18 | M22X1.5 | 14 | 27 | 35   | 14.5 | 13   | 27 | STL/ZND |
| 84490431    | L      | 22 | M27X2   | 18 | 32 | 40   | 16.5 | 16   | 32 | STL/ZND |
| 47636680    | L      | 35 | M42X2   | 30 | 50 | 44   | 17.5 | 16   | 50 | STL/ZND |
| 48094421    | L      | 35 | M48X2   | 30 | 55 | 47   | 18.5 | 17   | 55 | STL/ZND |

Male Metric Thread – metal sealing edge (ISO 9974) / EO 24 Degree Cone End

Parker GE-M



| Part Number | Series | D1 | T       | D3 | D4 | L1 | L2 | L3 | L4 | S1 | S2 | MAT/FIN |
|-------------|--------|----|---------|----|----|----|----|----|----|----|----|---------|
| 2465074     | L      | 18 | M18X1.5 | 11 | 23 | 34 | 14 | 12 | 30 | 27 | 32 | STL/ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

141 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Male Metric  
Thread - ED  
(ISO 9974-2)  
/ EO 24  
Degree Cone  
End

Parker GE-M-ED



| Part Number | Series | D1 | T1      | D3 | D4   | L1   | L2   | L3 | L4 | S1 | S2 | MAT/FIN |
|-------------|--------|----|---------|----|------|------|------|----|----|----|----|---------|
| 47770133    | L      | 06 | M10X1.0 | 4  | 14   | 23.5 | 8.5  | 8  | 23 | 14 | 14 | STL/ZND |
| 2928386     | L      | 10 | M10X1   | 4  | 13.9 | 25.5 | 11.5 | 8  |    | 17 |    | STL/ZND |
| 2929089     | L      | 10 | M12X1.5 | 6  | 17   | 30.0 | 11.0 | 12 | 26 | 17 | 19 | STL/ZND |
| 1665742     | L      | 10 | M14X1.5 | 7  | 19   | 30   | 11   | 12 | 26 | 19 | 19 | STL/ZND |
| 2268448     | L      | 10 | M16X1.5 | 8  | 22   | 31.5 | 12.5 | 12 | 24 | 22 | 19 | STL/ZND |
| 2268460     | L      | 10 | M18X1.5 | 8  | 24   | 31.5 | 12.5 | 12 | 27 | 24 | 19 | STL/ZND |
| 91809250    | L      | 10 | M22X1.5 | 8  | 27   | 35   | 13   | 14 | 29 | 27 | 19 | STL/ZND |
| 1768189     | L      | 12 | M16X1.5 | 9  | 22   | 31.5 | 12.5 | 12 | 27 | 22 | 22 | STL/ZND |
| 2268429     | L      | 12 | M18X1.5 | 10 | 24   | 31.5 | 12.5 | 12 | 27 | 24 | 22 | STL/ZND |
| 1768191     | L      | 15 | M18X1.5 | 11 | 24   | 32.5 | 13.5 | 12 | 29 | 24 | 27 | STL/ZND |
| 2906244     | L      | 15 | M22X1.5 | 12 | 27   | 36   | 15.0 | 14 | 30 | 27 | 27 | STL/ZND |
| 1636655     | L      | 18 | M22X1.5 | 14 | 27   | 36   | 14.5 | 14 | 31 | 27 | 32 | STL/ZND |
| 7730579     | L      | 18 | M26X1.5 | 15 | 31.9 | 38   | 14.5 | 16 |    | 32 |    | STL/ZND |
| 99080       | L      | 22 | M26X1.5 | 18 | 32   | 40   | 16.5 | 16 | 33 | 32 | 36 | STL/ZND |
| 1331029     | L      | 28 | M33X2   | 23 | 40   | 43   | 17.5 | 18 | 34 | 41 | 41 | STL/ZND |
| 8411041     | L      | 35 | M42X2.0 | 30 | 50   | 48   | 17.5 | 20 | 39 | 50 | 50 | STL/ZND |
| 2479077     | S      | 16 | M18X1.5 | 10 | 24   | 38.5 | 18.0 | 12 | 36 | 27 | 30 | STL/ZND |
| 85806394    | S      | 16 | M22X1.5 | 12 | 27   | 41   | 18.5 | 14 | 37 | 27 | 30 | STL/ZND |
| 85806643    | S      | 16 | M27X2.0 | 12 | 32   | 43   | 19.5 | 16 | 39 | 32 | 36 | STL/ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


142 OF 201

CNH NUMBERS

**87354249**


**STPX100**

24D Connectors  
ISO 8434-1  
Union Male DIN L Series.  
Metric end with metallic seal for ISO  
9974 port





| Part Number | T(mm) | F       | F1      | A  | B  | D  | CH | Material | Finish |
|-------------|-------|---------|---------|----|----|----|----|----------|--------|
| 47771066    | 15    | M22X1.5 | M22X1.5 | 36 | 14 | 15 | 27 | STL      | ZND    |
|             |       |         |         |    |    |    |    |          |        |


24D Connectors DIN 3861  
ISO 8434-1  
Union Male DIN L Series




| Part Number | T(mm) | T1 (mm) | F       | F1      | A  | B  | CH | Material | Finish |
|-------------|-------|---------|---------|---------|----|----|----|----------|--------|
| 47499003    | 10    | 10      | M16X1.5 | M16X1.5 | 27 | 13 | 17 | STL      | ZND    |
| 47856259    | 12    | 06      | M18X1.5 | M12X1.5 | 27 | 13 | 19 | STL      | ZND    |
| 9513809     | 12    | 08      | M18X1.5 | M14X1.5 | 27 | 13 | 19 | STL      | ZND    |
| 84490428    | 35    | 35      | M45X2.0 | M45X2.0 | 41 | 20 | 46 | STL      | ZND    |


| Flareless<br>DKO Swivel<br>Union 24<br>Degree |                       | Parker GZ<br>4100 Catalog |    |  |    |    |    |    |         |
|-----------------------------------------------|-----------------------|---------------------------|----|------------------------------------------------------------------------------------|----|----|----|----|---------|
| Part Number                                   | Description           | Series                    | D1 | T                                                                                  | D3 | L1 | L2 | S1 | MAT/FIN |
| 2781646                                       | Union, M14X1.4 Swivel | L                         | 08 | M14X1.5                                                                            | 4  | 32 | 33 | 17 | STL/ZND |
| 84515054                                      | Union, M16X1.5 Swivel | L                         | 10 | M16X1.5                                                                            | 6  | 33 | 34 | 19 | STL/ZND |
| 84515055                                      | Union, M30X2 Swivel   | L                         | 22 | M30X2                                                                              | 17 | 42 | 44 | 36 | STL/ZND |
| 47862991                                      | Union, M36X2 Swivel   | L                         | 28 | M36X2                                                                              | 22 | 46 | 48 | 41 | STL/ZND |
| 48154997                                      | Union, M45X2 Swivel   | L                         | 35 | M45X2                                                                              | 28 | 48 | 52 | 50 | STL/ZND |
| 2365617                                       | Union, M24X1.5 Swivel | S                         | 16 | M24X1.5                                                                            | 11 | 39 | 42 | 30 | STL/ZND |

| DKO Swivel<br>Reducer 24<br>Degree Cone<br>End DIN |                      | Parker GZR35/22L<br>4100-6/DE<br>German |       |  |    |    |    |    |         |
|----------------------------------------------------|----------------------|-----------------------------------------|-------|--------------------------------------------------------------------------------------|----|----|----|----|---------|
| Part Number                                        | Description          | T1                                      | T2    | D3                                                                                   | L1 | L2 | S1 | S2 | MAT/FIN |
| 84490426                                           | Reducer swvl M45/M30 | M45x2                                   | M30x2 | 17                                                                                   | 48 | 51 | 50 | 36 | STL/ZND |

| 24°<br>Reducing<br>swivel<br>straight<br>union |        |    |    |  |      |      |    |    |    |       |        |
|------------------------------------------------|--------|----|----|------------------------------------------------------------------------------------|------|------|----|----|----|-------|--------|
| Parker RED                                     |        |    |    |                                                                                    |      |      |    |    |    |       |        |
| Part Number                                    | Series | D1 | D2 | D3                                                                                 | L1   | L2   | L3 | S1 | S2 | Mat'l | Finish |
| 84278114                                       | L      | 12 | 08 | 6                                                                                  | 32   | 25   | 40 | 17 | 22 | STL   | ZND    |
| 47781360                                       | L      | 15 | 08 | 6                                                                                  | 35.5 | 28.5 | 43 | 19 | 27 | STL   | ZND    |
| 7723934                                        | L      | 15 | 10 | 8                                                                                  | 36.5 | 29.5 | 44 | 19 | 27 | STL   | ZND    |
| 51613355                                       | L      | 15 | 12 | 10                                                                                 | 36.5 | 29.5 | 44 | 19 | 27 | STL   | ZND    |
| 48127315                                       | L      | 18 | 12 | 10                                                                                 | 36   | 29   | 44 | 24 | 32 | STL   | ZND    |
| 7723942                                        | L      | 18 | 15 | 12                                                                                 | 37   | 30   | 45 | 24 | 32 | STL   | ZND    |
| 51457238                                       | L      | 22 | 12 | 10                                                                                 | 40   | 33   | 48 | 27 | 36 | STL   | ZND    |
| 84515560                                       | L      | 28 | 10 | 8                                                                                  | 42   | 35   | 50 | 32 | 41 | STL   | ZND    |
| 9512230                                        | L      | 28 | 15 | 12                                                                                 | 43   | 36   | 51 | 32 | 41 | STL   | ZND    |
| 51542589                                       | L      | 28 | 18 | 15                                                                                 | 43   | 35.5 | 52 | 32 | 41 | STL   | ZND    |
| 51569755                                       | L      | 28 | 22 | 15                                                                                 | 43   | 37.5 | 54 | 32 | 41 | STL   | ZND    |
| 51487169                                       | L      | 35 | 18 | 15                                                                                 | 46   | 38.5 | 55 | 41 | 50 | STL   | ZND    |
| 51595119                                       | L      | 35 | 28 | 24                                                                                 | 48   | 40.5 | 57 | 41 | 50 | STL   | ZND    |
| 84515561                                       | S / L  | 20 | 18 | 14                                                                                 | 43   | 35.5 | 51 | 27 | 36 | STL   | ZND    |


|                       |                      |                            |    |                                                                                      |    |  |    |    |    |  |
|-----------------------|----------------------|----------------------------|----|--------------------------------------------------------------------------------------|----|--|----|----|----|--|
| 24° Adapter<br>swivel |                      | to be relocated in STPL620 |    |  |    |  |    |    |    |  |
| Parker<br>DA18LOMD    |                      |                            |    |                                                                                      |    |  |    |    |    |  |
| Part Number           | Description          | L1                         | L2 | L3                                                                                   | D1 |  | D3 | S1 | S2 |  |
| 84515562              | Adapter, 24D SWVL 18 | 43.5                       | 36 | 52                                                                                   | 18 |  | 13 | 27 | 32 |  |
| 48155000              | Adapter, 24D SWVL 35 | 60.5                       | 50 | 72                                                                                   | 35 |  | 28 | 46 | 50 |  |

24 Degree Connector  
Female Swivel DIN L Series – male metric with  
elastomer seal ISO 9974 ports




| Part Number | T | F       | F <sub>1</sub> | A  | B    | D  | CH | CH <sub>1</sub> | Mat'l | Finish |
|-------------|---|---------|----------------|----|------|----|----|-----------------|-------|--------|
| 47553373    | 8 | M14X1.5 | M12X1.5        | 38 | 17.5 | 12 | 17 | 17              | STL   | ZND    |

24 Degree Connector (DIN 3861)  
Union Female Swivel DIN L Series – male DIN L  
Series



| Part Number | T  | F       | T <sub>1</sub> | F <sub>1</sub> | A    | B    | D  | CH | CH <sub>1</sub> | Mat'l | Finish |
|-------------|----|---------|----------------|----------------|------|------|----|----|-----------------|-------|--------|
| 51407567    | 15 | M22X1.5 | 15             | M22X1.5        | 43.5 | 21.5 | 12 | 24 | 27              | STL   | ZND    |

Male Metric Thread – O-Ring  
(ISO 6149) / EO 24D DKO Swvl  
Parker EGEO



| Part Number | Series | D1 | T       | D3   | D4   | L1   | L2   | S1 | S2 |
|-------------|--------|----|---------|------|------|------|------|----|----|
| 51507028    | L      | 12 | M16X1.5 | 8.0  | 21.8 | 30.5 | 11.5 | 22 | 22 |
| 51412447    | L      | 28 | M33X2.0 | 22.0 | 40.8 | 35.0 | 16.0 | 41 | 41 |
| 47652912    | S      | 08 | M14X1.5 | 4.0  | 18.8 | 29.5 | 11.0 | 19 | 19 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM

PAGE  
146 OF 201

CNH NUMBERS


**87354249** | **STPX100**

Male Metric Thread - ED seal  
(ISO 9974-2) / EO 24D DKO Swvl  
Parker EGE-M-ED




| Part Number | Series | D1 | T       | D3   | D4 | L1   | L2 | S1 | S2 | Mat'l | Finish |
|-------------|--------|----|---------|------|----|------|----|----|----|-------|--------|
| 1307802     | S      | 08 | M14x1.5 | 4.0  | 19 | 29.5 | 12 | 19 | 19 | STL   | ZND    |
| 1338330     | L      | 10 | M14x1.5 | 6.0  | 19 | 27.5 | 12 | 19 | 19 | STL   | ZND    |
| 2929201     | L      | 15 | M22x1.5 | 10.0 | 27 | 32.0 | 14 | 27 | 27 | STL   | ZND    |

Male BSPP Thread - ED seal  
(ISO 1179) / EO 24D DKO Swvl  
Parker EGE-R-ED




| Part Number | Series | D1 | T     | D3   | D4 | L1   | L2 | S1 | S2 | Mat'l | Finish |
|-------------|--------|----|-------|------|----|------|----|----|----|-------|--------|
| 47883732    | L      | 15 | G1/2A | 10.0 | 27 | 32.0 | 14 | 27 | 27 | STL   | ZND    |
| 7730348     | L      | 18 | G1/2A | 13.0 | 27 | 31.5 | 14 | 27 | 32 | STL   | ZND    |
| 48033446    | L      | 18 | G3/4A | 13.0 | 32 | 29.5 | 16 | 32 | 32 | STL   | ZND    |
| 92683675    | S      | 16 | G1/2A | 11.0 | 27 | 37   | 14 | 27 | 30 | STL   | ZND    |

Male BSPP 60D Cone end (ISO 8434-6)  
/ Female BSPP Thread (ISO 1179-1)  
Parker G4MK4





| Part Number | T1 BSPP | T2 BSPP | C mm | D mm | L mm | L1 mm | Mat'l | Finish |
|-------------|---------|---------|------|------|------|-------|-------|--------|
| 47883733    | 3/8     | 1/4     | 22   | 8    | 36   | 12    | STL   | ZND    |
| 51604941    | 3/8     | 3/8     | 22   | 8    | 35   | 12    | STL   | ZND    |
| 51584835    | 1/2     | 1/2     | 27   | 12.5 | 43.5 | 14    | STL   | ZND    |
| 51619751    | 3/4     | 3/8     | 32   | 17   | 42   | 16    | STL   | ZND    |
| 47883737    | 3/4     | 1/2     | 32   | 17   | 48   | 16    | STL   | ZND    |

Female Metric Thread -  
(ISO9974-1) / EO 24D Cone  
Parker GAI-M



| Part Number | Series | D1 | T       | D3  | L1   | L2   | L3   | L4   | S1 | S2 | Mat'l | Finish |
|-------------|--------|----|---------|-----|------|------|------|------|----|----|-------|--------|
| 47771471    | L      | 06 | M10X1.0 | 4.0 | 26.5 | 19.5 | 8.0  | 34   | 14 | 14 | STL   | ZND    |
| 47638046    | L      | 10 | M14X1.5 | 8.0 | 32.0 | 25.0 | 12.0 | 40.0 | 19 | 19 | STL   | ZND    |
| 47652915    | S      | 08 | M14X1.5 | 5.0 | 33.0 | 26.0 | 12.0 | 41.0 | 17 | 19 | STL   | ZND    |


| WEE-R ADJ LOCKNUT ELBOW<br>EO 24 DEGREE<br>CONE END / ADJ<br>BSPP O -Ring + Retaining Ring<br>(ISO 1179) |        |    |           | Parker<br>WEE-R<br><br>FOR<br>A707037<br>A707532 |      |    |  |      |    |      |    |    |           |
|----------------------------------------------------------------------------------------------------------|--------|----|-----------|--------------------------------------------------|------|----|------------------------------------------------------------------------------------|------|----|------|----|----|-----------|
| Part Number                                                                                              | Series | D1 | T         | D3                                               | D4   | D5 | L1                                                                                 | L2   | L3 | L4   | S1 | S2 | Mat / Fin |
| 47466895                                                                                                 | L      | 12 | G 3/8 A   | 10.0                                             | 10.0 | 23 | 26                                                                                 | 19   | 28 | 9.0  | 19 | 22 | STL/ ZND  |
| 48033459                                                                                                 | L      | 15 | G1/2 A    | 12.0                                             | 12.5 | 28 | 28                                                                                 | 21   | 30 | 13.0 | 22 | 27 | STL/ ZND  |
| 92650729                                                                                                 | S      | 16 | G 3/4 A   | 12                                               | 15.5 | 33 | 33                                                                                 | 24.5 | 39 | 12   | 30 | 36 | STL/ZND   |
| 85814135                                                                                                 | S      | 20 | G 3/4 A   | 16.0                                             | 15.5 | 33 | 38                                                                                 | 28   | 39 | 12.0 | 30 | 36 | STL/ ZND  |
| 2929266                                                                                                  | L      | 35 | G 1 1/4 A | 30                                               | 27.5 | 51 | 45                                                                                 | 34.5 | 44 | 15   | 41 | 50 | STL/ZND   |

| WEE-M ADJ LOCKNUT ELBOW<br>EO 24 DEGREE<br>CONE END (ISO 8434-1) / ADJ<br>Metric O -Ring + Retaining Ring<br>(ISO 9974-1) |        |    |         | Parker<br>WEE-M |    |    |  |    |    |    |    |    |           |
|---------------------------------------------------------------------------------------------------------------------------|--------|----|---------|-----------------|----|----|--------------------------------------------------------------------------------------|----|----|----|----|----|-----------|
| Part Number                                                                                                               | Series | D1 | T       | D3              | D4 | D5 | L1                                                                                   | L2 | L3 | L4 | S1 | S2 | Mat / Fin |
| 85825626                                                                                                                  | S      | 16 | M22x1.5 | 12              | 12 | 28 | 33                                                                                   | 25 | 36 | 14 | 27 | 27 | STL / ZND |
| 92645786                                                                                                                  | S      | 20 | M27X2   | 16              | 15 | 33 | 38                                                                                   | 28 | 39 | 16 | 30 | 32 | STL / ZND |

WEE-UNF ADJ LOCKNUT ELBOW EO 24  
DEGREE  
CONE END  
ADJ THREAD /SAE-ORD

Parker WEE-UNF

Series L



| Part Number | D1 | T            | D3 | D4   | D5   | L1 | L2 | L3 | L4 | S1 | S2 | Mat/Fin |
|-------------|----|--------------|----|------|------|----|----|----|----|----|----|---------|
| 51551020    | 12 | 3/4-16 UNF   | 10 | 10   | 25.7 | 26 | 19 | 25 | 13 | 22 | 22 | STL ZND |
| 84151582    | 15 | 3/4-16 UNF   | 12 | 10   | 25.7 | 28 | 21 | 28 | 13 | 22 | 22 | STL ZND |
| 51551021    | 15 | 7/8-24 UNF   | 12 | 12.5 | 29.3 | 28 | 21 | 28 | 15 | 22 | 27 | STL ZND |
| 51551022    | 18 | 1-1/16-12 UN | 15 | 15.5 | 29.3 | 31 | 24 | 32 | 17 | 30 | 32 | STL ZND |
| 51551023    | 22 | 1-1/16-12 UN | 19 | 15.5 | 36.7 | 35 | 28 | 35 | 17 | 30 | 32 | STL ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.


KM

PAGE

150 OF 201


CNH NUMBERS

**87354249** | **STPX100**

| WEE-OR<br>ADJ<br>LOCKNUT<br>ELBOW EO<br>24<br>DEGREE<br>CONE<br>END<br>ADJ<br>THREAD<br>ISO 6149 |                                                                   | Parker<br>WEE-OR<br>4100-6/DE<br>German |         |  |     |      |    |    |      |      |    |    |            |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|---------|------------------------------------------------------------------------------------|-----|------|----|----|------|------|----|----|------------|
| Part Number                                                                                      | Description                                                       | D1                                      | T       | D3                                                                                 | D4  | D5   | L1 | L2 | L3   | L4   | S1 | S2 | Mat/Fin    |
| 51573925                                                                                         | ELBOW, 90, M 24D<br>CONE X M14X1.5 ORB<br>LIGHT                   | 10                                      | M14X1.5 | 8                                                                                  | 7.5 | 19   | 24 | 17 | 24   | 11   | 19 | 19 | STL<br>ZND |
| 51534825                                                                                         | ELBOW, 90, M 24D<br>CONE X M16X1.5 ORB<br>LIGHT                   | 12                                      | M16X1.5 | 10                                                                                 | 9   | 23   | 26 | 19 | 24.5 | 11.5 | 19 | 22 | STL<br>ZND |
| 92786713                                                                                         | ELBOW, 90, M 24D<br>CONE X M22X1.5 ORB<br>LIGHT                   | 12                                      | M22X1.5 | 10                                                                                 | 14  | 27.5 | 28 | 21 | 27.2 | 12.8 | 22 | 27 | STL<br>ZND |
| 51507030                                                                                         | ELBOW, 90, M 24D<br>CONE X M18X1.5 ORB<br>LIGHT WEE15LMOROMD      | 15                                      | M18X1.5 | 12                                                                                 | 11  | 25   | 28 | 21 | 30   | 11   | 22 | 24 | STL<br>ZND |
| 51621990                                                                                         | ELBOW, 90, M 24D<br>CONE X M18X1.5 ORB<br>HEAVY                   | 16                                      | M18X1.5 | 12                                                                                 | 11  | 25   | 33 | 25 | 36   | 12.5 | 27 | 24 | STL<br>ZND |
| 84490427                                                                                         | ELBOW, 90, M 24D<br>CONE X M27X2 ORB<br>HEAVY<br>WEE20SMOROMD     | 20                                      | M27X2   | 16                                                                                 | 15  | 33   | 38 | 28 | 39   | 16   | 32 | 36 | STL<br>ZND |
| 84534147                                                                                         | ELBOW, 90, M 24D<br>CONE X M27X2 ORB<br>LIGHT<br>WEE22LM27X2OROMD | 22                                      | M27X2   | 19                                                                                 | 18  | 33   | 35 | 28 | 35   | 14   | 30 | 32 | STL<br>ZND |

EO 24 DEGREE  
CONE END  
EO 24 DEGREE DKO  
SWIVEL

Parker EW  
SWIVEL NUT  
ELBOW



| Part Number | Series | D1 | D3 | L1 | L2   | L3   | L4 | S1 | S2 | Material | Finish |
|-------------|--------|----|----|----|------|------|----|----|----|----------|--------|
| 47775938    | L      | 6  | 4  | 19 | 12   | 26.0 | 27 | 12 | 14 | STL      | ZND    |
| 1636004     | L      | 8  | 6  | 21 | 14   | 27.5 | 29 | 12 | 17 | STL      | ZND    |
| 1627771     | S      | 8  | 5  | 24 | 17   | 27.5 | 32 | 14 | 19 | STL      | ZND    |
| 1983888     | L      | 10 | 8  | 22 | 15   | 29   | 30 | 14 | 19 | STL      | ZND    |
| 1350300     | S      | 10 | 6  | 25 | 17.5 | 30.0 | 34 | 17 | 22 | STL      | ZND    |
| 1636005     | L      | 12 | 10 | 24 | 17   | 29.5 | 32 | 17 | 22 | STL      | ZND    |
| 85807732    | S      | 12 | 8  | 29 | 21.5 | 31.0 | 38 | 17 | 27 | STL      | ZND    |
| 8474887     | L      | 15 | 12 | 28 | 21   | 32.5 | 36 | 19 | 27 | STL      | ZND    |
| 1307809     | S      | 16 | 12 | 33 | 24.5 | 36.5 | 43 | 24 | 30 | STL      | ZND    |
| 1636006     | L      | 18 | 15 | 31 | 23.5 | 35.5 | 40 | 24 | 32 | STL      | ZND    |
| 85826815    | S      | 20 | 16 | 37 | 26.5 | 44.5 | 48 | 27 | 36 | STL      | ZND    |
| 1636007     | L      | 22 | 19 | 35 | 27.5 | 38.5 | 44 | 27 | 36 | STL      | ZND    |
| 1636008     | L      | 28 | 24 | 38 | 30.5 | 41.5 | 47 | 36 | 41 | STL      | ZND    |
| 1360742     | L      | 35 | 30 | 45 | 34.5 | 51   | 56 | 41 | 50 | STL      | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


152 OF 201

CNH NUMBERS

**87354249**


**STPX100**

24 Degree Union elbow 45° Male (DIN 3861 / ISO 8434-1) – DKO Swivel Female



| Part Number | Series | T  | F       | F1      | B  | C    | CH | Mat'l | Finish |
|-------------|--------|----|---------|---------|----|------|----|-------|--------|
| 4554130     | L      | 15 | M22X1.5 | M22X1.5 | 24 | 32   | 27 | STL   | ZND    |
| 92691122    | S      | 16 | M24X1.5 | M24X1.5 | 24 | 36.5 | 30 | STL   | ZND    |
| 92728085    | S      | 20 | M30X2   | M30X2   | 26 | 45.5 | 36 | STL   | ZND    |

TR-Tee  
Reducer  
24 DEGREE  
CONE END  
Parker  
TR28/18/28L  
TR28/22/28L



| Part Number | D1 | D2 | D3 | D4 | D5 | L1 | L2   | L3   | L4   | L5 | L6 | L7 | S2 | S3 | S4 | S5 |
|-------------|----|----|----|----|----|----|------|------|------|----|----|----|----|----|----|----|
| 47967733    | 12 | 06 | 12 | 10 | 4  | 24 | 17   | 17   | 17   | 32 | 32 | 32 | 22 | 14 | 22 | 17 |
| 962710      | 12 | 18 | 12 | 10 | 15 | 31 | 24   | 24   | 23.5 | 39 | 39 | 40 | 22 | 32 | 22 | 24 |
| 84515556    | 28 | 18 | 28 | 24 | 15 | 38 | 30.5 | 30.5 | 30.5 | 47 | 47 | 47 | 41 | 32 | 41 | 36 |
| 84515557    | 28 | 22 | 28 | 24 | 19 | 38 | 30.5 | 30.5 | 30.5 | 47 | 47 | 47 | 41 | 36 | 41 | 36 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


153 OF 201

CNH NUMBERS

**87354249**

**STPX100**

Connector 24D Cone  
male DIN L series –  
male BSPP  
ISO 1179  
Port  
ED-Seal  
Parker GE-R-ED  
Male Stud Conn  
Steel, ZND



| Part Number | Description          | D1 | T1    | D3 | D4 | L1   | L2   | L3 | L4 | S1 | S2 |
|-------------|----------------------|----|-------|----|----|------|------|----|----|----|----|
| 1665749     | Conn M14X1.5 X G1/4A | 8  | G1/4A | 6  | 19 | 29   | 10   | 12 | 25 | 19 | 17 |
| 51400913    | Conn 8mm G3/8A       | 8  | G3/8A | 6  | 22 | 30.5 | 11.5 | 12 | 26 | 22 | 17 |
| 92318867    | Conn M14X1.5 X G1/2A | 8  | G1/2A | 6  | 27 | 33   | 12   | 14 | 27 | 27 | 17 |
| 1637183     | Conn M16X1.5 X G1/4A | 10 | G1/4A | 6  | 19 | 30   | 11   | 12 | 26 | 19 | 19 |
| 2928203     | Conn M16X1.5 X G3/8A | 10 | G3/8A | 8  | 22 | 31.5 | 12.5 | 12 | 27 | 22 | 19 |
| 47919627    | Conn M16X1.5 X G1/2A | 10 | G1/2A | 8  | 27 | 34.0 | 13.0 | 14 | 28 | 27 | 19 |
| 2247096     | Conn M18X1.5 X G1/4A | 12 | G1/4A | 6  | 19 | 31   | 12   | 12 | 27 | 19 | 22 |
| 92140322    | Conn M18X1.5 X G3/8A | 12 | G3/8A | 9  | 22 | 31.5 | 12.5 | 12 | 27 | 22 | 22 |
| 51400998    | Conn 12mm G3/8A      | 12 | G3/8A | 9  | 22 | 31.5 | 12.5 | 12 | 27 | 22 | 19 |
| 51401002    | Conn 12mm G1/2A      | 12 | G1/2A | 10 | 27 | 34   | 13   | 14 | 28 | 27 | 22 |
| 51400939    | Conn 15mm G1/2A      | 15 | G1/2A | 11 | 27 | 35   | 14   | 14 | 29 | 27 | 27 |
| 8411057     | Conn M26X1.5 X G1/2A | 18 | G1/2A | 14 | 27 | 36   | 14.5 | 14 | 31 | 27 | 32 |
| 48033480    | Conn M26X1.5 X G3/4A | 18 | G3/4A | 15 | 32 | 38   | 14.5 | 16 | 31 | 32 | 32 |
| 51547206    | Conn M30X2X G1A      | 22 | G1A   | 19 | 40 | 43   | 17.5 | 18 | 34 | 41 | 36 |
| 51531410    | Conn M36X2 X G1A     | 28 | G1A   | 23 | 40 | 43   | 17.5 | 18 | 34 | 41 | 41 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

154 OF 201


CNH NUMBERS

**87354249**

**STPX100**


Connector 24D Cone  
male DIN S series –  
male BSPP  
ISO 1179  
Port  
ED Seal

Parker GE-R-ED  
Male Stud Conn  
Steel, ZND



| Part Number | Description          | D1 | T1    | D3 | D4 | L1   | L2   | L3 | L4 | S1 | S2 |
|-------------|----------------------|----|-------|----|----|------|------|----|----|----|----|
| 1665750     | Conn M16X1.5 X G1/4A | 08 | G1/4A | 5  | 19 | 34   | 15   | 12 | 30 | 19 | 19 |
| 47699798    | Conn M20X1.5 X G1/4A | 12 | G1/4A | 5  | 19 | 35.5 | 16.5 | 12 | 33 | 22 | 24 |
| 85807705    | Conn M20X1.5 X G1/2A | 12 | G1/2A | 8  | 27 | 39   | 17.5 | 14 | 34 | 27 | 24 |
| 85807698    | Conn M24X1.5 X G1/2A | 16 | G1/2A | 12 | 27 | 41   | 18.5 | 14 | 37 | 27 | 30 |
| 85814532    | Conn M24X1.5 X G3/8A | 16 | G3/8A | 8  | 22 | 38.5 | 18.0 | 12 | 36 | 27 | 30 |
| 85826490    | Conn M24X1.5 X G3/4A | 16 | G3/4A | 12 | 32 | 45   | 20.5 | 16 | 39 | 32 | 30 |


Connector 24D Cone  
ISO 8434-1 (DIN 3861)  
male DIN L series –  
male BSPP with metallic seal for ISO  
1179 port



| Part Number | T mm | F       | F1 (BSPP) | A    | B  | D  | CH | Material | Finish |
|-------------|------|---------|-----------|------|----|----|----|----------|--------|
| 47441838    | 15   | M22X1.5 | 1/2-14    | 35   | 14 | 14 | 27 | STL      | ZND    |
| 1939833     | 18   | M26X1.5 | 3/8-19    | 33.5 | 12 | 14 | 27 | STL      | ZND    |

Connector 24D Cone  
male DIN series –  
male BSPP  
ISO 1179 (DIN 3852) / Standpipe  
adjustable


Parker EVGE-R-ED  
Male Stud Conn  
Steel, ZND



X1) Eolastic-sealing ED


| Part Number | Series | D1 | T     | D3   | D4 | L1   | L2 | S1 | S2 | Material | Finish |
|-------------|--------|----|-------|------|----|------|----|----|----|----------|--------|
| 51400083    | L      | 08 | G1/4A | 4.5  | 19 | 29.5 | 12 | 19 | 17 | STL      | ZND    |
| 47441836    | L      | 15 | G1/2A | 11.0 | 27 | 31.0 | 14 | 27 | 27 | STL      | ZND    |
| 92691124    | S      | 16 | G3/4A | 11.5 | 32 | 39.0 | 16 | 32 | 30 | STL      | ZND    |

Connector 24D Cone  
ISO 8434-1 (DIN 3861)  
Elbow 90  
male DIN S series –  
male BSPP (ADJ) with O-Ring and  
Retaining Ring ISO 1179




| Part Number | T mm | F       | F1        | B  | B1 | C  | CH | Material | Finish |
|-------------|------|---------|-----------|----|----|----|----|----------|--------|
| 47498129    | 6    | M14X1.5 | G1/4-19 A | 23 | 16 | 37 | 19 | STL      | ZND    |

24D Cone DIN 3861 (ISO 8434-1)  
Tee, Branch – ADJ Male DIN S Series – male  
BSPP with O.R. and retaining ring ISO 1179 ports



| Part Number | F       | F1      | F2 BSPP  | B  | B1 | C  | C1 | CH | D  | Material / Finish |
|-------------|---------|---------|----------|----|----|----|----|----|----|-------------------|
| 47498137    | M14X1.5 | M14X1.5 | G1/4-19A | 23 | 16 | 23 | 16 | 19 | 37 | STL/ZND           |
|             |         |         |          |    |    |    |    |    |    |                   |


24D Cone DIN 3861 (ISO 8434-1)  
Tee, Branch – ADJ Male DIN L Series – male ISO  
6149 with O-Ring



| Part Number | F       | F1      | F2      | B  | B1 | C  | C1 | CH | D  | Material / Finish |
|-------------|---------|---------|---------|----|----|----|----|----|----|-------------------|
| 51573955    | M22X1.5 | M22X1.5 | M18X1.5 | 28 | 21 | 28 | 21 | 24 | 41 | STL/ZND           |
| 51573957    | M26X1.5 | M26X1.5 | M22X1.5 | 31 | 24 | 31 | 24 | 27 | 45 | STL/ZND           |


ORFS / Adjustable BSPP O-Ring + Retaining Ring  
(ISO 1179) Run Tee

ORFS /BSPP-ORR /ORFS




| Part Number | 1 ORFS   | 2 (BSPP) | 3 ORFS   | M (mm) | N (mm) | Y (mm) | Material | Finish |
|-------------|----------|----------|----------|--------|--------|--------|----------|--------|
| 90445588    | 11/16-16 | 3/8-19   | 11/16-16 | 27     | 38     | 19     | STL      | ZND    |
|             |          |          |          |        |        |        |          |        |

24D Cone DIN 3861 (ISO 8434-1)  
Union Cross male DIN L Series




| Part Number | F       | B  | B1 | Material | Finish |
|-------------|---------|----|----|----------|--------|
| 47553403    | M14X1.5 | 21 | 14 | STL      | ZND    |
| 51507015    | M18X1.5 | 24 | 17 | STL      | ZND    |
| 1709689     | M22X1.5 | 28 | 21 | STL      | ZND    |

24D DIN 3861 (ISO 8434-1)  
Female Plug DIN L Series




| Part Number | T  | F       | L  | CH | Material | Finish |
|-------------|----|---------|----|----|----------|--------|
| 48163718    | 08 | M14X1.5 | 24 | 17 | STL      | ZND    |
| 51698618    | 10 | M16X1.5 | 25 | 19 | STL      | ZND    |
| 2268318     | 22 | M30X2   | 26 | 36 | STL      | ZND    |

Bushing, Adapter  
Parker – Number not available at time of printing



| Part Number | Description                                    | 1        | 2       | C  | L  | Mat |
|-------------|------------------------------------------------|----------|---------|----|----|-----|
| 84163826    | Bushing, Adptr 1/2 NPTF F X M18x1.5 Str Thrd M | 1/2 NPTF | M18x1.5 | 27 | 30 | STL |

Alfagomma R1A05M106Q  
Str Connector  
BSP 60D 1/2-14  
X  
BSPP Male  
W/O-ring and  
Seal



| Part Number | Description                                   | OD-MM | OD-IN. | F1     | F2     | L  | C1 | C2   | CH |
|-------------|-----------------------------------------------|-------|--------|--------|--------|----|----|------|----|
| 84168352    | Conn 60D BSP Male X BSPP Male w/ring and seal | 12    | 1/2    | 1/2-14 | 1/2-14 | 40 | 17 | 14.5 | 27 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


159 OF 201

CNH NUMBERS

**87354249**


**STPX100**

60D Cone (ISO 8434-6)  
Elbow, 90 Male BSPP – Male BSPP (ADJ) with  
O.R. and Retaining Ring ISO 1179 ports




| Part Number | F BSPP | F1 BSPP | B  | D  | CH | Material | Finish |
|-------------|--------|---------|----|----|----|----------|--------|
| 47490251    | 1/4-19 | 1/4-19  | 27 | 32 | 19 | STL      | ZND    |
| 47530738    | 3/8-19 | 3/8-19  | 29 | 37 | 24 | STL      | ZND    |
| 47530736    | 1/2-14 | 1/2-14  | 34 | 43 | 27 | STL      | ZND    |
|             |        |         |    |    |    |          |        |

60D Cone (ISO 8434-6)  
Elbow, 90 Male BSPP – Swivel Nut BSPP




| Part Number | F BSPP | F1 BSPP | B  | D    | CH | Material | Finish |
|-------------|--------|---------|----|------|----|----------|--------|
| 47497798    | 1/4-19 | 1/4-19  | 27 | 28   | 19 | STL      | ZND    |
| 47500625    | 3/8-19 | 3/8-19  | 29 | 37   | 22 | STL      | ZND    |
| 47497821    | 1/2-14 | 1/2-14  | 34 | 44.5 | 27 | STL      | ZND    |
| 47490257    | 3/4-14 | 3/4-14  | 41 | 55.5 | 32 | STL      | ZND    |
|             |        |         |    |      |    |          |        |

60D Cone (ISO 8434-6)  
Elbow, 45 Male BSPP – Swivel Nut BSPP




| Part Number | F BSPP | F1 BSPP | B  | D  | CH | Material | Finish |
|-------------|--------|---------|----|----|----|----------|--------|
| 47547176    | 1/4-19 | 1/4-19  | 21 | 30 | 19 | STL      | ZND    |
| 47547185    | 3/8-19 | 3/8-19  | 25 | 33 | 22 | STL      | ZND    |
|             |        |         |    |    |    |          |        |

60D Cone (ISO 8434-6)  
Union Tee – male BSPP




| Part Number | F BSPP | B  | Material | Finish |
|-------------|--------|----|----------|--------|
| 47499064    | 1/4-19 | 27 | STL      | ZND    |
|             |        |    |          |        |

60D Cone (ISO 8434-6)  
Tee, Run (ADJ) male BSP – male BSPP with  
O.R. and retaining ring ISO 1179 ports.



| Part Number | F BSPP | F1 BSPP | F2 BSPP | B  | B1 | D  | CH | Material | Finish |
|-------------|--------|---------|---------|----|----|----|----|----------|--------|
| 47561912    | 1/2-14 | 1/2-14  | 1/2-14  | 34 | 34 | 43 | 27 | STL      | ZND    |
|             |        |         |         |    |    |    |    |          |        |

60D Cone (ISO 8434-6)  
Tee, Run – Swivel Nut BSPP



| Part Number | F BSPP | F1 BSPP | F2 BSPP | B  | B1 | D    | CH | Material | Finish |
|-------------|--------|---------|---------|----|----|------|----|----------|--------|
| 47498141    | 1/4-19 | 1/4-19  | 1/4-19  | 27 | 27 | 28   | 19 | STL      | ZND    |
| 47498145    | 1/2-14 | 1/2-14  | 1/2-14  | 34 | 34 | 44.5 | 27 | STL      | ZND    |
| 47490260    | 3/4-14 | 3/4-14  | 3/4-14  | 41 | 41 | 55.5 | 32 | STL      | ZND    |
|             |        |         |         |    |    |      |    |          |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


162 OF 201

CNH NUMBERS

**87354249**


**STPX100**

60D Cone (ISO 8434-6)  
Tee, Branch – Swivel Nut BSPP



| Part Number | F BSPP | F1 BSPP | F2 BSPP | B  | B1 | D    | CH | Material | Finish |
|-------------|--------|---------|---------|----|----|------|----|----------|--------|
| 47530741    | 1/4-19 | 1/4-19  | 1/4-19  | 27 | 27 | 28   | 19 | STL      | ZND    |
| 47490262    | 1/2-14 | 1/2-14  | 1/2-14  | 34 | 34 | 44.5 | 27 | STL      | ZND    |
|             |        |         |         |    |    |      |    |          |        |

60D Cone (ISO 8434-6)  
Union Cross Male BSP



| Part Number | F BSPP   | Tube OD MM | Tube OD Inch | B  | Material | Finish |
|-------------|----------|------------|--------------|----|----------|--------|
| 92071566    | G3/8-19A | 10         | 3/8          | 29 | STL      | ZND    |
|             |          |            |              |    |          |        |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


163 OF 201


CNH NUMBERS

**87354249**


**STPX100**

|                                      |                       |             |    |                                                                                    |  |
|--------------------------------------|-----------------------|-------------|----|------------------------------------------------------------------------------------|--|
| BSPP 60D<br>Cone Plugs<br>ISO 8434-6 |                       | PNMK4S Plug |    |  |  |
| Part Number                          | Description           | Thread      | C  | L                                                                                  |  |
| 84492989                             | Plug, 60D 1/4-19 BSPP | 1/4-19      | 19 | 19                                                                                 |  |

| RYCO<br>Hydraulics<br>M7-1809 |                                                     | Male Connector<br>DIN 7631 |  |
|-------------------------------|-----------------------------------------------------|----------------------------|------------------------------------------------------------------------------------|
| Part Number                   | Description                                         |                            |                                                                                    |
| 84168361                      | Connector, 37D male<br>9/16-18 x M18x1.5 60D<br>ORB |                            |                                                                                    |


| ALFAGOMMA 90D BSP O-Ring Female Swivel 60D Cone Solid Bent Tube |                                          |  |         |        |      |        |      |
|-----------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------|---------|--------|------|--------|------|
| Part Number                                                     | Description                              | Dash No.                                                                             | Hose ID | A      | C    | D      | Hex  |
| 84177564                                                        | Elbow, Fem SWVL 60D cone Solid Bent Tube | -06                                                                                  | 3/8     | 1/2-14 | 33mm | 36mm   | 27mm |
| 84173774                                                        | Elbow, Fem SWVL 60D cone Solid Bent Tube | -08                                                                                  | 1/2     | 1/2-14 | 40mm | 37.5mm | 27mm |

Branch Tee  
37 FL male  
BSPP O-Ring  
w/Retaining  
Ring (ISO 1179)



| Part Number | Tube Size mm | (37 FL) T UN/UNF-2A | T4 BSPP | C4 | D  | D2 | M  | M7   | Material | Finish |
|-------------|--------------|---------------------|---------|----|----|----|----|------|----------|--------|
| 47902899    | 10           | 9/16-18             | 3/8-19  | 22 | 8  | 10 | 29 | 36.5 | STL      | ZND    |
| 84212758    | 18,20        | 1-1/16-12           | 3/4-14  | 36 | 16 | 16 | 42 | 50   | STL      | ZND    |

Hydraulic 4 bolt  
Split Flange-  
Inch (SAE  
J518) (O&K  
369005)



| Part Number | Description          | C     | J    | BAR | PSI   |  |  |
|-------------|----------------------|-------|------|-----|-------|--|--|
| 70921115    | Half Flange .75 in.  | 1.875 | 2.56 | 210 | 3,000 |  |  |
| 70921116    | Half Flange 1 in.    | 2.062 | 2.75 | 210 | 3,000 |  |  |
| 70921117    | Half Flange 1.25 in. | 2.312 | 3.12 | 210 | 3,000 |  |  |
| 70921118    | Half Flange 1.5 in.  | 2.750 | 3.69 | 210 | 3,000 |  |  |
| 70921558    | Half Flange 2 in.    | 3.062 | 4.00 | 210 | 3,000 |  |  |
| 70921599    | Half Flange 2.5 in.  | 3.500 | 4.56 | 210 | 3,000 |  |  |
| 727077      | Half Flange .75 in.  | 2.000 | 2.81 | 420 | 6,000 |  |  |
| 991420      | Half Flange 1 in.    | 2.250 | 3.19 | 420 | 6,000 |  |  |
| 625571      | Half Flange 1.25 in. | 2.625 | 3.75 | 420 | 6,000 |  |  |
| 70935660    | Half Flange 1.50 in. | 3.125 | 4.44 | 420 | 6,000 |  |  |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM


PAGE  
165 OF 201

CNH NUMBERS


**87354249**

**STPX100**

| SAE 6000<br>PSI<br>90D ADJ<br>MALE ORFS<br>FLANGE<br>FOR – A407716 |                          |  |        |            |    |    |       |       |
|--------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------|--------|------------|----|----|-------|-------|
| Part Number                                                        | Description              | Flange                                                                             | T      | F          | I  | I1 | A     | B     |
| 84560190                                                           | Elbow 90 ORFS 1in Tube   | 1"                                                                                 | 7/8-1" | 1-7/16-12  | 72 | 70 | 57.15 | 27.76 |
| 84560191                                                           | Elbow 90 ORFS 1-1/4 Tube | 1"1/4                                                                              | 7/8-1" | 1-7/16-12  | 70 | 72 | 66.68 | 31.75 |
| 84560192                                                           | Elbow 90 ORFS 1-1/4 Tube | 1"1/4                                                                              | 1"1/4  | 1-11/16-12 | 70 | 72 | 66.68 | 31.75 |
| 48115789                                                           | Elbow 90 ORFS 1-1/2 Tube | 1"1/2                                                                              | 1"1/2  | 2-12       | 80 | 84 | 79    | 36.5  |


| SAE 3000<br>PSI<br>90D ADJ<br>MALE ORFS<br>FLANGE<br>FOR – A407211 |                             |  |          |           |      |    |       |       |
|--------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|----------|-----------|------|----|-------|-------|
| Part Number                                                        | Description                 | Flange                                                                              | T        | F         | I    | I1 | A     | B     |
| 47446675                                                           | Elbow 90 ORFS 1 in Tube     | 1"                                                                                  | 7/8 – 1" | 1-7/16-12 | 54   | 61 | 52.37 | 26.19 |
| 48116822                                                           | Elbow 90 ORFS 1-1/2 in Tube | 1-1/2"                                                                              | 1-1/2"   | 2-12      | 75.5 | 75 | 69.85 | 35.71 |

Hydraulic Flange Elbow 24 Deg / Metric  
Flareless - BFW



| Part Number | LK | D1  | D3 | L1 | L2   | L3   | L4   | LA | DB  | Screw<br>2 Pieces | Screw<br>2 Pieces | O-Ring |
|-------------|----|-----|----|----|------|------|------|----|-----|-------------------|-------------------|--------|
| 51583159    | 35 | 12L | 10 | 38 | 31   | 16.5 | 26.5 | 40 | 6.4 | M6X22             | M6X35             | 20X2.5 |
| 51583160    | 35 | 16S | 12 | 38 | 29.5 | 20.0 | 31.0 | 40 | 6.4 | M6X22             | M6X40             | 20X2.5 |
| 51583161    | 35 | 20S | 16 | 45 | 34.5 | 25.0 | 38.0 | 40 | 6.4 | M6X22             | M6X45             | 20X2.5 |
| 51583162    | 40 | 18L | 15 | 38 | 30.5 | 22.5 | 36.5 | 42 | 6.4 | M6X22             | M6X22             | 26X2.5 |
| 51583163    | 40 | 22L | 19 | 38 | 30.5 | 22.5 | 36.5 | 42 | 6.4 | M6X22             | M6X22             | 26X2.5 |
| 51596707    | 40 | 28L | 22 | 40 | 32.5 | 28.0 | 43   | 42 | 6.4 | M6X20             | M6X50             | 26X2.5 |
|             |    |     |    |    |      |      |      |    |     |                   |                   |        |

SAE Flange Code 61 / ORFS end



| Part Number | Description                    | T1 Tube | T1 ORFS<br>Thread | D2   | L1   |
|-------------|--------------------------------|---------|-------------------|------|------|
| 51472421    | Connector, Hyd, ORFS 1 in Tube | 1"      | 1-7/16-12         | 1.75 | 2.80 |
|             |                                |         |                   |      |      |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


167 OF 201

CNH NUMBERS

**87354249**

**STPX100**


Parker Male  
Pipe Elbow  
SAE 140230  
2107



| Part Number | Description                                  | 1      | 2      | N1   | C1   | W3   |
|-------------|----------------------------------------------|--------|--------|------|------|------|
| 87508052    | ELBOW,90 M 1/4-18 NPTF<br>F SWVL NPSM 1/4-18 | 1/4-18 | 1/4-18 | 1.09 | 9/16 | 1.06 |
| 84270870    | ELBOW,90 M 1/2-14NPTF<br>F SWVL NPSM 1/2-14  | 1/2-14 | 1/2-14 | 1.47 | 7/8  | 1.40 |

SAE J1508  
Spring Clamps  
Style CTB

Part Numbers  
listed in this  
table can also  
be provided  
with Finish  
"DOR" per  
STPA020 (Or)  
Magni 511 (Or)  
Magni 585.



| Part Number | Description              | Open Dia | Closed Dia | Width | Mat/Fin | Color |
|-------------|--------------------------|----------|------------|-------|---------|-------|
| 87436933    | Clamp CTB-12 Style B     | 13.9     | 11.7       | 8.4   | CST/ZND |       |
| 87436932    | Clamp CTB-15 Style C     | 16.5     | 13.9       | 12    | CST/ZND |       |
| 87584302    | Clamp CTB-18 Style C     | 19       | 16         | 15    | CST/ZND |       |
| 87019540    | Clamp CTB-19 Style C     | 20.2     | 17.8       | 15    | CST/ZND |       |
| 87443510    | Clamp CTB-20 Style A     | 21.6     | 18.4       | 15    | CST/ZND |       |
| 84375325    | Clamp CTB-22 Style A     | 24.5     | 20.5       | 15    | CST/DOR | BLACK |
| 87019541    | Clamp CTB-23 Style C     | 24.7     | 21         | 15    | CST/ZND |       |
| 82019905    | Clamp CTB-24, width 12mm | 26       | 22         | 12    | HTS/ZND |       |
| 87443511    | Clamp CTB-24 Style C     | 26       | 22         | 15    | CST/ZND |       |
| 87742351    | Clamp CTB-27 Style A     | 28.9     | 25.2       | 15    | CST/ZND |       |
| 84375326    | Clamp CTB-29 Style A     | 31.5     | 27         | 15    | CST/DOR | BLACK |
| 84144166    | Clamp CTB-30 Style A     | 32.5     | 28         | 15    | CST/ZND |       |
| 47983146    | Clamp CTB-32 Style A     | 34.5     | 29.5       | 15    | CST/ZND |       |
| 87432275    | Clamp CTB-35 Style A     | 38       | 31.5       | 15    | CST/ZND |       |
| 51550910    | Clamp CTB-47 Style A     | 50.0     | 41.5       | 15    | CST/ZND |       |
| 51550915    | Clamp CTB-51 Style A     | 54.0     | 44.0       | 15    | CST/ZND | GREY  |
| 51550916    | Clamp CTB-53 Style A     | 55.0     | 46.0       | 15    | CST/ZND |       |
| 51550917    | Clamp CTB-58 Style A     | 61.0     | 50.0       | 15    | CST/ZND | BLACK |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE



169 OF 201

CNH NUMBERS

**87354249**



**STPX100**

**Flat Washer**  
**Iveco 11-0410**  
Dimensions  
shown are in  
mm




| Part Number | Nom. Screw Dia | d <sub>1</sub> | d <sub>2</sub> | h        | w    | Z    | Material                                        |                          |
|-------------|----------------|----------------|----------------|----------|------|------|-------------------------------------------------|--------------------------|
|             |                |                |                |          |      |      | Iveco STD.                                      | Finish                   |
| 17094904    | 8              | 8.40 – 8.62    | 15.57 – 16     | 1.6 ±0.2 | 0.10 | 0.36 | IS 15-2891<br>FE 360D/RQ<br>ST 37-2<br>(140 HV) | I.S. 18-1101<br>RIV/EC 5 |
| 17095024    | 10             | 10.50 – 10.77  | 17.57 – 18     | 1.6 ±0.2 | 0.10 | 0.36 | IS 15-2861<br>FE 780 F<br>(300 HV)              | I.S. 18-1101<br>RIV/EC 5 |
|             |                |                |                |          |      |      |                                                 |                          |
|             |                |                |                |          |      |      |                                                 |                          |

**Flat Ended Dowels**  
**Iveco 11-0637**  
Dimensions  
shown are in  
mm



| Part Number | d  | d Tol.      | c   | l  | Material | Finish |
|-------------|----|-------------|-----|----|----------|--------|
| 17275510    | 10 | 0<br>-0.022 | 0.6 | 15 | 5.8      | PLN    |
|             |    |             |     |    |          |        |

**Cable Tie**  
**Iveco 11-0766**  
 Dimensions  
 shown are in  
 mm




| Part Number | d   |                                                   | m  |                                                   | n |                                                   | Tie<br>Tensile<br>Strength | Color | Material  |            |
|-------------|-----|---------------------------------------------------|----|---------------------------------------------------|---|---------------------------------------------------|----------------------------|-------|-----------|------------|
|             |     |                                                   |    |                                                   |   |                                                   |                            |       | Symbol    | Iveco STD. |
| 17059987    | 6.5 | $\begin{smallmatrix} +0.2 \\ 0 \end{smallmatrix}$ | 12 | $\begin{smallmatrix} +0.2 \\ 0 \end{smallmatrix}$ | 6 | $\begin{smallmatrix} +0.2 \\ 0 \end{smallmatrix}$ | ≥ 100 N                    | Black | PA 80.100 | 15-5232    |
|             |     |                                                   |    |                                                   |   |                                                   |                            |       |           |            |
|             |     |                                                   |    |                                                   |   |                                                   |                            |       |           |            |

### Iveco 11-4243 Adjustable Fittings

### Threaded Fillers For Rings (Bolt, Banjo)


Dimensions  
shown are in  
mm  
See **Iveco 11-  
4243** for Material  
and Finish  
details.



| Part Number | d1<br>6g | c1<br>min | l13<br>±0.2 | d27<br>H14 | d29<br>h12 | d30<br>H14 | m | p1<br>±0.2 | p2<br>±0.2 | r5  | s  | Mat'l | Finish         |
|-------------|----------|-----------|-------------|------------|------------|------------|---|------------|------------|-----|----|-------|----------------|
| 16511311    | M14X1.5  | 11        | 26          | 4.5        | 14         | 9          | 6 | 5.5        | 9.5        | 0.2 | 19 | STEEL | Fe/Zn 12<br>IV |
|             |          |           |             |            |            |            |   |            |            |     |    |       |                |


### Ring Seal Iveco 11-4311 (for fittings with tapered seat 24°)

Dimensions  
shown are in  
mm




| Part Number | Pipe OD | d2 | d9<br>B11 | d10<br>±0.1 | l   | Material      |       |
|-------------|---------|----|-----------|-------------|-----|---------------|-------|
|             |         |    |           |             |     | Iveco STD.    | code  |
| 16510140    | 10      | 13 | 10        | 10.7        | 9.2 | Brass 10-2999 | 30002 |
|             |         |    |           |             |     |               |       |

### Iveco 11-4730 Screw Plugs With External Hexagon Heads




| Part Number | d       | a | a <sub>1</sub> | d <sub>1</sub> | d <sub>3</sub><br>max. | h | l  | l <sub>1</sub> | s  | Material | Finish      |
|-------------|---------|---|----------------|----------------|------------------------|---|----|----------------|----|----------|-------------|
| 16992315    | M14x1.5 | 9 | 3              | 11.55          | 8                      | 5 | 14 | 12             | 19 | 5.8      | 18-1101 A34 |
|             |         |   |                |                |                        |   |    |                |    |          |             |

### Iveco 11-4730 Screw Plugs With External Hexagon Heads. (For alternate manufacturing methods see Iveco 11-4730)



| Part Number | d       | a  | a <sub>1</sub> | d <sub>1</sub> | d <sub>3</sub><br>max. | h    | l    | l <sub>1</sub> | s  | Material | Finish      |
|-------------|---------|----|----------------|----------------|------------------------|------|------|----------------|----|----------|-------------|
| 16993011    | M30x1.5 | 12 | 3              | 27.55          | 20                     | 10.5 | 22.5 | 18             | 22 | 5.8      | 18-1102 778 |
|             |         |    |                |                |                        |      |      |                |    |          |             |

**O-Rings**  
**Iveco 11-4818**  
 Dimensions  
 shown are in  
 mm



| Part Number | Size | D Nom  | D Tol.   | d    | d Tol.   | Material   |          |
|-------------|------|--------|----------|------|----------|------------|----------|
|             |      |        |          |      |          | Iveco STD. | Symbol   |
| 17281381    | 110  | 9.19   | +/- 0.18 | 2.62 | +/- 0.08 | 18-0484 E5 | OR-O/200 |
| 17282180    | 118  | 21.89  | +/- 0.15 | 2.62 | +/- 0.08 | 18-0484 E1 | OR-O/130 |
| 17282181    | 118  | 21.89  | +/- 0.15 | 2.62 | +/- 0.08 | 18-0484 E5 | OR-O/200 |
| 17282280    | 119  | 23.47  | +/- 0.15 | 2.62 | +/- 0.08 | 18-0484 E1 | OR-O/130 |
| 17282281    | 119  | 23.47  | +/- 0.25 | 2.62 | +/- 0.08 | 18-0484 E5 | OR-O/200 |
| 17282381    | 120  | 25.07  | +/- 0.25 | 2.62 | +/- 0.08 | 18-0484 E5 | OR-O/200 |
| 17283181    | 128  | 37.77  | +/- 0.30 | 2.62 | +/- 0.08 | 18-0484 E5 | OR-O/200 |
| 17292281    | 250  | 126.59 | +/- 0.38 | 3.53 | +/- 0.1  | 18-0484 E5 | OR-O/200 |
| 17293481    | 262  | 177.40 | +/- 0.6  | 3.53 | +/- 0.1  | 18-0484 E5 | OR-O/200 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE

174 OF 201


CNH NUMBERS

**87354249**


**STPX100**

| <b>JIS B2401</b><br>(Japanese Industrial Standard) |                          | <b>O-Rings</b><br><br>G-General industry<br>P-Equipment moving<br>G-for fixing<br>V-Vacuum Flanges |           |  |      |
|----------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------|------|
| Part Number                                        | Description              | Size                                                                                               | ID/Tol.   | Width                                                                              | Mat. |
| 84377845                                           | O-RING, 5.8 X 1.9 MM 1A  | 1AP6                                                                                               | 5.8±0.15  | 1.9±0.08                                                                           | 1A   |
| 84377846                                           | O-RING, 24.4 X 3.1MM 1B  | 1BG25                                                                                              | 24.4±0.25 | 3.1±0.10                                                                           | 1B   |
| 84378594                                           | O-FING, 25.5 X 2 MM 1A   | 1AS26*                                                                                             | 25.5±0.15 | 2±0.006                                                                            | 1A   |
| 84377847                                           | O-RING, 25.7 X 3.5MM 1B  | 1BP26                                                                                              | 25.7±0.26 | 3.5/±0.10                                                                          | 1B   |
| 84377848                                           | O-RING, 33.7 X 3.5 MM 1B | 1BP34                                                                                              | 33.7±0.33 | 3.5/±0.10                                                                          | 1B   |
| 51545120                                           | O-RING, 41.7 X 3.5 MM 1A | 1AP42                                                                                              | 41.7±0.38 | 3.5/±0.10                                                                          | 1A   |
| 84377851                                           | O-RING, 84.4 X 3.1 MM 1B | 1BG85                                                                                              | 84.4±0.73 | 3.1±0.10                                                                           | 1B   |
| 84378593                                           | O-RING, 84.4 X 3.1 MM 1A | 1AG85                                                                                              | 84.4±0.73 | 3.1±0.10                                                                           | 1A   |

\*Size not listed in Standard


| <b>BSPT Lube STR Fittings</b> |                           |  |       |      |           |
|-------------------------------|---------------------------|--------------------------------------------------------------------------------------|-------|------|-----------|
| Part Number                   | Description               | C                                                                                    | S     | D    | Mat./FIN. |
| 84378602                      | Fitting, lube 1/8-28 BSPT | 15MM                                                                                 | 5.5MM | 11MM | STL/ZND   |

FOR HYD  
Bulkhead lock  
nuts



| Part Number | Description         | H2 | D      | S4 | Mat. | Fin. |
|-------------|---------------------|----|--------|----|------|------|
| 84406852    | Nut, BH Lock 3/4-16 | 8  | 3/4-16 | 24 | STL  | ZND  |

Union Male BSPP- Male BSPP  
60D Cone End  
ISO 8434-6



| Part Number | F BSPP | F1 BSPP | A  | B  | D  | CH | MAT | FIN |
|-------------|--------|---------|----|----|----|----|-----|-----|
| 84421925    | 1/4-19 | 1/4-19  | 28 | 11 | 11 | 19 | STL | ZND |
| 47489320    | 1/4-19 | 3/8-19  | 30 | 11 | 12 | 22 | STL | ZND |
| 47499743    | 1/4-19 | 1/2-14  | 33 | 11 | 14 | 27 | STL | ZND |
| 47489346    | 3/8-19 | 3/8-19  | 31 | 12 | 12 | 22 | STL | ZND |
| 47499783    | 3/8-19 | 1/2-14  | 34 | 12 | 14 | 27 | STL | ZND |
| 47489356    | 1/2-14 | 1/2-14  | 35 | 14 | 14 | 27 | STL | ZND |
| 47489374    | 1/2-14 | 3/4-14  | 40 | 14 | 16 | 32 | STL | ZND |
| 47489377    | 3/4-14 | 3/4-14  | 44 | 16 | 16 | 32 | STL | ZND |
| 47552617    | 3/4-14 | 1-11    | 46 | 16 | 19 | 41 | STL | ZND |
| 47860697    | 2-11   | 2-11    | 76 | 25 | 25 | 70 | STL | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM

PAGE  
176 OF 201

CNH NUMBERS


**87354249** | **STPX100**

Union Male BSPP- Swivel Nut BSPP  
60D Cone End  
ISO 8434-6



| Part Number | F BSPP | F1 BSPP | A    | B  | D    | CH | CH1 | MAT | FIN |
|-------------|--------|---------|------|----|------|----|-----|-----|-----|
| 47489415    | 1/4-19 | 1/4-19  | 36   | 11 | 17   | 19 | 19  | STL | ZND |
| 47489429    | 3/8-19 | 3/8-19  | 39   | 12 | 19   | 22 | 22  | STL | ZND |
| 47489434    | 1/2-14 | 1/2-14  | 46.5 | 14 | 21.5 | 27 | 27  | STL | ZND |
| 47489435    | 3/4-14 | 3/4-14  | 53.5 | 16 | 26.5 | 32 | 32  | STL | ZND |
| 47530739    | 1/4-19 | 3/8-19  | 38   | 11 | 19   | 19 | 22  | STL | ZND |
| 47561877    | 1/4-19 | 1/2-14  | 42.5 | 11 | 21.5 | 19 | 27  | STL | ZND |
| 47497952    | 3/8-19 | 1/2-14  | 44   | 12 | 21.5 | 22 | 27  | STL | ZND |
| 47489439    | 1/2-14 | 3/4-14  | 51.5 | 14 | 26.5 | 27 | 32  | STL | ZND |
| 47497970    | 3/4-14 | 1/2-14  | 48.5 | 16 | 21.5 | 32 | 27  | STL | ZND |

60D Cone End (ISO 8434-6 )  
Union, Bulkhead Male BSPP- Male  
BSPP



| Part Number | F BSPP | F1 BSPP | A  | B  | D  | CH | CH1 | MAT | FIN |
|-------------|--------|---------|----|----|----|----|-----|-----|-----|
| 47552618    | 1/4-19 | 1/4-19  | 46 | 11 | 28 | 19 | 19  | STL | ZND |
| 47489447    | 1/2-14 | 1/2-14  | 59 | 14 | 35 | 30 | 30  | STL | ZND |
| 92070189    | 3/8-19 | 3/8-19  | 52 | 12 | 32 | 24 | 24  | STL | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.  
KM


PAGE  
177 OF 201

CNH NUMBERS

**87354249**


**STPX100**

60D Cone End (ISO 8434-6 )  
Connector Male BSP – Male Metric with  
O.R. and retaining ring ISO 9974 ports



| Part Number | F BSPP    | F1 (-6g) | A  | B  | D    | CH | MAT | FIN |
|-------------|-----------|----------|----|----|------|----|-----|-----|
| 47497257    | G1/4-19 A | M16X1.5  | 32 | 11 | 11   | 22 | STL | ZND |
| 47497269    | G3/8-19 A | M16X1.5  | 35 | 12 | 11   | 22 | STL | ZND |
| 47498893    | G3/8-19 A | M18X1.5  | 36 | 12 | 12.5 | 24 | STL | ZND |
| 47497769    | G1/2-14 A | M18X1.5  | 38 | 14 | 12.5 | 24 | STL | ZND |
|             |           |          |    |    |      |    |     |     |

60D Cone End (ISO 8434-6 )  
Connector Male BSP – Male Metric with  
elastomer seal ISO 9974 ports



| Part Number | F BSPP    | F1 (-6g) | A    | B  | D  | CH | MAT | FIN |
|-------------|-----------|----------|------|----|----|----|-----|-----|
| 47561738    | G3/8-19 A | M18X1.5  | 35   | 12 | 12 | 24 | STL | ZND |
| 47561794    | G1/2-14 A | M22X1.5  | 40.5 | 14 | 14 | 27 | STL | ZND |
|             |           |          |      |    |    |    |     |     |
|             |           |          |      |    |    |    |     |     |
|             |           |          |      |    |    |    |     |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


178 OF 201

CNH NUMBERS

**87354249**


**STPX100**

HMTX Union  
37D Flare  
ends  
Non SAE  
070101  
Parker  
4HMTXS



| Part Number | Description          | C  | D | D1 | L  | T1      | MAT | FIN |
|-------------|----------------------|----|---|----|----|---------|-----|-----|
| 84421926    | Union, M 37D 7/16-20 | 13 | 4 | 4  | 35 | 7/16-20 | STL | ZND |

Reduced  
Flange  
Bolts  
(All Dimensions  
in inches)



| Part Number | Size    | A<br>Max | L    | F<br>Max | W<br>Max | H<br>Max | K<br>Min | J<br>Min | U<br>Max | R<br>Max | MAT | FIN |
|-------------|---------|----------|------|----------|----------|----------|----------|----------|----------|----------|-----|-----|
| 83925616    | 5/16-18 | 0.28     | 0.5  | 0.375    | 0.685    | 0.300    | 0.045    | 0.191    | 0.015    | 0.015    | 5   | PHC |
| 83925617    | 5/16-18 | 0.28     | 1.0  | 0.375    | 0.685    | 0.300    | 0.045    | 0.191    | 0.015    | 0.015    | 5   | PHC |
| 83925618    | 3/8-16  | 0.34     | 0.75 | 0.500    | 0.802    | 0.330    | 0.050    | 0.213    | 0.015    | 0.018    | 5   | PHC |
| 83948055    | 7/16-14 | 0.40     | 0.75 | 0.565    | 0.927    | 0.385    | 0.060    | 0.254    | 0.015    | 0.024    | 5   | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


179 OF 201

CNH NUMBERS

**87354249**


**STPX100**

### Iveco 11-0102 Hexagon Head Bolts



| Part Number | Dia Nom. | Pitch | Length l | Thread Length (b) | s  | k   | Mat'l | Finish                   |
|-------------|----------|-------|----------|-------------------|----|-----|-------|--------------------------|
| 16602324    | M5       | 0.8   | 25       | FULL              | 8  | 3.5 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16604124    | M6       | 1     | 40       | 18                | 10 | 4   | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16605424    | M8       | 1.25  | 16       | FULL              | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16605724    | M8       | 1.25  | 30       | FULL              | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16606124    | M8       | 1.25  | 50       | 22                | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16606324    | M8       | 1.25  | 60       | 22                | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16606424    | M8       | 1.25  | 65       | 22                | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
| 16606524    | M8       | 1.25  | 70       | 22                | 13 | 5.3 | 8.8   | RIV/EC 5<br>I.S. 18-1101 |
|             |          |       |          |                   |    |     |       |                          |

### Iveco 11-0118 Flanged Hexagon Head Bolts (Heavy Series)



| Part Number | Dia Nom. | Pitch | Length l | Thread Length (b) | s  | k    | Mat'l | Finish   |
|-------------|----------|-------|----------|-------------------|----|------|-------|----------|
| 16586224    | M8       | 1.25  | 16       | FULL              | 13 | 8.1  | 8.8   | RIV/EC 5 |
| 16586524    | M8       | 1.25  | 30       | FULL              | 13 | 8.1  | 8.8   | RIV/EC 5 |
| 16592624    | M8       | 1.25  | 80       | 22                | 13 | 8.1  | 8.8   | RIV/EC 5 |
| 16598324    | M8       | 1.25  | 100      | 22                | 13 | 8.1  | 8.8   | RIV/EC 5 |
| 16776924    | M8       | 1.25  | 130      | 28                | 13 | 8.1  | 8.8   | RIV/EC 5 |
| 16587824    | M10      | 1.5   | 60       | 26                | 15 | 9.2  | 8.8   | RIV/EC 5 |
| 16596624    | M10      | 1.5   | 125      | 26                | 15 | 9.2  | 8.8   | RIV/EC 5 |
| 16588324    | M12      | 1.75  | 45       | Full              | 16 | 11.5 | 8.8   | RIV/EC 5 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


181 OF 201

CNH NUMBERS

**87354249**


**STPX100**

### Iveco 11-0119 High Tensile Flanged Hexagon Head Bolts (Heavy Series)



$$\begin{aligned} a \text{ max.} &= 3P \\ l_s &= l_g \text{ max} - 5P \\ u \text{ max.} &= 2P \end{aligned}$$

DETAIL X



Type F

Type U

| Part Number | Dia Nom. | Pitch | Length l | Thread Length | s  | k    | Mat'l | Finish    |
|-------------|----------|-------|----------|---------------|----|------|-------|-----------|
| 16673635    | M8       | 1.25  | 20       | Full          | 13 | 8.1  | R10   | GEO 500-5 |
| 16678135    | M12      | 1.75  | 45       | Full          | 16 | 11.5 | R10   | GEO 500-5 |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


182 OF 201

CNH NUMBERS

**87354249**

**STPX100**

### Iveco 11-0120 Flanged Hexagon Head Through Bolts (Heavy Series)



| Part Number | Dia Nom. | Pitch | Length l | Thread Length | s  | k | Mat'l | Finish     |
|-------------|----------|-------|----------|---------------|----|---|-------|------------|
| 18137825    | 6        | 1     | 16       | FULL          | 10 | 6 | 8.8   | RIV/EC 5 F |
|             |          |       |          |               |    |   |       |            |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

183 OF 201


CNH NUMBERS

**87354249**


**STPX100**


### Iveco 11-4320 Rectangular Section Sealing Washer


Figure 1  
- Form A -





| Part Number | d1<br>+0.3<br>0 | d2<br>0<br>-0.2 | h<br>±0.2 | Thread use | Material         |
|-------------|-----------------|-----------------|-----------|------------|------------------|
| 16780660    | 6.7             | 9.4             | 1         | M6X1       | Copper (11-4320) |
| 16508560    | 26.3            | 30.9            | 2         | M26X1.5    | Copper (11-4320) |


| Ford Flange Bolts |                               | Ford Std MB100.011 |     |  |    |  |     |     |
|-------------------|-------------------------------|--------------------|-----|------------------------------------------------------------------------------------|----|--|-----|-----|
| Part Number       | Description                   | F                  | H   | W                                                                                  | L  |  | MAT | FIN |
| 9995155           | Bolt, Flange M6 x 10 9.8 ZNM  | 8                  | 6.9 | 13.6                                                                               | 10 |  | 9.8 | ZNM |
| 83926880          | Bolt, Flange M6 x 12 9.8 ZNM  | 8                  | 6.9 | 13.6                                                                               | 12 |  | 9.8 | ZNM |
| 9992979           | Bolt, Flange M6 x 16 9.8 ZNM  | 8                  | 6.9 | 13.6                                                                               | 16 |  | 9.8 | ZNM |
| 82859922          | Bolt, Flange M6 x 20 9.8 ZNM  | 8                  | 6.9 | 13.6                                                                               | 20 |  | 9.8 | ZNM |
| 9995013           | Bolt, Flange M8 x 20 9.8 ZNM  | 10                 | 8.3 | 17                                                                                 | 20 |  | 9.8 | ZNM |
| 83972853          | Bolt, Flange M8 x 30 9.8 ZNM  | 10                 | 8.3 | 17                                                                                 | 30 |  | 9.8 | ZNM |
| 83928604          | Bolt, Flange M10 x 20 9.8 ZNM | 13                 | 9.3 | 20.8                                                                               | 20 |  | 9.8 | ZNM |


| Ford Pan Head w/tooth lock washer |                      | Ford Std MB202.01 |       |  |     |     |     |     |
|-----------------------------------|----------------------|-------------------|-------|--------------------------------------------------------------------------------------|-----|-----|-----|-----|
| Part Number                       | Description          | D                 | h1    | l                                                                                    | k   | g   | MAT | FIN |
| 83963569                          | SCREW W/WASHER M4X12 | 8                 | 1-1.5 | 12                                                                                   | 2.8 | 2.9 | 4.8 | ZND |


| Ford<br>Hexagon<br>screws<br>W/Paint<br>clearing<br>feature |                            | Ford Std SB 150.01 |    |  |    |       |     |     |
|-------------------------------------------------------------|----------------------------|--------------------|----|------------------------------------------------------------------------------------|----|-------|-----|-----|
| Part Number                                                 | Description                | d                  | l  | K                                                                                  | s  | Pitch | MAT | FIN |
| 82880826                                                    | Screw, Hex M6 x 25 8.8 ZND | M6                 | 25 | 4                                                                                  | 10 | 1     | 8.8 | ZND |
| 81872099                                                    | Screw, Hex M8 x 16 8.8 ZND | M8                 | 16 | 3.3                                                                                | 13 | 1.25  | 8.8 | ZND |


| Ref. Ford<br>MC12.03<br>Hexagon<br>screws<br>W/Conical<br>washers<br><br>Ref Ford<br>MC900.15 for<br>conical<br>washer |         |  |                |                               |                     |                  |        |        |     |     |
|------------------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|----------------|-------------------------------|---------------------|------------------|--------|--------|-----|-----|
| Part Number                                                                                                            | Size    | L Length                                                                            | Washer OD Max. | Nom. Width Across Flats (ref) | D Pilot Length Max. | E Pilot Diameter | S Max. | H Max. | MAT | FIN |
| 83992627                                                                                                               | M8X1.25 | 25                                                                                  | 22.6           | 10                            | 3.0                 | 6.0              | 2.0    | 9.56   | 9.8 | ZND |
|                                                                                                                        |         |                                                                                     |                |                               |                     |                  |        |        |     |     |

| BSPP int.<br>Hex Plug<br>W/elastomer<br>seal ISO<br>1179 ports |                        |  |    |    |    |    |     |     |
|----------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------|----|----|----|----|-----|-----|
| Part Number                                                    | Description            | F                                                                                  | A  | B  | D  | CH | MAT | FIN |
| 84289782                                                       | PLUG, HEX SOC, G 1/8 A | G 1/8 A                                                                            | 12 | 8  | 14 | 5  | STL | ZND |
| 47852129                                                       | PLUG, HEX SOC, G 1/4 A | G 1/4 A                                                                            | 17 | 12 | 19 | 6  | STL | ZND |
| 84289783                                                       | PLUG, HEX SOC, G 3/8 A | G 3/8 A                                                                            | 17 | 12 | 22 | 8  | STL | ZND |
| 9837624                                                        | PLUG, HEX SOC, G 1/2 A | G 1/2 A                                                                            | 19 | 14 | 27 | 10 | STL | ZND |

| BSPP Ext. FOR A301263<br>Hex Plug<br>W/O-ring and<br>Retaining<br>Ring ISO<br>1179-3 |                |  |    |    |    |  |     |     |
|--------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|----|----|----|--|-----|-----|
| Part Number                                                                          | Description    | F                                                                                   | A  | CH | B  |  | MAT | FIN |
| 84533158                                                                             | PLUG, 1/4 BSPP | G1/4A                                                                               | 20 | 19 | 10 |  | STL | ZND |

|                                             |    |    |    |                        |    |    |      |                                                                                      |      |      |    |    |    |    |    |
|---------------------------------------------|----|----|----|------------------------|----|----|------|--------------------------------------------------------------------------------------|------|------|----|----|----|----|----|
| WH-M-KDS<br>High Pressure<br>Banjo<br>Elbow |    |    |    | Parker<br>WH10LMKDSOMD |    |    |      |  |      |      |    |    |    |    |    |
| Part Number                                 | S1 | S2 | S3 | T                      | D3 | D4 | D5   | D6                                                                                   | L1   | L2   | L3 | L4 | L5 | L6 | L7 |
| 1768202                                     | 22 | 19 | 19 | M14X1.5                | 8  | 6  | 18.9 | 22.5                                                                                 | 22.5 | 15.5 | 14 | 12 | 30 | 30 | 3  |

| WH-R-KDS<br>High Pressure<br>Banjo Elbow |        | EO 24° cone end /<br>Male BSPP thread<br>with soft seal ring |         |  |    |      |      |      |    |    |      |    |    |    |    |    |
|------------------------------------------|--------|--------------------------------------------------------------|---------|------------------------------------------------------------------------------------|----|------|------|------|----|----|------|----|----|----|----|----|
| Part Number                              | Series | D1                                                           | T       | D3                                                                                 | D4 | D5   | L1   | L2   | L3 | L4 | L5   | L6 | L7 | S1 | S2 | S3 |
| 2479658                                  | S      | 08                                                           | G 1/4 A | 5                                                                                  | 5  | 18.9 | 23.5 | 16.5 | 14 | 12 | 30.5 | 31 | 3  | 22 | 19 | 19 |

| <div>Banjo<br/>Elbow EO<br/>24° cone<br/>end / Male<br/>Metric<br/>thread<br/>with metal<br/>seal ring</div> |        |    |         | Parker SWVE-M |     |    |    |  |    |    |    |    |       |        |
|--------------------------------------------------------------------------------------------------------------|--------|----|---------|---------------|-----|----|----|--------------------------------------------------------------------------------------|----|----|----|----|-------|--------|
| Part Number                                                                                                  | Series | D1 | T       | D3            | D4  | L1 | L2 | L3                                                                                   | L4 | L5 | S1 | S2 | Mat'l | Finish |
| 1768199                                                                                                      | L      | 10 | M14X1.5 | 8             | 6.5 | 21 | 14 | 13                                                                                   | 9  | 27 | 19 | 19 | STL   | ZND    |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE


188 OF 201

CNH NUMBERS

**87354249**
**STPX100**


NPTF Hex  
Pipe Caps

Parker HPC



| Part Number | Description         | L    | C      | 1           |  |
|-------------|---------------------|------|--------|-------------|--|
|             | Cap, Hex Pipe 1/8   | .75  | 9/16   | 1/8-27      |  |
| 84569155    | Cap, Hex Pipe 1/4   | .91  | 3/4    | 1/4-18      |  |
|             | Cap, Hex Pipe 3/8   | 1.03 | 7/8    | 3/8-18      |  |
|             | Cap, Hex Pipe 1/2   | 1.34 | 1-1/16 | 1/2-14      |  |
|             | Cap, Hex Pipe 3/4   | 1.44 | 1-1/4  | 3/4-14      |  |
|             | Cap, Hex Pipe 1     | 1.68 | 1-5/8  | 1-11-1/2    |  |
|             | Cap, Hex Pipe 1-1/2 | 1.92 | 2-3/8  | 1-1/2-1-1/2 |  |

Conversion  
Adapter  
NPTF/BSPP



| Part Number | Description                      | 1 Male<br>NPTF | 2 Female<br>BSPP | L    | C     | MAT | FIN |
|-------------|----------------------------------|----------------|------------------|------|-------|-----|-----|
| 84595752    | Adapter, 1/2-14<br>M NPTF/F BSPP | 1/2-14         | 1/2-14           | 1.66 | 1-1/8 | STL | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM


PAGE


189 OF 201


CNH NUMBERS


**87354249**


**STPX100**


| Conversion Adapter<br>NPTF/Metric |                                |  |                          |      |     |     |     |
|-----------------------------------|--------------------------------|------------------------------------------------------------------------------------|--------------------------|------|-----|-----|-----|
| Part Number                       | Description                    | 1 Male NPTF                                                                        | 2 Metric Straight Thread | L    | C   | MAT | FIN |
| 51551025                          | Adapter, 1/8-27 NPTF X M12X1.5 | 1/8-27                                                                             | M12X1.5                  | 1.16 | 3/4 | STL | ZND |

| Conversion Adapter<br>SAE-ORB/BSPP |             |        |           |  |        |     |     |
|------------------------------------|-------------|--------|-----------|-------------------------------------------------------------------------------------|--------|-----|-----|
| Part Number                        | 1 UN/UNF-2A | 2 BSPP | C HEX in. | L in.                                                                               | LL in. | MAT | FIN |
| 47479891                           | 9/16-18     | 1/4-19 | 3/4       | 1.19                                                                                | 0.80   | STL | ZND |


| Adapter<br>BSPP male with elastomer seal ISO 9974 port – female BSPP |        |        |    |  |    |     |     |
|----------------------------------------------------------------------|--------|--------|----|--------------------------------------------------------------------------------------|----|-----|-----|
| Part Number                                                          | F      | F1     | A  | B                                                                                    | CH | MAT | FIN |
| 47553404                                                             | 1/2-14 | 1/4-19 | 24 | 14                                                                                   | 27 | STL | ZND |
| 48137501                                                             | 1/4-19 | 1/8-28 | 29 | 12                                                                                   | 19 | STL | ZND |

| Conversion Adapter<br>Male metric thread O-ring with retaining ring (ISO 9974 / DIN 3852-1) / Female inch ORB (SAE J1926-1 / ISO 11926-1) |         |           |          |  |     |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------|----------|-------------------------------------------------------------------------------------|-----|-----|
| Part Number                                                                                                                               | 1       | 2         | L1 (in.) | C1 Hex (in.)                                                                        | MAT | FIN |
| 48133038                                                                                                                                  | M18X1.5 | 3/4-16    | 1.38     | 1                                                                                   | STL | ZND |
| 48133039                                                                                                                                  | M33X2   | 1-5/16-12 | 1.91     | 1-5/8                                                                               | STL | ZND |

| Parker F50F Male Pipe Adapter<br>SAE-ORB/NPTF |                                         |  |              |      |       |     |     |
|-----------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------|--------------|------|-------|-----|-----|
| Part Number                                   | Description                             | 1                                                                                  | 2            | L    | C1    | MAT | FIN |
| 84603131                                      | Adapter, 9/16-18 ORB 3/8-18 M NPTF      | 9/16-18                                                                            | 3/8-18       | 1.34 | 11/16 | STL | ZND |
| 84603130                                      | Adapter, 3/4-16 ORB 3/8-18 M NPTF       | 3/4-16                                                                             | 3/8-18       | 1.36 | 7/8   | STL | ZND |
| 47646702                                      | Adapter, 3/4-16 ORB 1/2-14 M NPTF       | 3/4-16                                                                             | 1/2-14       | 1.53 | 7/8   | STL | ZND |
| 90479663                                      | Adapter, 1-7/8-12 ORB 1-1/2-11-1/2 NPTF | 1-7/8-12                                                                           | 1-1/2-11-1/2 | 2.25 | 2-1/8 | STL | ZND |


| Female NPTF / Male NPTF<br>SAE 140239 |                   |                 |      |  |       |       |      |     |     |
|---------------------------------------|-------------------|-----------------|------|--------------------------------------------------------------------------------------|-------|-------|------|-----|-----|
| Part Number                           | NPTF FEMALE (PTF) | NPTF MALE (PTM) | D mm | N mm                                                                                 | N1 mm | XX mm | Y mm | MAT | FIN |
| 51674042                              | 3/8-18            | 3/8-18          | 10   | 31                                                                                   | 26    | 22    | 22   | STL | ZND |

Elbow, 90 FOR 015/F/1934  
Male NPTF X  
ORB ISO 9974-2



| Part Number | Description                            |  |  |  |  | MAT | FIN |
|-------------|----------------------------------------|--|--|--|--|-----|-----|
| 84595753    | Elbow, 90 1/4-14 M NPTF<br>M22X1.5 ORB |  |  |  |  | STL | ZND |


Parker KOR  
Tube End Reducer  
EO Stand Pipe adjustable / EO 24 degree cone end.



| Part Number | Description      | D1 | D2 | D3  | L1   | L2   | S2 | MAT | FIN |
|-------------|------------------|----|----|-----|------|------|----|-----|-----|
| 51400079    | Tube End Reducer | 15 | 08 | 6.0 | 30.5 | 23.5 | 27 | STL | ZND |
|             |                  |    |    |     |      |      |    |     |     |

### Parker RI-ED

Thread Reducer / Expander  
Male BSPP thread – ED –seal  
(ISO 1179-2) / Female BSPP  
thread (ISO 1179-1)




X1) Elastic-sealing ED

| Part Number | Male Stud T1 | Female Stud T2 | D2 | D3 | L1 | L2 | L3   | S1 | Fig. | MAT | FIN |
|-------------|--------------|----------------|----|----|----|----|------|----|------|-----|-----|
| 51590384    | G 1/4 A      | G 3/8          | 19 | 5  | 36 | 12 | 12   | 24 | B    | STL | ZND |
| 92037090    | G 3/8 A      | G 1/4          | 22 | 8  | 36 | 12 | 12.5 | 22 | B    | STL | ZND |
| 51400988    | G 1/2 A      | G 1/4          | 27 |    | 24 | 14 | 12   | 27 | A    | STL | ZND |
| 51580586    | G 3/4 A      | G 1/2          | 32 | 16 | 43 | 16 | 14   | 32 | B    | STL | ZND |
| 47939105    | G 1 A        | G 1/2          | 40 |    | 29 | 18 | 14   | 41 | A    | STL | ZND |
| 51580584    | G 1 A        | G 3/4          | 40 | 20 | 49 | 18 | 16   | 41 | B    | STL | ZND |
| 92786560    | G 1-1/4 A    | G 1            | 50 | 25 | 52 | 20 | 18   | 50 | B    | STL | ZND |
| 92786563    | G 1-1/2 A    | G 1            | 55 |    | 36 | 22 | 18   | 55 | A    | STL | ZND |

### Thread Reducer / Expander Male BSPP / Female BSPP

DIN 3852-2



| Part Number | 1 Male BSPP | 2 Female BSPP | A  | CH1 | MAT | FIN |
|-------------|-------------|---------------|----|-----|-----|-----|
| 51630062    | 3/4-14      | 3/8-19        | 26 | 32  | STL | ZND |
|             |             |               |    |     |     |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

193 OF 201


CNH NUMBERS

**87354249**

**STPX100**


Parker FF33M Male Nipple

Male BSPT thread (ISO 7)



| Part Number | Description   | BSPT T1 | BSPT T2 | C mm | D mm | L mm | MAT | FIN |
|-------------|---------------|---------|---------|------|------|------|-----|-----|
| 51400611    | 1/4FF33MS     | 1/4 -19 | 1/4-19  | 14   | 7    | 37   | STL | ZND |
| 51400607    | 1/2X1/4FF33MS | 1/2-14  | 1/4-19  | 22   | 7    | 43   | STL | ZND |
| 51602222    | 1/2FF33MS     | 1/2-14  | 1/2-14  | 22   | 14   | 48   | STL | ZND |


37 Deg Flare End / Male BSPT thread (ISO 7)



| Part Number | Description                | 1<br>UN/UNF<br>-2A | 2<br>BSPT | L mm | C mm | MAT | FIN |
|-------------|----------------------------|--------------------|-----------|------|------|-----|-----|
| 92247799    | 9/16-18 37FL X 1/4-19 BSPT | 9/16-18            | 1/4-19    | 36   | 16   | STL | ZND |
|             |                            |                    |           |      |      |     |     |

Parker SV Bulkhead Union


EO 24 Degree Cone end.



| Part Number | D1           | Thread  | D3 | L1 | L2   | L3 | L4   | S1 | S2 | Series | MAT | FIN |
|-------------|--------------|---------|----|----|------|----|------|----|----|--------|-----|-----|
|             | (Both Sides) |         |    |    |      |    |      |    |    |        |     |     |
| 85826479    | 08           | M14x1.5 | 6  | 15 | 8    | 34 | 27.0 | 19 | 19 | L      | STL | ZND |
| 2142470     | 12           | M18x1.5 | 10 | 17 | 10   | 36 | 29.0 | 24 | 24 | L      | STL | ZND |
| 2247784     | 15           | M22X1.5 | 12 | 19 | 12   | 38 | 31   | 27 | 30 | L      | STL | ZND |
| 48126925    | 18           | M26x1.5 | 15 | 21 | 13.5 | 40 | 32.5 | 32 | 36 | L      | STL | ZND |
| 51543142    | 28           | M36X2   | 24 | 26 | 18.5 | 43 | 35.5 | 41 | 46 | L      | STL | ZND |

Parker WSV Bulkhead elbow

EO 24 Degree Cone end.



| Part Number | D1 | Threads | D3 | D4 | L1 | L2   | L3 | L4   | L5 | S1 | S2 | Series | MAT | FIN |
|-------------|----|---------|----|----|----|------|----|------|----|----|----|--------|-----|-----|
| 51400455    | 08 | M14x1.5 | 6  | 19 | 21 | 14   | 17 | 27   | 51 | 12 | 19 | L      | STL | ZND |
| 2930214     | 10 | M16x1.5 | 8  | 22 | 22 | 15   | 18 | 28   | 53 | 14 | 22 | L      | STL | ZND |
| 2247840     | 12 | M18X1.5 | 10 | 24 | 24 | 17   | 20 | 29   | 56 | 17 | 24 | L      | STL | ZND |
| 85806613    | 16 | M24x1.5 | 12 | 30 | 33 | 24.5 | 24 | 31.5 | 64 | 24 | 32 | S      | STL | ZND |
| 51419867    | 18 | M26x1.5 | 15 | 32 | 31 | 23.5 | 24 | 32.5 | 64 | 24 | 36 | L      | STL | ZND |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

195 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Parker W Union elbow


EO Elbow, 90, 24 Degree Cone end.



| Part Number | D1 | Threads | D3 | L1 | L2   | S3 | Series | MAT | FIN |
|-------------|----|---------|----|----|------|----|--------|-----|-----|
| 51400202    | 08 | M14x1.5 | 6  | 21 | 14   | 14 | L      | STL | ZND |
| 87681454    | 10 | M16x1.5 | 8  | 22 | 15   | 17 | L      | STL | ZND |
| 47466755    | 12 | M18x1.5 | 10 | 24 | 17   | 19 | L      | STL | ZND |
| 47781352    | 15 | M22x1.5 | 12 | 28 | 21   | 19 | L      | STL | ZND |
| 85811755    | 16 | M24x1.5 | 12 | 33 | 24.5 | 24 | S      | STL | ZND |

Parker EVW Standpipe elbow

EO Elbow, 90, Adjustable 24 Degree Cone end / EO Stand pipe adjustable



| Part Number | D1 | D3 | L1 | L2 | L3   | S1 | S2 | Series | MAT | FIN |
|-------------|----|----|----|----|------|----|----|--------|-----|-----|
| 87736519    | 08 | 6  | 21 | 14 | 27.5 | 12 | 17 | L      | STL | ZND |
| 51401001    | 12 | 10 | 24 | 17 | 29.5 | 17 | 22 | L      | STL | ZND |
| 51400941    | 15 | 12 | 28 | 21 | 32.5 | 19 | 27 | L      | STL | ZND |
|             |    |    |    |    |      |    |    |        |     |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**

REV.

KM

PAGE

196 OF 201


CNH NUMBERS

**87354249**

**STPX100**

Parker WE-R (KEG) Male stud elbow


EO 24 Degree Cone end / Male Short BSP taper thread (DIN 3852-2 type C)




| Part Number | D1 | T          | D3 | D4 | L1 | L2 | L3 | L4 | S3 | Series | MAT | FIN |
|-------------|----|------------|----|----|----|----|----|----|----|--------|-----|-----|
| 51400989    | 08 | R 1/4 tap. | 6  | 6  | 21 | 14 | 26 | 12 | 14 | L      | STL | ZND |
| 51400911    | 08 | R 3/8 tap. | 6  | 9  | 24 | 17 | 28 | 12 | 19 | L      | STL | ZND |
|             |    |            |    |    |    |    |    |    |    |        |     |     |


Parker GE-R (KEG) Male Stud Connector


EO 24 Degree Cone end / Male Short BSP taper thread (DIN 3852-2 type C)



| Part Number | D1 | T       | D3  | L1 | L2 | L3 | L4 | S1 | Series | MAT | FIN |
|-------------|----|---------|-----|----|----|----|----|----|--------|-----|-----|
| 47422575    | 08 | R1/8keg | 4.0 | 23 | 16 | 8  | 31 | 17 | L      | STL | ZND |
|             |    |         |     |    |    |    |    |    |        |     |     |
|             |    |         |     |    |    |    |    |    |        |     |     |


| Parker RHD Non-Return Valve<br>24 Degree Flareless / 24 degree Flareless |            |         |    |  |    |        |     |     |
|--------------------------------------------------------------------------|------------|---------|----|------------------------------------------------------------------------------------|----|--------|-----|-----|
| Part Number                                                              | 1 & 2 (mm) | DN Size | L1 | S1                                                                                 | S3 | Series | MAT | FIN |
| 47422574                                                                 | 8          | 6       | 30 | 19                                                                                 | 19 | L      | STL | ZND |
|                                                                          |            |         |    |                                                                                    |    |        |     |     |

| Tube Nut    |              |          |        |  |     |     |
|-------------|--------------|----------|--------|-------------------------------------------------------------------------------------|-----|-----|
| Part Number | Tube OD (in) | Thread   | H (in) | Hex (in)                                                                            | MAT | FIN |
| 83934417    | 5/8          | 15/16-16 | 1.0    | 1-1/8                                                                               | STL | ZND |
|             |              |          |        |                                                                                     |     |     |

| Sleeve.     |              |       |       |  |     |     |
|-------------|--------------|-------|-------|--------------------------------------------------------------------------------------|-----|-----|
| Part Number | Tube OD (in) | A     | B     | C                                                                                    | MAT | FIN |
| 83934416    | 5/8          | 31/64 | 55/64 | 5/8                                                                                  | STL | PHC |
|             |              |       |       |                                                                                      |     |     |


ISO 8745 – Grooved Pins –  
Half length taper grooved.

Hardness 125 HV30 to 245  
HV30




| Part Number | D | L  | A    | MAT | FIN |
|-------------|---|----|------|-----|-----|
| 47692629    | 5 | 24 | 0.63 | STL | ZND |
|             |   |    |      |     |     |

DIN 1472 – Grooved Pins –  
Half length taper grooved.



| Part Number | d <sub>1</sub> | d <sub>2</sub> | L  | c   | r | MAT | FIN |
|-------------|----------------|----------------|----|-----|---|-----|-----|
| 92326879    | 6              | 6.3            | 16 | 0.8 | 6 | STL | ZND |
|             |                |                |    |     |   |     |     |


Soft Sealing Ring for 24  
Degree Fittings  
Parker DOZ EO-2



| Part Number | D (mm) | D (mm) | Tube OD (mm) | Series | Material   |
|-------------|--------|--------|--------------|--------|------------|
| 47698735    | 20.3   | 15     | 15           | L      | STL/NBR-90 |
| 47698741    | 24.3   | 18     | 18           | L      | STL/NBR-90 |
| 47698742    | 27.7   | 22     | 22           | L      | STL/NBR-90 |


### Circlip

Hardened or tempered to HV 410 – 500 or austempered to HV 480 - 570.



| Part Number | Size | b  | h1   | h2  | s | d1<br>from – to | d2<br>min – max | m<br>min – max | n<br>min | Mat | Finish |
|-------------|------|----|------|-----|---|-----------------|-----------------|----------------|----------|-----|--------|
| 51535749    | 10   | 16 | 15.7 | 9.5 | 5 | 10 – 12         | 7.8 – 8.2       | 0.95 – 1.15    | 4.4      | HTS | ZND    |
| 83982632    | 24   | 35 | 34   | 20  | 9 | 24 – 30         | 16 – 18         | 1.70 – 1.90    | 7.8      | HTS | ZND    |
|             |      |    |      |     |   |                 |                 |                |          |     |        |

### Elbow – Male-Female BSPP-BSPT



| Part Number | BSPT 1 | BSPP 2 | C<br>mm | M<br>mm | N<br>mm | MAT   | FIN |
|-------------|--------|--------|---------|---------|---------|-------|-----|
| 920018473   | 1/8    | 1/8    | 14      | 22.5    | 23      | Brass | PLN |
| 920018471   | 3/8    | 3/8    | 22      | 31.5    | 30      | Brass | PLN |
|             |        |        |         |         |         |       |     |

NAME

**NATIONAL & INTERNATIONAL STD PARTS**


REV.  
KM

PAGE  
200 OF 201

CNH NUMBERS


**87354249 | STPX100**

Blanking plug with  
nut for cone  
EO 24Deg DKO  
swivel



| Part Number | Series | Threads | D1 | L1   | MAT | FIN |
|-------------|--------|---------|----|------|-----|-----|
| 1148454     | S      | M20X1.5 | 12 | 20.5 | STL | ZND |
| 2268319     | L      | M36X2.0 | 28 | 26.5 | STL | ZND |
|             |        |         |    |      |     |     |

Blanking plug for tube  
ends  
EO 24Deg cone  
end



| Part Number | Series | Threads | D1 | L1 | L2   | S1 | MAT | FIN |
|-------------|--------|---------|----|----|------|----|-----|-----|
| 2507899     | S      | M20X1.5 | 12 | 22 | 14.5 | 22 | STL | ZND |
|             |        |         |    |    |      |    |     |     |
|             |        |         |    |    |      |    |     |     |